



# SAMLv2.0 HTTP POST “SimpleSign” Binding

## DRAFT Committee Specification 02a ? September 2008

### Specification URIs:

#### This Version:

<http://docs.oasis-open.org/security/saml/Post2.0/ssstc-saml-binding-simplesign-cs-02.html>

<http://docs.oasis-open.org/security/saml/Post2.0/ssstc-saml-binding-simplesign-cs-02.odt>

<http://docs.oasis-open.org/security/saml/Post2.0/ssstc-saml-binding-simplesign-cs-02.pdf>

#### Previous Version:

<http://docs.oasis-open.org/security/saml/Post2.0/ssstc-saml-binding-simplesign-cs-01.html>

<http://docs.oasis-open.org/security/saml/Post2.0/ssstc-saml-binding-simplesign-cs-01.odt>

<http://docs.oasis-open.org/security/saml/Post2.0/ssstc-saml-binding-simplesign-cs-01.pdf>

#### Latest Version:

<http://docs.oasis-open.org/security/saml/Post2.0/ssstc-saml-binding-simplesign.html>

<http://docs.oasis-open.org/security/saml/Post2.0/ssstc-saml-binding-simplesign.odt>

<http://docs.oasis-open.org/security/saml/Post2.0/ssstc-saml-binding-simplesign.pdf>

#### Latest Approved Version:

<http://docs.oasis-open.org/security/saml/Post2.0/ssstc-saml-binding-simplesign-cs-01.html>

<http://docs.oasis-open.org/security/saml/Post2.0/ssstc-saml-binding-simplesign-cs-01.odt>

<http://docs.oasis-open.org/security/saml/Post2.0/ssstc-saml-binding-simplesign-cs-01.pdf>

### Technical Committee:

OASIS Security Services TC

### Chairs:

Hal Lockhart, BEA Systems, Inc.

Prateek Mishra, Oracle Corporation

### Editors:

Jeff Hodges, Individual

Scott Cantor, Internet2

### Related Work:

This specification is an addition to the bindings described in the SAML V2.0 Bindings specification [SAMLBind].

### Abstract:

This specification defines a SAML HTTP protocol binding, specifically using the HTTP POST

37 method, and not using XML Digital Signature for SAML message data origination authentication.  
38 Rather, a “sign the BLOB” technique is employed wherein a conveyed SAML message is treated as  
39 a simple octet string if it is signed. Conveyed SAML assertions may be individually signed using  
40 XMLdsig. Security is optional in this binding.

41 **Status:**

42 This document was last revised or approved by the SSTC on the above date. The level of approval  
43 is also listed above. Check the current location noted above for possible later revisions of this  
44 document. This document is updated periodically on no particular schedule.

45 TC members should send comments on this specification to the TC’s email list. Others  
46 should send comments to the TC by using the “Send A Comment” button on the TC’s  
47 web page at <http://www.oasis-open.org/committees/security>.

48 For information on whether any patents have been disclosed that may be essential to implementing  
49 this specification, and any offers of patent licensing terms, please refer to the IPR section of the TC  
50 web page (<http://www.oasis-open.org/committees/security/ipr.php>).

51 The non-normative errata page for this specification is located at [http://www.oasis-](http://www.oasis-open.org/committees/security)  
52 [open.org/committees/security](http://www.oasis-open.org/committees/security).

---

# Notices

53

54 Copyright © OASIS Open 2008. All Rights Reserved.

55 All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual  
56 Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website.

57 This document and translations of it may be copied and furnished to others, and derivative works that  
58 comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and  
59 distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and  
60 this section are included on all such copies and derivative works. However, this document itself may not be  
61 modified in any way, including by removing the copyright notice or references to OASIS, except as needed  
62 for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in  
63 which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as  
64 required to translate it into languages other than English.

65 The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or  
66 assigns.

67 This document and the information contained herein is provided on an "AS IS" basis and OASIS  
68 DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY  
69 WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP  
70 RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR  
71 PURPOSE.

72 OASIS requests that any OASIS Party or any other party that believes it has patent claims that would  
73 necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to  
74 notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such  
75 patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced  
76 this specification.

77 OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any  
78 patent claims that would necessarily be infringed by implementations of this specification by a patent holder  
79 that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the  
80 OASIS Technical Committee that produced this specification. OASIS may include such claims on its  
81 website, but disclaims any obligation to do so.

82 OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might  
83 be claimed to pertain to the implementation or use of the technology described in this document or the  
84 extent to which any license under such rights might or might not be available; neither does it represent that  
85 it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in  
86 any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS  
87 website. Copies of claims of rights made available for publication and any assurances of licenses to be  
88 made available, or the result of an attempt made to obtain a general license or permission for the use of  
89 such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS  
90 Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any  
91 information or list of intellectual property rights will at any time be complete, or that any claims in such list  
92 are, in fact, Essential Claims.

93 The name "OASIS" is a trademark of [OASIS](http://www.oasis-open.org), the owner and developer of this specification, and should be  
94 used only to refer to the organization and its official outputs. OASIS welcomes reference to, and  
95 implementation and use of, specifications, while reserving the right to enforce its marks against misleading  
96 uses. Please see <http://www.oasis-open.org/who/trademark.php> for above guidance.

---

97 **Table of Contents**

98 1 Introduction..... 5

99 1.1 Protocol Binding Concepts.....5.

100 1.2 Notation..... 5

101 1.3 Normative References.....6

102 1.4 Conformance..... 7

103 1.4.1 HTTP POST-SimpleSign Binding.....7

104 2 HTTP POST-SimpleSign Binding..... 8

105 2.1 Required Information..... 8

106 2.2 Overview..... 8

107 2.3 Relay State..... 8.

108 2.4 Message Encoding and Conveyance..... 9

109 2.5 SimpleSign Signature..... 10

110 2.6 SimpleSign Signature Verification..... 10

111 2.7 Message Exchange..... 11

112 2.7.1 HTTP and Caching Considerations..... 12

113 2.7.2 Security Considerations..... 12

114 2.8 Error Reporting..... 13

115 2.9 Metadata Considerations..... 13

116 2.10 Note to Implementors..... 13

117 2.11 Example..... 13

118 Appendix A. Acknowledgments..... 16

119

# 1 Introduction

120 This specification defines a SAML HTTP protocol binding, specifically using the HTTP POST method, and  
121 which specifically does not use XML Digital Signature [XMLSig] for SAML message data origination  
122 authentication. Rather, a "sign the BLOB" technique is employed wherein a conveyed SAML message,  
123 along with any content (e.g. SAML assertion(s)), is treated as a simple octet string if it is signed.  
124 Additionally, it is out of the scope of this specification whether or not conveyed SAML assertions are  
125 authenticated via XML Digital Signature. Security is optional in this binding.

126 The next subsection gives a general overview of SAML Protocol Binding concepts, followed by notation and  
127 namespace declarations. The binding itself is defined in Section 2.

## 1.1 Protocol Binding Concepts

129 Mappings of SAML request-response message exchanges onto standard messaging or communication  
130 protocols are called SAML *protocol bindings* (or just *bindings*). An instance of mapping SAML request-  
131 response message exchanges into a specific communication protocol <FOO> is termed a <FOO> *binding*  
132 *for SAML* or a *SAML <FOO> binding*.

133 For example, a SAML SOAP binding describes how SAML request and response message exchanges are  
134 mapped into SOAP message exchanges.

135 The intent of this specification is to specify the given binding in sufficient detail to ensure that independently  
136 implemented SAML-conforming software can interoperate when using standard messaging or  
137 communication protocols.

138 Unless otherwise specified, this binding should be understood to support the transmission of any SAML  
139 protocol message derived from the **samlp:RequestAbstractType** and **samlp:StatusResponseType** types.  
140 Further, when this binding refers to "SAML requests and responses", it should be understood to mean any  
141 protocol messages derived from those types.

142 For other terms and concepts that are specific to SAML, refer to the SAML glossary [SAMLGloss].

## 1.2 Notation

144 The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD  
145 NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this specification are to be interpreted as described  
146 in IETF RFC 2119 [RFC2119].

147 `Listings of productions or other normative code appear like this.`

148

149 `Example code listings appear like this.`

150 **Note:** Notes like this are sometimes used to highlight non-normative commentary.

151 Conventional XML namespace prefixes are used throughout this specification to stand for their respective  
152 namespaces as follows, whether or not a namespace declaration is present in the example:

Prefix	XML Namespace	Comments
saml:	urn:oasis:names:tc:SAML:2.0:assertion	This is the SAML V2.0 assertion namespace [SAMLCore].
samlp:	urn:oasis:names:tc:SAML:2.0:protocol	This is the SAML V2.0 protocol namespace [SAMLCore].

Prefix	XML Namespace	Comments
SOAP-ENV:	http://schemas.xmlsoap.org/soap/envelope	This namespace is defined in SOAP V1.1 [SOAP11].

153

154 This specification uses the following typographical conventions in text: `<ns:Element>`, `XMLAttribute`,  
 155 **Datatype**, `OtherKeyword`. In some cases, angle brackets are used to indicate non-terminals, rather than  
 156 XML elements; the intent will be clear from the context.

## 157 1.3 Normative References

- 158 **[HTML401]** D. Raggett et al. *HTML 4.01 Specification*. World Wide Web Consortium  
 159 Recommendation, December 1999. See <http://www.w3.org/TR/html4>.
- 160 **[RFC2045]** N. Freed et al. *Multipurpose Internet Mail Extensions (MIME) Part One: Format of*  
 161 *Internet Message Bodies*, IETF RFC 2045, November 1996. See  
 162 <http://www.ietf.org/rfc/rfc2045.txt>.
- 163 **[RFC2119]** S. Bradner. *Key words for use in RFCs to Indicate Requirement Levels*. IETF RFC  
 164 2119, March 1997. See <http://www.ietf.org/rfc/rfc2119.txt>.
- 165 **[RFC2246]** T. Dierks et al. *The TLS Protocol Version 1.0*. IETF RFC 2246, January 1999. See  
 166 <http://www.ietf.org/rfc/rfc2246.txt>.
- 167 **[RFC2616]** R. Fielding et al. *Hypertext Transfer Protocol – HTTP/1.1*. IETF RFC 2616, June  
 168 1999. See <http://www.ietf.org/rfc/rfc2616.txt>.
- 169 **[SAMLBind]** S. Cantor et al. *Bindings for the OASIS Security Assertion Markup Language*  
 170 *(SAML) V2.0*. OASIS SSTC, March 2005. Document ID saml-bindings-2.0-os. See  
 171 <http://www.oasis-open.org/committees/security/>.
- 172 **[SAMLCore]** S. Cantor et al. *Assertions and Protocols for the OASIS Security Assertion Markup*  
 173 *Language (SAML) V2.0*. OASIS SSTC, March 2005. Document ID saml-core-2.0-  
 174 os. See <http://www.oasis-open.org/committees/security/>.
- 175 **[SAMLGloss]** J. Hodges et al. *Glossary for the OASIS Security Assertion Markup Language*  
 176 *(SAML) V2.0*. OASIS SSTC, March 2005. Document ID saml-glossary-2.0-os. See  
 177 <http://www.oasis-open.org/committees/security/>.
- 178 **[SAMLMeta]** S. Cantor et al. *Metadata for the OASIS Security Assertion Markup Language*  
 179 *(SAML) V2.0*. OASIS SSTC, March 2005. Document ID saml-metadata-2.0-os.  
 180 See <http://www.oasis-open.org/committees/security/>.
- 181 **[SAMLProf]** S. Cantor et al. *Profiles for the OASIS Security Assertion Markup Language*  
 182 *(SAML) V2.0*. OASIS SSTC, March 2005. Document ID saml-profiles-2.0-os. See  
 183 <http://www.oasis-open.org/committees/security/>.
- 184 **[SAMLSecure]** F. Hirsch et al. *Security and Privacy Considerations for the OASIS Security*  
 185 *Assertion Markup Language (SAML) V2.0*. OASIS SSTC, March 2005. Document  
 186 ID saml-sec-consider-2.0-os. See <http://www.oasis-open.org/committees/security/>.
- 187 **[SOAP11]** D. Box et al. *Simple Object Access Protocol (SOAP) 1.1*. World Wide Web  
 188 Consortium Note, May 2000. See [http://www.w3.org/TR/2000/NOTE-SOAP-  
 189 20000508/](http://www.w3.org/TR/2000/NOTE-SOAP-20000508/).
- 190 **[SSL3]** A. Frier et al. *The SSL 3.0 Protocol*. Netscape Communications Corp, November  
 191 1996.
- 192 **[SSTCWeb]** OASIS Security Services Technical Committee website, [http://www.oasis-  
 193 open.org/committees/security](http://www.oasis-open.org/committees/security).
- 194 **[XHTML]** *XHTML 1.0 The Extensible HyperText Markup Language (Second Edition)*. World  
 195 Wide Web Consortium Recommendation, August 2002. See  
 196 <http://www.w3.org/TR/xhtml1/>.

197       **[XMLSig]**       D. Eastlake et al. *XML-Signature Syntax and Processing*. World Wide Web  
198       Consortium Recommendation, February 2002. See <http://www.w3.org/TR/xmlsig->  
199       [core/](http://www.w3.org/TR/xmlsig-core/).

## 200   **1.4 Conformance**

### 201   **1.4.1 HTTP POST-SimpleSign Binding**

202   An implementation shall be considered conforming if it conforms to all normative requirements of section 2.

---

## 2 HTTP POST-SimpleSign Binding

203

204 The HTTP POST binding, defined in [SAMLBind], defines a mechanism by which SAML protocol messages  
205 may be transmitted within the base64-encoded content of an HTML form control. When using that binding,  
206 SAML protocol messages and/or SAML assertions are signed using [XMLSig], which is an XML-aware,  
207 XML-based, invasive digital signature paradigm necessitating canonicalization of the signature target.

208 This document specifies an alternative HTTP POST-based binding where the conveyed SAML protocol  
209 messages – including their content, i.e. any conveyed SAML assertions – are signed as simple “BLOBs”  
210 (“Binary Large Objects”, aka binary octet strings).

211 Note that this binding defines the conveyance of an individual SAML request or response message via  
212 HTTP POST. Thus this binding MAY be composed with the HTTP Redirect binding (see Section 3.4 of  
213 [SAMLBind]) or the HTTP Artifact binding (see Section 3.6 of [SAMLBind] to transmit request and response  
214 messages in an overall SAML protocol exchange, the definition of which is termed a “SAML Profile”  
215 [SAMLProf], using two different bindings.

### 2.1 Required Information

216

217 **Identification:** urn:oasis:names:tc:SAML:2.0:bindings:HTTP-POST-SimpleSign

218 **Contact information:** [security-services-comment@lists.oasis-open.org](mailto:security-services-comment@lists.oasis-open.org)

219 **Description:** Given below.

220 **Updates:** None. Rather, it provides an alternative to the HTTP POST Binding defined in [SAMLBind]

### 2.2 Overview

221

222 The HTTP POST-SimpleSign binding is intended for cases in which the SAML requester or responder need  
223 to communicate using an HTTP user agent (as defined in HTTP 1.1 [RFC2616] as an intermediary, and  
224 when data origination authentication and integrity protection of the SAML message is not required, or when  
225 a lighter-weight signature mechanism (as compared to [XMLSig] is appropriate. This may be necessary, for  
226 example, if the communicating parties do not share a direct path of communication. It may also be needed if  
227 the responder requires an interaction with the user agent in order to fulfill the request, such as when the  
228 user agent must authenticate to it.

229 Note that some HTTP user agents may have the capacity to play a more active role in the protocol  
230 exchange and may support other bindings that use HTTP, such as the SOAP and Reverse SOAP bindings.  
231 This binding does not require such capabilities—it assumes nothing apart from the capabilities of a common  
232 web browser.

### 2.3 Relay State

233

234 RelayState data MAY be included with a SAML protocol message transmitted with this binding. The value  
235 MUST NOT exceed 80 bytes in length and SHOULD be integrity protected by the entity creating the  
236 message, either via a digital signature (see section 2.5) or by some independent means.

237 If a SAML request message is accompanied by RelayState data, then the SAML responder MUST return its  
238 SAML protocol response message using a binding that also supports a RelayState mechanism, and it  
239 MUST place the exact data it received with the request into the corresponding RelayState parameter in the  
240 response message.

241 If no such value is included with a SAML request message, or if the SAML response message is being

242 generated without a corresponding request, then the SAML responder MAY include RelayState data to be  
243 interpreted by the recipient based on the use of a profile or prior agreement between the parties.

## 244 2.4 Message Encoding and Conveyance

245 This section describes how to encode a SAML protocol message, and thus any SAML assertion(s) it may  
246 contain, into HTML FORM "control(s)" [HTML401] (Section 17), thus enabling the SAML protocol message  
247 to be conveyed via the HTTP POST method.

248 A SAML protocol message is form-encoded by:

- 249 1. Applying the base-64 encoding rules to the XML representation of the message. The resulting  
250 base64-encoded value MAY be line-wrapped at a reasonable length in accordance with common  
251 practice.
- 252 2. Encoding the result from the prior step into a "form data set", in the same fashion as is specified for  
253 "successful controls" in [HTML401] (Section 17.13.3), as a form "control value". The HTML document  
254 also MUST adhere to the XHTML specification, [XHTML].
  - 255 a. If the SAML protocol message is a SAML request, then the form "control name" used to convey  
256 the SAML protocol message itself MUST be `SAMLRequest`.
  - 257 b. If the SAML protocol message is a SAML response, then the form "control name" used to convey  
258 the SAML protocol message itself MUST be `SAMLResponse`.
  - 259 c. Any additional form controls or presentation, other than those noted below for including a  
260 signature, MAY be included but MUST NOT be required in order for the recipient to nominally  
261 process the SAML protocol message itself.

262 SAML protocol messages, and any SAML assertions contained within the SAML protocol messages, MAY  
263 be signed using [XMLSig], and if so, any such signatures MUST remain intact. Additionally, SAML protocol  
264 messages MAY be signed using the technique given below in section 2.5. This technique is referred to as  
265 the "SimpleSign technique". The SimpleSign signature value is conveyed in a form control value named  
266 `Signature`, and the signature algorithm is conveyed in a form control value named `SigAlg`. These form  
267 control values are included in the form data set constructed in step 2 above.

268 If the SAML protocol message is signed using SimpleSign, the `Destination` XML attribute in the root  
269 SAML element of the SAML protocol message MUST contain the URL to which the sender has instructed  
270 the user agent to deliver the message. The recipient MUST then verify that the value matches the location  
271 at which the SAML protocol message has been received. Also, the signer's certificate or other keying  
272 information MAY be included in a form control named `KeyInfo`. This form control, if present, MUST contain  
273 a base-64 encoded `<ds:KeyInfo>` element [XMLSig] (base-64 encoding is done as in step 1, above).

274 If a "RelayState" value is to accompany the SAML protocol message, it MUST be in a form control named  
275 `RelayState`, and included in the form data set constructed in step 2 above, and also included in any  
276 signed content if the message is signed.

277 The `action` attribute of the form MUST be the recipient's HTTP endpoint for the protocol or profile using  
278 this binding to which the SAML protocol message is to be delivered. The `method` attribute MUST be  
279 "POST". The `enctype` attribute specifies the form content type and MUST be `application/x-www-`  
280 `form-urlencoded`.

281 All of the above form attributes and form controls, to which values are assigned per the above discussion,  
282 comprise the form data set. The form data set is then encoded into an HTTP response `message-body` as  
283 a `<FORM>` element. The HTTP response message is then sent to the user agent.

284 Any technique supported by the user agent MAY be used to cause the submission of the form (to cause it to  
285 be conveyed to the SAML protocol message recipient), and any form content necessary to support this MAY  
286 be included, such as submit controls and client-side scripting commands. However, the recipient MUST be  
287 able to process the message without regard for the mechanism by which the form submission is initiated.

288 Note that any form control values included MUST be transformed so as to be safe to include in the XHTML  
289 document. This includes transforming characters such as quotes into HTML entities, etc.  
290 [HTML401][XHTML]

## 291 2.5 SimpleSign Signature

292 To construct a signature of a SAML message conveyed by this binding:

293 1. The signature algorithm used MUST be identified by a URI, specified according to [XMLSig] or  
294 whatever specification governs the algorithm. The following signature algorithms (see [XMLSig]) and  
295 their URI representations MUST be supported with this encoding mechanism:

- 296 • DSAwithSHA1 – <http://www.w3.org/2000/09/xmldsig#dsa-sha1>
- 297 • RSAwithSHA1 – <http://www.w3.org/2000/09/xmldsig#rsa-sha1>

299 2. A string consisting of the concatenation of the raw, unencoded XML making up the SAML protocol  
300 message (NOT the base64-encoded version), the `RelayState` value (if present), and the `SigAlg`  
301 value, is constructed in one of the following ways (each individually ordered as shown):

```
302 SAMLRequest=value&RelayState=value&SigAlg=value  
303  
304 SAMLResponse=value&RelayState=value&SigAlg=value
```

306 Note that if there is no `RelayState` value, the entire parameter should be omitted from the signature  
307 computation (and not included as an empty parameter name), resulting in a string of one of these  
308 forms:

```
309 SAMLRequest=value&SigAlg=value  
310  
311 SAMLResponse=value&SigAlg=value
```

- 313 3. The resultant octet string is fed into the signature algorithm.
- 314 4. The value yielded by the signature algorithm is base64 encoded (see [RFC2045]), and used as the  
315 value for the `Signature` form control as discussed in section 2.4, above.

316 Note that this is subtly different from the signature approach defined by the HTTP-Redirect binding  
317 [SAMLBind]. Experimentation shows that many web browsers alter linefeeds when submitting form controls  
318 that span multiple lines. Since base64-encoded data often wraps, it is not possible to guarantee that the  
319 values submitted will match what the original signer produced, resulting in verification failures. Using the  
320 raw XML content as a component of the octet string addresses this issue.


321 The original XML MUST be concatenated with the other information as shown above without regard for any  
322 embedded whitespace, even if the result spans multiple lines. The specific whitespace characters present  
323 will be safely encoded in base64 and then recovered by the relying party for use in verifying the signature.

## 324 2.6 SimpleSign Signature Verification

325 To verify a received SAML protocol message, which was signed using SimpleSign and conveyed by this  
326 binding, the receiver MUST extract the form control values for the `RelayState` (if present), `SigAlg`, and  
327 `SAMLRequest` (or `SAMLResponse`) values (as appropriate) from the received HTTP message. Then the  
328 receiver reconstructs the string as described in section 2.5 step 2, above. The signature value conveyed in  
329 the `Signature` control value is then checked against this string per the signature algorithm given by the  
330 `SigAlg` control value, and using (as appropriate, see [XMLSig]) the keying material obtained via the  
331 `<ds:KeyInfo>` conveyed in the `KeyInfo` control value (if present). Error handling and generated  
332 messages as a result of the signature not verifying are implementation-dependent.

333 **2.7 Message Exchange**

334 The system model used for SAML conversations via this binding is a request-response model. However, a  
 335 SAML request message is sent to the user agent via an HTTP response message, and subsequently  
 336 delivered to the SAML responder via an HTTP request message issued by the user agent. Any HTTP  
 337 interactions before, between, and after the foregoing exchanges take place is unspecified. Both the SAML  
 338 requester and responder are assumed to be HTTP responders. See the following diagram illustrating the  
 339 messages exchanged. Note that although the diagram illustrates both the SAML request and the SAML  
 340 response being conveyed via the HTTP POST-SimpleSign binding, one or the other of the SAML request or  
 341 the SAML response could be conveyed via a different SAML HTTP-based binding.



- 342 1. Initially, the user agent makes an arbitrary HTTP request to a system entity. In the course of  
343 processing the request, the system entity decides to initiate a SAML protocol exchange.
- 344 2. (a) The system entity acting as a SAML requester responds to an HTTP request from the user  
345 agent by returning a SAML request. The request is returned in an XHTML document containing the  
346 form and content defined in Section 2.4, above. (b) The user agent delivers the SAML request by  
347 issuing an HTTP POST request to the SAML responder.
- 348 3. In general, the SAML responder MAY respond to the SAML request by immediately returning a  
349 SAML response or it MAY return arbitrary content to facilitate subsequent interaction with the user  
350 agent necessary to fulfill the request. Specific protocols and profiles may include mechanisms to  
351 indicate the requester's level of willingness to permit this kind of interaction (for example, the  
352 `IsPassive` attribute in `<samlp:AuthnRequest>` [SAMLCore].
- 353 4. Eventually the responder SHOULD (a) return a SAML response to the user agent to be (b) returned  
354 to the SAML requester. The SAML response is returned in the same fashion as described for the  
355 SAML request in step 2, if this or a similar binding is employed for this step. Otherwise, details may  
356 vary.
- 357 5. Upon receiving the SAML response, the SAML requester returns an arbitrary HTTP response to the  
358 user agent.

## 359 2.7.1 HTTP and Caching Considerations

360 HTTP proxies and the user agent intermediary should not cache SAML protocol messages. To ensure this,  
361 the following rules SHOULD be followed.

362 When returning SAML protocol messages using HTTP 1.1, HTTP responders SHOULD:

- 363 • Include a `Cache-Control` header field set to "no-cache, no-store".
- 364 • Include a `Pragma` header field set to "no-cache".

365 There are no other restrictions on the use of HTTP headers.

## 366 2.7.2 Security Considerations

367 The presence of the user agent intermediary means that the requester and responder cannot rely on the  
368 transport layer for endpoint-to-endpoint (i.e. SAML Requester to/from SAML Responder) authentication,  
369 integrity or confidentiality protection. This binding defines the SimpleSign approach as a means for signing  
370 the conveyed SAML protocol messages and optional `RelayState` in order to provide endpoint-to-endpoint  
371 integrity protection and data origin authentication.

372 This binding SHOULD NOT be used if the content of the request or response should not be exposed to the  
373 user agent intermediary. Otherwise, confidentiality of both SAML requests and SAML responses is  
374 OPTIONAL and depends on the environment of use. If on-the-wire confidentiality is necessary, SSL 3.0  
375 [SSL3] or TLS 1.0 [RFC2246] SHOULD be used to protect the overall HTTP messages, and the conveyed  
376 SAML protocol messages, in transit between the user agent and the SAML requester and responder.

377 In general, this binding relies on message-level authentication and integrity protection via signing and does  
378 not support confidentiality of messages from the user agent intermediary.

379 **NOTE:** Cryptographically-based security is entirely OPTIONAL in this binding. If no security  
380 mechanisms are employed, then there is essentially no runtime assurance as to the  
381 identity of any of the communicating entities.

382 If the SAML protocol messages are signed (using the SimpleSign approach or [XMLSig]) then the  
383 `Destination` XML attribute in the root SAML element of the SAML protocol message MUST contain the  
384 URL to which the sender has instructed the user agent to deliver the message. The recipient MUST then

385 verify that the value matches the location at which the message has been received.

386 Note also that the SimpleSign technique, if employed, binds the RelayState value (if present) to the SAML  
387 protocol message, unlike the [XMLSig]-based technique of the HTTP POST binding [SAMLBind]. Thus, if a  
388 SAML protocol message is not signed using SimpleSign, but is signed using the [XMLSig]-based technique,  
389 then the caveats with respect to any conveyed RelayState value, presented in section 3.5.5.2 of  
390 [SAMLBind], should be taken into account.

## 391 2.8 Error Reporting

392 A SAML responder that refuses to perform a message exchange with the SAML requester SHOULD return  
393 a response message with a second-level <samlp:StatusCode> value of  
394 urn:oasis:names:tc:SAML:2.0:status:RequestDenied.

395 HTTP interactions during the message exchange MUST NOT use HTTP error status codes to indicate  
396 failures in SAML processing, since the user agent is not a full party to the SAML protocol exchange.

397 For more information about SAML status codes, see the SAML assertions and protocols specification  
398 [SAMLCore]

## 399 2.9 Metadata Considerations

400 Support for the HTTP POST-SimpleSign binding SHOULD be reflected by indicating URL endpoints at  
401 which requests and responses for a particular protocol or profile should be sent. Either a single endpoint or  
402 distinct request and response endpoints MAY be supplied [SAMLMeta]. The identification URI given in  
403 section 2.1 is used as the value for the Binding attribute of any endpoint elements.

## 404 2.10 Note to Implementors

405 SAML protocol message recipients can distinguish between HTTP-SAML messages constructed via this  
406 specification's HTTP POST-SimpleSign binding and ones constructed via the HTTP POST binding  
407 [SAMLBind] by examining received HTTP messages for an XHTML form field with a name attribute value of  
408 Signature. If this is present, then the message MUST be processed in accordance with this specification.  
409 If not present, then the HTTP message MAY be processed in accordance with the HTTP POST binding  
410 specification.

## 411 2.11 Example

412 In this example, a <LogoutRequest> and <LogoutResponse> message pair is exchanged using the  
413 HTTP POST-SimpleSign binding. The messages are signed as described in section 2.5, above. If the  
414 messages were unsigned, they would be the same as shown below, except that the hidden form controls  
415 named Signature and SigAlg would be missing.

416 First, here are the actual SAML protocol messages being exchanged:

```
417 <samlp:LogoutRequest xmlns:samlp="urn:oasis:names:tc:SAML:2.0:protocol"  
418 xmlns="urn:oasis:names:tc:SAML:2.0:assertion"  
419 ID="d2b7c388cec36fa7c39c28fd298644a8" IssueInstant="2004-01-  
420 21T19:00:49Z" Version="2.0">  
421 <Issuer>https://IdentityProvider.com/SAML</Issuer>  
422 <NameID Format="urn:oasis:names:tc:SAML:2.0:nameid-  
423 format:persistent">005a06e0-ad82-110d-a556-004005b13a2b</NameID>  
424 <samlp:SessionIndex>1</samlp:SessionIndex>  
425 </samlp:LogoutRequest>
```

```
427 <samlp:LogoutResponse xmlns:samlp="urn:oasis:names:tc:SAML:2.0:protocol"  
428 xmlns="urn:oasis:names:tc:SAML:2.0:assertion"
```





---

547 **Appendix A. Acknowledgments**

548 The editors would like to acknowledge the contributions of the OASIS Security Services Technical  
549 Committee, whose voting members at the time of publication were:

- 550 • Hal Lockhart, BEA Systems, Inc.
- 551 • Rob Philpott, EMC Corporation
- 552 • Eric Tiffany, Liberty Alliance Project
- 553 • Scott Cantor, Internet2
- 554 • Bob Morgan, Internet2
- 555 • Tom Scavo, National Center for Supercomputing Applications (NCSA)
- 556 • Peter Davis, Neustar, Inc.
- 557 • Jeff Hodges, Neustar, Inc.
- 558 • Frederick Hirsch, Nokia Corporation
- 559 • Abbie Barbir, Nortel Networks Limited
- 560 • Paul Madsen, NTT Corporation
- 561 • Ari Kermaier, Oracle Corporation
- 562 • Prateek Mishra, Oracle Corporation
- 563 • Brian Campbell, Ping Identity Corporation
- 564 • Anil Saldhana, Red Hat
- 565 • Eve Maler, Sun Microsystems
- 566 • Emily Xu, Sun Microsystems
- 567 • Kent Spaulding, Tripod Technology Group, Inc.
- 568 • David Staggs, Veterans Health Administration
- 569