



# Emergency Data Exchange Language (EDXL) Distribution Element, v. 1.0

**Committee Draft, 14 February 2006**

**Document Identifier:**

EDXL-DE-V1.0

**OASIS Identifier:**

{EMTC}-{EDXL-DE}-{1.0} (HTML) (Word) (PDF)

**Location:**

This Version: <http://docs.oasis-open.org/emergency/EDXL-DE/V1.0>

**Technical Committee:**

OASIS Emergency Management TC

**Chair(s):**

Elysa Jones, [Warning Systems, Inc](http://www.warning-systems.com) - [<ejones@warningsystems.com>](mailto:ejones@warningsystems.com)

**Editor(s):**

Michelle Raymond, [Honeywell ACS Labs](http://www.honeywell.com)  
Sylvia Webb, Individual  
Patti Iles Aymond, [IEM, Inc.](http://www.iem.com) - [<patti.aymond@iem.com>](mailto:patti.aymond@iem.com)

**Subject / Keywords:**

distribution element, dissemination, routing, payload, alert, resource message, emergency, information sharing, data exchange, emergency response, emergency management, geospatial, political, target area, message delivery, message sender, message recipient, distribution status, distribution type, sender role, recipient role, response type, event cause, confidentiality, circle, polygon, location, content object, consumer role, notification, XML message, distribution type, geography, incident, sender identification, sender id, recipient identification, recipient id, inter-agency, emergency information, functional role, recipient address, hazard, distribution status, distribution type, event type, event etiology, message processor, event stage, resource code and response type

**Related Work:**

This specification is related to:

CAP 1.1 - <http://www.oasis-open.org/committees/emergency>

The Common Alerting Protocol (CAP) provides an open, non-proprietary digital message format for all types of alerts and notifications. CAP messages are recommended as one of the standardized forms for XML based message content, to be distributed by this Distribution Element.

## Abstract:

This Distribution Element specification describes a standard message distribution framework for data sharing among emergency information systems using the XML-based Emergency Data Exchange Language (EDXL). This format may be used over any data transmission system, including but not limited to the SOAP HTTP binding.

## Status:

This document was last revised or approved by the Emergency Management Technical Committee on the above date. The level of approval is also listed above. Check the current location noted above for possible later revisions of this document. This document is updated periodically on no particular schedule.

Technical Committee members should send comments on this specification to the Technical Committee's email list. Others should send comments to the Technical Committee by using the "Send A Comment" button on the Technical Committee's web page at [www.oasis-open.org/committees/emergency](http://www.oasis-open.org/committees/emergency).

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page at [www.oasis-open.org/committees/emergency/ipr.php](http://www.oasis-open.org/committees/emergency/ipr.php).

## Notices

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS procedures with respect to rights in OASIS specifications can be found at the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this specification, can be obtained from the OASIS President.

OASIS invites any interested party to bring to its attention any copyrights, patents or patent applications, or other proprietary rights which may cover technology that may be required to implement this specification. Please address the information to the OASIS President.

Copyright © OASIS Open 2006. *All Rights Reserved.*

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this paragraph are included on all such copies and derivative works. However, this document itself does not be modified in any way, such as by removing the copyright notice or references to OASIS, except as needed for the purpose of developing OASIS specifications, in which case the procedures for copyrights defined in the OASIS Intellectual Property Rights document must be followed, or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

---

# Table of Contents

<b>1. INTRODUCTION.....</b>	<b>5</b>
1.1 PURPOSE.....	5
1.2 HISTORY.....	5
1.3 STRUCTURE OF THE EDXL DISTRIBUTION ELEMENT .....	6
1.3.1 <EDXLDistribution>.....	6
1.3.2 <targetArea>.....	6
1.3.3 <contentObject>.....	6
1.4 APPLICATIONS OF THE EDXL DISTRIBUTION ELEMENT .....	6
1.5 TERMINOLOGY .....	6
1.6 NORMATIVE REFERENCES .....	7
1.7 NON-NORMATIVE REFERENCES .....	7
<b>2. DESIGN PRINCIPLES AND CONCEPTS (NON-NORMATIVE) .....</b>	<b>8</b>
2.1 DESIGN PHILOSOPHY .....	8
2.2 REQUIREMENTS FOR DESIGN .....	8
2.3 EXAMPLE USAGE SCENARIOS .....	9
2.3.1 <i>Distribution of Emergency Message/s or alerts based on Geographic Delivery Area and Incident Type</i> .....	9
2.3.2 <i>Encapsulation and Distribution of one or more emergency messages or alerts or notifications</i> .....	9
2.3.3 <i>Distribution of Resource Messages or Reports</i> .....	9
2.3.4 <i>Distribution of well-formed XML messages</i> .....	9
<b>3. EDXLDISTRIBUTION ELEMENT STRUCTURE (NORMATIVE) .....</b>	<b>10</b>
3.1 DOCUMENT OBJECT MODEL .....	10
3.2 DATA DICTIONARY .....	11
3.2.1 <i>EDXLDistribution Element and Sub-elements</i> .....	11
3.2.2 <i>targetArea Element and Sub-elements</i> .....	18
3.2.3 <i>contentObject Element and Sub-elements</i> .....	21
3.2.4 <i>nonXMLContent Element and Sub-elements</i> .....	26
3.2.5 <i>xmlContent Element and Sub-elements</i> .....	28
3.2.5 <i>List and Associated Value(s) Support</i> .....	30
3.2.6 <i>Explicit Addressing</i> .....	31
<b>APPENDIX A. XML SCHEMA FOR THE EDXLDISTRIBUTION ELEMENT .....</b>	<b>32</b>
<b>APPENDIX B. EDXL-DE EXAMPLE.....</b>	<b>36</b>
A.1 EDXL-DE WITH CAP PAYLOAD .....	36
<b>APPENDIX C. ACKNOWLEDGMENTS.....</b>	<b>48</b>
C.1 OASIS EMERGENCY MANAGEMENT TECHNICAL COMMITTEE: .....	48
<b>APPENDIX D. REVISION HISTORY.....</b>	<b>50</b>

# 1 Introduction

## 2 1.1 Purpose

3 The primary purpose of the Distribution Element is to facilitate the routing of any properly formatted XML  
4 emergency message to recipients. The Distribution Element may be thought of as a "container". It  
5 provides the information to route "payload" message sets (such as Alerts or Resource Messages), by  
6 including key routing information such as distribution type, geography, incident, and sender/recipient IDs.

## 7 1.2 History

8 The Disaster Management eGov Initiative of the Department of Homeland Security (DHS) determined in  
9 2004 to launch a project to develop interagency emergency data communications standards. It called  
10 together a group of national emergency response practitioner leaders and sought their guidance on  
11 requirements for such standards. In June, 2004 the first such meeting identified the need for a common  
12 distribution element for all emergency messages. Subsequent meetings of a Standards Working Group  
13 developed detailed requirements and a draft specification for such a distribution element (DE).

14 During the same period the DM Initiative was forming a partnership with industry members of the  
15 Emergency Interoperability Consortium (EIC) to cooperate in the development of emergency standards.  
16 EIC had been a leading sponsor of the Common Alerting Protocol (CAP). Both organizations desired to  
17 develop an expanded family of data formats for exchanging operational information beyond warning.

18 EIC members participated in the development of the DE, and in the broader design of the design of a  
19 process for the development of additional standards. This was named Emergency Data Exchange  
20 Language (EDXL).

21 The goal of the EDXL project is to facilitate emergency information sharing and data exchange across the  
22 local, state, tribal, national and non-governmental organizations of different professions that provide  
23 emergency response and management services. EDXL will accomplish this goal by focusing on the  
24 standardization of specific messages (messaging interfaces) to facilitate emergency communication and  
25 coordination particularly when more than one profession is involved. It is not just an "emergency  
26 management" domain exercise.

27 It is a national effort including a diverse and representative group of local, state and federal emergency  
28 response organizations and professionals, following a multi-step process. Just as a data-focused effort  
29 targets shared data elements, the EDXL process looks for shared message needs, which are common  
30 across a broad number of organizations. The objective is to rapidly deliver implementable standard  
31 messages, in an incremental fashion, directly to emergency response agencies in the trenches, providing  
32 seamless communication and coordination supporting each particular process. The effort first addresses  
33 the most urgent needs and proceeds to subsequent message sets in a prioritized fashion. The goal is to  
34 incrementally develop and deliver standards.

35 EDXL is intended as a suite of emergency data message types including resource queries and requests,  
36 situation status, message routing instructions and the like, needed in the context of cross-disciplinary,  
37 cross-jurisdictional communications related to emergency response.

38 The priorities and requirements are created by the DM EDXL Standards Working Group (SWG) which is a  
39 formalized group of emergency response practitioners, technical experts, and industry.

1 The draft DE specification was trialed by a number of EIC members starting in October, 2004. In  
2 November, 2004, EIC formally submitted the draft to the OASIS Emergency Management Technical  
3 Committee for standardization.

## 4 **1.3 Structure of the EDXL Distribution Element**

5 The EDXL Distribution Element (DE) comprises an <EDXLDistribution> element as described hereafter,  
6 optional <targetArea> elements describing geospatial or political target area for message delivery, and a  
7 set of <contentObject> elements each containing specific information regarding a particular item of  
8 content. The included content may be any XML or other content type or a URI to access the content.

9 The <EDXLDistribution> block may be used without content to form the body of a routing query to, or  
10 response from, a directory service.

### 11 **1.3.1 <EDXLDistribution>**

12 The <EDXLDistribution> element asserts the originator's intent as to the dissemination of that particular  
13 message or set of messages.

14 Note that use of the <EDXLDistribution> element does not guarantee that all network links and nodes will  
15 implement the asserted dissemination policy or that unintended disclosure will not occur. Where sensitive  
16 information is transmitted over distrusted networks, it should be encrypted in accordance with the Web  
17 Services Security (WSS) standard [http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-](http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-1.0.pdf)  
18 [message-security-1.0.pdf](http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-1.0.pdf) with any updates and errata published by the OASIS Web Services Security  
19 Technical Committee [http://www.oasis-open.org/committees/tc\\_home.php?wg\\_abbrev=wss](http://www.oasis-open.org/committees/tc_home.php?wg_abbrev=wss), or some  
20 other suitable encryption scheme.

### 21 **1.3.2 <targetArea>**

22 The <targetArea> is a container element for the geospatial or political area targeting of the recipient of the  
23 message content. It contains data necessary to the originator's intent, based on location targeting, as to  
24 the dissemination of that particular message or set of messages.

### 25 **1.3.3 <contentObject>**

26 The <contentObject> is a container element for specific messages. The <contentObject> element MUST  
27 either contain an <xmlContent> content container or a <nonXMLContent> content container. Additional  
28 elements (metadata) used for specific distribution of the <contentObject> payload or hints for processing  
29 the payload are also present in the <contentObject> container element.

## 30 **1.4 Applications of the EDXL Distribution Element**

31 The primary use of the EDXL Distribution Element is to identify and provide information to enable the  
32 routing of encapsulated payloads, called Content Objects. It is used to provide a common mechanism to  
33 encapsulate content information.

## 34 **1.5 Terminology**

35 The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD  
36 NOT", "RECOMMENDED", "MAY", and "OPTIONAL" are to be interpreted as described in *Key words for*  
37 *use in RFCs to Indicate Requirement Levels* [[RFC2119](#)].

1 In addition, within this Specification, the keyword “CONDITIONAL” should be interpreted as potentially  
2 “REQUIRED” or “OPTIONAL” depending on the surrounding context. The term payload refers to some  
3 body of information contained in the distribution element.

## 4 1.6 Normative References

### 5 [RFC2046]

6 N. Freed, *Multipurpose Internet Mail Extensions (MIME) Part Two: Media Types*,  
7 <http://www.ietf.org/rfc/rfc2046.txt>, IETF RFC 2046, November 1996.

### 8 [RFC2119]

9 S. Bradner, *Key words for use in RFCs to Indicate Requirement Levels*,  
10 <http://www.ietf.org/rfc/rfc2119.txt>, IETF RFC 2119, March 1997.

### 11 [RFC3066]

12 H. Alvestrand, *Tags for the Identification of Languages*,  
13 <http://www.ietf.org/rfc/rfc3066.txt>, IETF RFC 3066, January 2001.

### 14 [WGS 84]

15 National Geospatial Intelligence Agency, Department of Defense World Geodetic  
16 System 1984, [http://earth-info.nga.mil/GandG/tr8350\\_2.html](http://earth-info.nga.mil/GandG/tr8350_2.html), NGA Technical Report  
17 TR8350.2, January 2000.

### 18 [XML 1.0]

19 T. Bray, *Extensible Markup Language (XML) 1.0 (Third Edition)*,  
20 <http://www.w3.org/TR/REC-xml/>, W3C REC-XML-20040204, February 2004.

### 21 [namespaces]

22 T. Bray, *Namespaces in XML*, <http://www.w3.org/TR/REC-xml-names/>, W3C REC-  
23 xml-names-19990114, January 1999.

### 24 [dateTime]

25 N. Freed, *XML Schema Part 2: Datatypes Second Edition*,  
26 <http://www.w3.org/TR/xmlschema-2/#dateTime>, W3C REC-xmlschema-2, October  
27 2004.

## 28 1.7 Non-Normative References

### 29 EDXL General Functional Requirements

30 *EDXL General Functional Requirements*, [http://www.oasis-](http://www.oasis-open.org/committees/document.php?document_id=10031&wg_abbrev=emergency)  
31 [open.org/committees/document.php?document\\_id=10031&wg\\_abbrev=emergency](http://www.oasis-open.org/committees/document.php?document_id=10031&wg_abbrev=emergency),  
32 November 2004

### 33 EDXL Distribution Element Implementer's Guide

34 *EDXL Distribution Element Implementer's Guide*, [http://www.oasis-](http://www.oasis-open.org/committees/document.php?document_id=14120&wg_abbrev=emergency)  
35 [open.org/committees/document.php?document\\_id=14120&wg\\_abbrev=emergency](http://www.oasis-open.org/committees/document.php?document_id=14120&wg_abbrev=emergency),  
36 August 2005

## 2. Design Principles and Concepts (non-normative)

### 2.1 Design Philosophy

Below are some of the guiding principles of the Distribution Element:

- Provide an Open Container Model to enable dissemination of one or more emergency messages
- Provide flexible mechanisms to inform message routing and/or processing decisions
- Enable dissemination of messages based on geographic delivery area
- Use and re-use of data content and models developed by other initiatives
- Business process-driven specific messaging needs across emergency professions
- Supporting everyday events and incident preparedness, as well as disasters
- Facilitate emergency information sharing and data exchange across the local, state, tribal, national and non-governmental organizations of different professions that provide emergency response and management services
- Multi-use format - One message schema supports multiple message types (e.g., alert / update / cancellations / acknowledgments / error messages) in various applications (actual / exercise / test / system message.)

### 2.2 Requirements for Design

The Distribution Element specification should:

1. Define a single compound XML structure (or an equivalent single structure if transcoded into another format) including the required and optional elements defined below.
2. Specify a desired geographic delivery area, expressed in geospatial coordinates or using political/administrative codes
3. Allow the ability to encapsulate a payload or set of payloads
4. Take a modular approach to the enumerations of element values which may evolve over time, e.g. by referring to a separate schema for those enumerations.
5. Specify unique distribution and sender identifiers
6. Specify the date and time the distribution was sent
7. Specify the actionability of the distribution message (e.g., real-world, test, exercise)
8. Specify the functional type of the distribution message (e.g., report, request, update, cancellation, etc.)
9. Specify that the following elements may be present in a valid payload:
  - a. A specification of the format of the distribution message (e.g., the URI of an XML Schema for the message)
  - b. The functional role and/or type of the sender of the distribution message
  - c. One or more functional role and/or type of desired recipients of the distribution message
  - d. A reference to one or more previous distribution messages
  - e. One or more types of response activity involved
  - f. A reference to the type of incident
  - g. One or more characterization of the etiology of the subject event or incident (e.g., terrorism, natural, under investigation, etc.)
  - h. The incident name or other identifier of one or more event or incident
  - i. A reference to one or more response types.
  - j. One or more specific recipient addresses (as a URI)
  - k. Specify an assertion of the confidentiality level of the combined payloads.
10. In addition, the Content Object element contained within the Distribution Element SHOULD:
  - a. Allow the encapsulation of one or more payloads in each of the Content Object elements.
  - b. Specify the functional role and/or type of the sender of each payload
  - c. Specify one or more functional roles and/or types of desired recipients of each payload



- 1 d. Specify an assertion of the confidentiality level of each payload.
- 2 11. Provide or refer to specific lists (enumerations) of values and their definitions for:
- 3 a. Types of incidents
- 4 b. Types of hazards and/or events
- 5 c. Types of agencies
- 6 d. Types of response activity
- 7 e. The functional role and/or type of the sender
- 8 f. The functional roles and/or types of desired recipients
- 9 g. The incident name or other identifier of one or more event or incident

## 10 **2.3 Example Usage Scenarios**

11 Note: The following examples of use scenarios were used as a basis for design and review of the EDXL  
12 Distribution Element Message format. These scenarios are non-normative and not intended to be  
13 exhaustive or to reflect actual practices.

### 14 **2.3.1 Distribution of Emergency Message/s or Alerts Based on Geographic** 15 **Delivery Area and Incident Type**

16 The terror alert level has been raised to RED. Credible intelligence indicates that terrorist groups in the  
17 Mid-Atlantic region are seeking to conduct an attack in the next 48 hours. The Department of Homeland  
18 Security sends an emergency alert message, and using the Distribution Element, distributes it to all  
19 emergency agencies in the specified area.

### 20 **2.3.2 Encapsulation and Distribution of One or More Emergency Messages or** 21 **Alerts or Notifications**

22 A Radiological sensor triggered at a prominent Tunnel toll booth. Radiation alarm levels indicates  
23 possible dirty bomb. Authorities decide to send multiple messages to a number of jurisdictions. They send  
24 an EDXL Distribution Element with two encapsulated CAP messages. The first one notifies the area  
25 where the sensor has been triggered. The second one is an alert to emergency response agencies that  
26 the state Emergency Operation Center (EOC) has been activated, and requests the agencies to be on  
27 alert.

### 28 **2.3.3 Distribution of Resource Messages or Reports**

29 The Local EOC has a need for additional resource/support, but is unsure what specifically to request. A  
30 free-form request for information and resource availability is prepared, and is sent to the state EOC and  
31 other organizations (person to person) using the Distribution Element. The Local EOC receives an  
32 acknowledgment message from the State EOC, as well as a request for Information on additional details  
33 of the requested resource. Both of these messages are contained within a single Distribution Element.


### 34 **2.3.4 Distribution of Well-Formed XML Messages**

35 A huge crash, involving a car and a HAZMAT truck, occurs at a busy junction on an inter-state freeway.  
36 Separate automatic notifications of both the car crash and the HAZMAT carrier are sent using the  
37 Vehicular Emergency Data Set (VEDS), contained in the Distribution Element. The Transportation  
38 Management Center (TMC) shares information (related to the above incident) with the adjacent TMC,  
39 using the IEEE 1512 Incident Management Message Set. These set of messages are exchanged using  
40 the EDXL Distribution Element.

1 **3. EDXLDistribution Element Structure (normative)**

2 **3.1 Document Object Model**

- 3 **Bold** indicates required element.
- 4 *Italics* indicates one or more optional unspecified elements
- 5 # indicates conditional requirement
- 6 \* indicates multiple instances allowed



7

## 1 3.2 Data Dictionary

2 Note: Unless explicitly constrained within this Data Dictionary, EDXL-DE elements MAY have null values.  
3 Implementers MUST check for this condition wherever it might affect application performance.

### 4 3.2.1 EDXLDistribution Element and Sub-elements

5 The Distribution Message element, <EDXLDistribution> is the container element for all data necessary to  
6 the originator's intent as to the dissemination of the contained message or set of messages.

Element	<b>EDXLDistribution</b>
Type	XML Structure
Usage	<b>REQUIRED</b> , MUST be used once and only once, top level container
Definition	The container of all of the elements related to the distribution of the content messages.
Comments	<ol style="list-style-type: none"><li>1. The &lt;EDXLDistribution&gt; element may include one or more &lt;targetArea&gt; and &lt;contentObject&gt; blocks.</li><li>2. Use of the &lt;EDXLDistribution&gt; element does not guarantee that all network links and nodes will implement the asserted dissemination policy or that unintended disclosure will not occur. Where sensitive information is transmitted over untrusted networks, it should be encrypted in accordance with the Web Services Security (WSS) standard (<a href="http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-1.0.pdf">http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-soap-message-security-1.0.pdf</a>) with any updates and errata published by the OASIS Web Services Security Technical Committee (<a href="http://www.oasis-open.org/committees/tc_home.php?wg_abbrev=wss">http://www.oasis-open.org/committees/tc_home.php?wg_abbrev=wss</a>), or some other suitable encryption scheme.</li></ol>
Sub-elements	<ul style="list-style-type: none"><li>• <a href="#">distributionID</a></li><li>• <a href="#">senderID</a></li><li>• <a href="#">dateTimeSent</a></li><li>• <a href="#">distributionStatus</a></li><li>• <a href="#">distributionType</a></li><li>• <a href="#">combinedConfidentiality</a></li><li>• <a href="#">language</a></li><li>• <a href="#">senderRole</a></li><li>• <a href="#">recipientRole</a></li><li>• <a href="#">keyword</a></li><li>• <a href="#">distributionReference</a></li><li>• <a href="#">explicitAddress</a></li><li>• <a href="#">targetArea</a></li><li>• <a href="#">contentObject</a></li></ul>
Used In	top level element

7

1

<b>Element</b>	<b>distributionID</b>
Type	xsd:string
Usage	<b>REQUIRED</b> , MUST be used once and only once
Definition	The unique identifier of this distribution message.
Comments	<ol style="list-style-type: none"> <li>1. Uniqueness is assigned by the sender to be unique for that sender.</li> <li>2. The identifier MUST be a properly formed -escaped if necessary- XML string.</li> </ol>
Used In	<a href="#">EDXLDistribution</a>

2

<b>Element</b>	<b>senderID</b>
Type	xsd:string
Usage	<b>REQUIRED</b> , MUST be used once and only once
Definition	The unique identifier of the sender.
Comments	<ol style="list-style-type: none"> <li>1. Uniquely identifies human parties, systems, services, or devices that are all potential senders of the distribution message.</li> <li>2. In the form actor@domain-name.</li> <li>3. Uniqueness of the domain-name is guaranteed through use of the Internet Domain Name System, and uniqueness of the actor name enforced by the domain owner.</li> <li>4. The identifier MUST be a properly formed -escaped if necessary- XML string.</li> </ol> <p><b>Examples:</b> dispatcher@example.gov, 0006.0e39.ad80@example.com</p>
Used In	<a href="#">EDXLDistribution</a>

3

<b>Element</b>	<b>dateTimeSent</b>
Type	xsd:dateTime
Usage	<b>REQUIRED</b> , MUST be used once and only once
Definition	The date and time the distribution message was sent.
Comments	<ol style="list-style-type: none"> <li>1. The Date Time combination must include the offset time for time zone.</li> <li>2. Must be in the W3C format for the XML <a href="#">dateTime</a> data type.</li> </ol> <p><b>Example:</b> 2004-08-01T16:49:00-07:00</p>
Used In	<a href="#">EDXLDistribution</a>

4

1

<b>Element</b>	<b>distributionStatus</b>
Type	xsd:string with restrictions
Usage	<b>REQUIRED</b> , MUST be used once and only once
Definition	The actionability of the message.
Comments	<ol style="list-style-type: none"> <li>1. Value must be one of:             <ol style="list-style-type: none"> <li>a. Actual - "Real-world" information for action</li> <li>b. Exercise - Simulated information for exercise participants</li> <li>c. System - Messages regarding or supporting network functions</li> <li>d. Test - Discardable messages for technical testing only</li> </ol> </li> <li>2. The status MUST be a properly formed -escaped if necessary- XML string.</li> </ol>
Used In	<a href="#">EDXLDistribution</a>

2

<b>Element</b>	<b>distributionType</b>
Type	xsd:string with restrictions
Usage	<b>REQUIRED</b> , MUST be used once and only once
Definition	The function of the message.
Comments	<ol style="list-style-type: none"> <li>1. Value must be one of:             <ol style="list-style-type: none"> <li>a. Report - New information regarding an incident or activity</li> <li>b. Update - Updated information superseding a previous message</li> <li>c. Cancel - A cancellation or revocation of a previous message</li> <li>d. Request - A request for resources, information or action</li> <li>e. Response - A response to a previous request</li> <li>f. Dispatch - A commitment of resources or assistance</li> <li>g. Ack - Acknowledgment of receipt of an earlier message</li> <li>h. Error - Rejection of an earlier message (for technical reasons)</li> <li>i. SensorConfiguration - These messages are for reporting configuration during power up or after Installation or Maintenance.</li> <li>j. SensorControl - These are messages used to control sensors/sensor concentrator components behavior.</li> <li>k. SensorStatus - These are concise messages which report sensors/sensor concentrator component status or state of health.</li> <li>l. SensorDetection - These are high priority messages which report sensor detections.</li> </ol> </li> <li>2. The distribution type applies to the function of the content objects as a set. Those cases where payloads have different distribution types should be clustered in different distribution elements.</li> <li>3. The type MUST be a properly formed -escaped if necessary- XML string.</li> </ol>
Used In	<a href="#">EDXLDistribution</a>

3

<b>Element</b>	<b>combinedConfidentiality</b>
Type	xsd:string
Usage	<b>REQUIRED</b> , MUST be used once and only once
Definition	Confidentiality of the combined distribution message's content.
Comments	<ol style="list-style-type: none"> <li>1. The &lt;combinedConfidentiality&gt; indicates the confidentiality of the combined &lt;contentObject&gt; sub-elements. Generally the combined confidentiality is the most restrictive of the &lt;confidentiality&gt; elements in the container &lt;contentObject&gt; element, but it can be more restrictive than any of the individual &lt;confidentiality&gt; elements.</li> <li>2. The &lt;combinedConfidentiality&gt; element MUST be present if a &lt;confidentiality&gt; element is present in any of the &lt;contentObject&gt; elements.</li> <li>3. Application specific mechanisms will be required to determine the minimum confidentiality level in cases where different confidentiality schemes are used in the &lt;contentObject&gt;.</li> <li>4. Default value "UNCLASSIFIED AND NOT SENSITIVE"</li> <li>5. The confidentiality MUST be a properly formed -escaped if necessary- XML string.</li> </ol>
Used In	<a href="#">EDXLDistribution</a>

1

<b>Element</b>	<b>language</b>
Type	xsd:string
Usage	<b>OPTIONAL</b> , MAY use once and only once
Definition	The primary language (but not necessarily exclusive) used in the payloads.
Comments	<ol style="list-style-type: none"> <li>1. Valid language values are supplied in the ISO standard <a href="#">RFC3066</a>.</li> <li>2. The language MUST be a properly formed -escaped if necessary- XML string.</li> </ol> <p><b>Examples:</b> FR, EN</p>
Used In	<a href="#">EDXLDistribution</a>

2

1

<b>Element</b>	<b>senderRole</b>
Type	<a href="#">List and Associated Value(s)</a>
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	The functional role of the sender, as it may determine message routing decisions.
Comments	<ol style="list-style-type: none"> <li>The list and associated value(s) is in the form: <pre> &lt;senderRole&gt;   &lt;valueListUrn&gt;valueListUrn&lt;/valueListUrn&gt;   &lt;value&gt;value&lt;/value&gt; &lt;/senderRole&gt; </pre>           where the content of &lt;valueListUrn&gt; is the Uniform Resource Name of a published list of values and definitions, and the content of &lt;value&gt; is a string (which may represent a number) denoting the value itself.         </li> <li>Multiple instances of the &lt;value&gt;, MAY occur with a single &lt;valueListUrn&gt; within the &lt;senderRole&gt; container.</li> <li>Multiple instances of &lt;senderRole&gt; MAY occur within a single &lt;EDXLDistribution&gt; container.</li> </ol>
Sub-elements	<ul style="list-style-type: none"> <li><a href="#">valueListUrn</a></li> <li><a href="#">value</a></li> </ul>
Used In	<a href="#">EDXLDistribution</a>

2

1

<b>Element</b>	<b>recipientRole</b>
Type	<a href="#">List and Associated Value(s)</a>
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	The functional role of the recipient, as it may determine message routing decisions.
Comments	<ol style="list-style-type: none"> <li>The list and associated value(s) is in the form: <pre> &lt;recipientRole&gt;   &lt;valueListUrn&gt;valueListUrn&lt;/valueListUrn&gt;   &lt;value&gt;value&lt;/value&gt; &lt;/recipientRole&gt; </pre>           where the content of &lt;valueListUrn&gt; is the Uniform Resource Name of a published list of values and definitions, and the content of &lt;value&gt; is a string (which may represent a number) denoting the value itself.         </li> <li>Multiple instances of the &lt;value&gt;, MAY occur with a single &lt;valueListUrn&gt; within the &lt;recipientRole&gt; container.</li> <li>Multiple instances of &lt;recipientRole&gt; MAY occur within a single &lt;EDXLDistribution&gt; container.</li> </ol>
Sub-elements	<ul style="list-style-type: none"> <li><a href="#">valueListUrn</a></li> <li><a href="#">value</a></li> </ul>
Used In	<a href="#">EDXLDistribution</a>

2



1

<b>Element</b>	<b>keyword</b>
Type	<a href="#">List and Associated Value(s)</a>
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	The topic related to the distribution message, as it may determine message routing decisions.
Comments	<ol style="list-style-type: none"> <li>The list and associated value(s) is in the form:  <pre>&lt;keyword&gt;   &lt;valueListUrn&gt;valueListUrn&lt;/valueListUrn&gt;   &lt;value&gt;value&lt;/value&gt; &lt;/keyword&gt;</pre>           where the content of &lt;valueListUrn&gt; is the Uniform Resource Name of a published list of values and definitions, and the content of &lt;value&gt; is a string (which may represent a number) denoting the value itself.         </li> <li>Multiple instances of the &lt;value&gt;, MAY occur with a single &lt;valueListUrn&gt; within the &lt;keyword&gt; container.</li> <li>Multiple instances of &lt;keyword&gt; MAY occur within a single &lt;EDXLDistribution&gt; container.</li> <li>Examples of things &lt;keyword&gt; might be used to describe include event type, event etiology, incident ID and response type.</li> </ol>
Sub-elements	<ul style="list-style-type: none"> <li><a href="#">valueListUrn</a></li> <li><a href="#">value</a></li> </ul>
Used In	<a href="#">EDXLDistribution</a>

2

<b>Element</b>	<b>distributionReference</b>
Type	xsd:string
Usage	<b>CONDITIONAL</b> , MAY use multiple
Definition	A reference to a previous distribution message.
Comments	<ol style="list-style-type: none"> <li>The &lt;distributionID&gt; and &lt;senderID&gt; and &lt;dateTimeSent&gt; of the referenced previous message, concatenated with a comma delimiter.</li> <li>This element should appear at least once in any message which updates, cancels or otherwise refers to another message.</li> <li>MUST be a properly formed -escaped if necessary- XML string.</li> </ol> <p><b>Example:</b> msgID0074,actor@domain-name,2004-08-01T16:49:00-07:00</p>
Used In	<a href="#">EDXLDistribution</a>

3

<b>Element</b>	<b>explicitAddress</b>
Type	XML Structure
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	The identifier of an explicit recipient.
Comments	<ol style="list-style-type: none"> <li>Identifies human parties, systems, services, or devices that are all potential recipients of the distribution message.</li> <li>The explicit address of a recipient in the form:  <pre>&lt;explicitAddress&gt;   &lt; explicitAddressScheme&gt; explicitAddressScheme &lt;/ explicitAddressScheme&gt;   &lt;explicitAddressValue&gt; explicitAddressValue &lt;/ explicitAddressValue&gt; &lt;/ explicitAddress &gt;</pre>           where the content of &lt;explicitAddressScheme&gt; is the distribution addressing scheme used, and the content of &lt;explicitAddressValue&gt; is a string denoting the addressee's value.         </li> <li>Multiple instances of the &lt; explicitAddressValue &gt;, MAY occur with a single &lt; explicitAddressScheme &gt; within the &lt; explicitAddress &gt; container.</li> <li>Multiple instances of &lt; explicitAddress &gt; MAY occur within a single &lt;EDXLDistribution&gt; container.</li> </ol>
Sub-elements	<ul style="list-style-type: none"> <li><a href="#">explicitAddressScheme</a></li> <li><a href="#">explicitAddressValue</a></li> </ul>
Used In	<a href="#">EDXLDistribution</a>

## 2 3.2.2 targetArea Element and Sub-elements

3 The <targetArea> is a container element for the geospatial or political area targeting of the message  
4 content. It indicates the originator's intent based on location targeting as to the dissemination of that  
5 particular message or set of messages.

### 6 Geospatial Note:

7 Values for latitude and longitude shall be expressed as decimal fractions of degrees. Whole  
8 degrees of latitude shall be represented by a decimal number ranging from 0 through 90. Whole  
9 degrees of longitude shall be represented by a decimal number ranging from 0 through 180.  
10 When a decimal fraction of a degree is specified, it shall be separated from the whole number of  
11 degrees by a decimal point (the period character, "."). Decimal fractions of a degree should be  
12 expressed to the precision available, with trailing zeroes being used as placeholders if required.  
13 A decimal point is optional where the precision is less than one degree.

14 Some effort should be made to preserve the apparent precision when converting from  
15 another datum or representation, for example 41 degrees 13 minutes should be represented as  
16 41.22 and not 41.21666, while 41 13' 11" may be represented as 41.2197.

17 Latitudes north of the equator MAY be specified by a plus sign (+), or by the absence of a minus  
18 sign (-), preceding the designating degrees. Latitudes south of the Equator MUST be designated  
19 by a minus sign (-) preceding the digits designating degrees. Latitudes on the Equator MUST be  
20 designated by a latitude value of 0.

1 Longitudes east of the prime meridian shall be specified by a plus sign (+), or by the absence of a  
 2 minus sign (-), preceding the designating degrees. Longitudes west of the prime meridian MUST  
 3 be designated by a minus sign (-) preceding the digits designating degrees. Longitudes on the  
 4 prime meridian MUST be designated by a longitude value of 0. A point on the 180th meridian  
 5 shall be taken as 180 degrees West, and shall include a minus sign.

<b>Element</b>	<b>targetArea</b>
Type	XML Structure
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	The container element for location information.
Comments	1. Multiple <targetArea> blocks may appear in a single <EDXLDistribution> element, in which case the target area for the current message is the union of all areas described in the various <targetArea> structures.
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">circle</a></li> <li>• <a href="#">polygon</a></li> <li>• <a href="#">country</a></li> <li>• <a href="#">subdivision</a></li> <li>• <a href="#">locCodeUN</a></li> </ul>
Used In	<a href="#">EDXLDistribution</a>

6

<b>Element</b>	<b>circle</b>
Type	xsd:string
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	An enclosed geographic area within a given radius around a geographic point.
Comments	<ol style="list-style-type: none"> <li>1. Represented in the form "latitude, longitude, radius". (See <a href="#">Geospatial Note</a> above)</li> <li>2. The central point is represented by lat-long values conforming to the WGS84 coordinate reference system. <b>[WGS 84]</b></li> <li>3. The radius value is expressed in kilometers.</li> <li>4. MUST be a properly formed -escaped if necessary- XML string.</li> </ol> <p><b>Example:</b> 38.26295, -122.07454 15</p>
Used In	<a href="#">targetArea</a>

7

1

<b>Element</b>	<b>polygon</b>
Type	xsd:string
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	An enclosed geographic area within a simple closed polygon defined by an ordered set of vertices.
Comments	<ol style="list-style-type: none"> <li>1. Represented by a space-delimited series of latitude, longitude pairs, with the last pair identical to the first. (See <a href="#">Geospatial Note</a> above)</li> <li>2. The lat-long values conform to the WGS84 coordinate reference system. <b>[WGS 84]</b></li> <li>3. MUST be a properly formed -escaped if necessary- XML string.</li> </ol> <p><b>Example:</b> 42,-124.2102 42,-120.1 39,-120 35.0,-114.6328 34.35,- 120.4418 38.9383,-123.817 42,-124.2102</p>
Used In	<a href="#">targetArea</a>

2

<b>Element</b>	<b>country</b>
Type	xsd:string
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	The code of the country.
Comments	<ol style="list-style-type: none"> <li>1. The two-character ISO 3166-1 Country Code for the country concerned.</li> <li>2. More specific target location information can be defined in the &lt;subdivision&gt; elements.</li> <li>3. MUST be a properly formed -escaped if necessary- XML string.</li> </ol>
Used In	<a href="#">targetArea</a>

3

1

<b>Element</b>	<b>subdivision</b>
Type	xsd:string
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	The ISO 3166-2 designator for the administrative subdivision concerned.
Comments	<ol style="list-style-type: none"> <li>1. The first two characters, before the hyphen, are the two character ISO 3166-1 Country Code for the country within which the designated subdivision is located.</li> <li>2. The following one-to-three characters following the hyphen designate the particular subdivision.</li> <li>3. MUST be a properly formed -escaped if necessary- XML string.</li> </ol> <p><b>Examples:</b> US-TX (U.S. State of Texas), DK-025 (Danish county Roskilde), MG-T (Antananarivo province, Madagascar)</p>
Used In	<a href="#">targetArea</a>

2

<b>Element</b>	<b>locCodeUN</b>
Type	xsd:string
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	The UN/LOCODE designator for the location concerned.
Comments	<ol style="list-style-type: none"> <li>1. The two first digits are the two character ISO3166-1 Country Code for the country in which the place is located.</li> <li>2. The following three characters are the UN/LOCODE designator for the particular location within that country.</li> <li>3. No spaces or punctuation are used within this designator.</li> <li>4. MUST be a properly formed -escaped if necessary- XML string.</li> </ol> <p><b>Example:</b> USFFB (Fairfield, Alabama, USA), USSUU (Fairfield, California, USA), GBFFD (Falfield, South Gloucestershire, UK)</p>
Used In	<a href="#">targetArea</a>

3

### 4 3.2.3 contentObject Element and Sub-elements

5 The <contentObject> element is the container element for specific messages. The <contentObject>  
6 element MUST either contain an <xmlContent> content container or a <nonXMLContent> content  
7 container. Additional elements (metadata) used for specific distribution of the <contentObject> payload or  
8 hints for processing the payload are also present in the <contentObject> container element.

1

<b>Element</b>	<b>contentObject</b>
Type	XML Structure
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	The container element for message data and content.
Comments	<ol style="list-style-type: none"> <li>1. The &lt;contentObject&gt; is the container element for specific messages.</li> <li>2. The &lt;contentObject&gt; may have an optional attribute that defines a namespace prefix which resolves ambiguous element names.</li> <li>3. The &lt;contentObject&gt; element <b>MUST</b> contain exactly one of the two content formats: <ol style="list-style-type: none"> <li>a. &lt;xmlContent&gt;, for valid namespaced XML content or</li> <li>b. &lt;nonXMLContent&gt;, containing one or both of the elements &lt;uri&gt;, for reference to the content's location, and &lt;contentData&gt;, for data encapsulated in the message.</li> </ol> </li> </ol>
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">contentDescription</a></li> <li>• <a href="#">contentKeyword</a></li> <li>• <a href="#">incidentID</a></li> <li>• <a href="#">incidentDescription</a></li> <li>• <a href="#">originatorRole</a></li> <li>• <a href="#">consumerRole</a></li> <li>• <a href="#">confidentiality</a></li> <li>• <a href="#">nonXMLContent</a></li> <li>• <a href="#">xmlContent</a></li> </ul>
Used In	<a href="#">EDXLDistribution</a>

2

<b>Element</b>	<b>contentDescription</b>
Type	xsd:string
Usage	<b>OPTIONAL</b> , MAY use once and only once
Definition	The human-readable text describing the content object.
Comments	<ol style="list-style-type: none"> <li>1. <b>MUST</b> be a properly formed -escaped if necessary- XML string.</li> </ol> <p><b>Examples:</b> "CAP message from FEMA", "Map of affected area" or "Photo of missing child".</p>
Used In	<a href="#">contentObject</a>

3

1

<b>Element</b>	<b>contentKeyword</b>
Type	<a href="#">List and Associated Value(s)</a>
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	The topic related to the message data and content, as it may determine message distribution and presentation decisions.
Comments	<ol style="list-style-type: none"> <li>The list and associated value(s) is in the form:  <pre>&lt;contentKeyword&gt;   &lt;valueListUrn&gt;valueListUrn&lt;/valueListUrn&gt;   &lt;value&gt;value&lt;/value&gt; &lt;/contentKeyword&gt;</pre>           where the content of &lt;valueListUrn&gt; is the Uniform Resource Name of a published list of values and definitions, and the content of &lt;value&gt; is a string (which may represent a number) denoting the value itself.         </li> <li>Multiple instances of the &lt;value&gt;, MAY occur with a single &lt;valueListUrn&gt; within the &lt;contentKeyword&gt; container.</li> <li>Multiple instances of &lt;contentKeyword&gt; MAY occur within a single &lt;contentObject&gt; container.</li> </ol> <p><b>Examples</b> of things &lt;contentKeyword&gt; might be used to describe include message processor, event stage, resource code and response type.</p>
Sub-elements	<ul style="list-style-type: none"> <li><a href="#">valueListUrn</a></li> <li><a href="#">value</a></li> </ul>
Used In	<a href="#">contentObject</a>

2

<b>Element</b>	<b>incidentID</b>
Type	xsd:string
Usage	<b>OPTIONAL</b> , MAY use once and only once
Definition	The human-readable text uniquely identifying the incident/event/situation associated with the contentObject.
Comments	<ol style="list-style-type: none"> <li>MUST be a properly formed -escaped if necessary- XML string.</li> </ol>
Used In	<a href="#">contentObject</a>

3

1

<b>Element</b>	<b>incidentDescription</b>
Type	xsd:string
Usage	<b>OPTIONAL</b> , MAY use once and only once
Definition	The human-readable text describing the incident/event/situation associated with the contentObject.
Comments	1. MUST be a properly formed -escaped if necessary- XML string.
Used In	<a href="#">contentObject</a>

2

<b>Element</b>	<b>originatorRole</b>
Type	<a href="#">List and Associated Value(s)</a>
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	The functional role of the message originator, as it may determine message distribution and presentation decisions.
Comments	<p>1. The list and associated value(s) is in the form:</p> <pre>&lt;originatorRole&gt;   &lt;valueListUrn&gt;valueListUrn&lt;/valueListUrn&gt;   &lt;value&gt;value&lt;/value&gt; &lt;/originatorRole&gt;</pre> <p>where the content of &lt;valueListUrn&gt; is the Uniform Resource Name of a published list of values and definitions, and the content of &lt;value&gt; is a string (which may represent a number) denoting the value itself.</p> <p>2. Multiple instances of the &lt;value&gt;, MAY occur with a single &lt;valueListUrn&gt; within the &lt;originatorRole&gt; container.</p> <p>3. Multiple instances of &lt;originatorRole&gt; MAY occur within a single &lt;contentObject&gt; container.</p>
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">valueListUrn</a></li> <li>• <a href="#">value</a></li> </ul>
Used In	<a href="#">contentObject</a>

3



1

<b>Element</b>	<b>consumerRole</b>
Type	<a href="#">List and Associated Value(s)</a>
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	The functional role of the message consumer, as it may determine message distribution and presentation decisions.
Comments	<ol style="list-style-type: none"> <li>The list and associated value(s) is in the form: <pre>&lt;consumerRole&gt;   &lt;valueListUrn&gt;valueListUrn&lt;/valueListUrn&gt;   &lt;value&gt;value&lt;/value&gt; &lt;/consumerRole&gt;</pre>           where the content of &lt;valueListUrn&gt; is the Uniform Resource Name of a published list of values and definitions, and the content of &lt;value&gt; is a string (which may represent a number) denoting the value itself.         </li> <li>Multiple instances of the &lt;value&gt;, MAY occur with a single &lt;valueListUrn&gt; within the &lt;consumerRole&gt; container.</li> <li>Multiple instances of &lt;consumerRole&gt; MAY occur within a single &lt;contentObject&gt; container.</li> </ol> <p><b>Example:</b> &lt;valueListUrn&gt;"http://www.dhs.gov/NiemRoleType"&lt;/valueListUrn&gt;, &lt;value&gt;ICS Operations Branch&lt;/value&gt;</p>
Sub-elements	<ul style="list-style-type: none"> <li><a href="#">valueListUrn</a></li> <li><a href="#">value</a></li> </ul>
Used In	<a href="#">contentObject</a>

2

<b>Element</b>	<b>confidentiality</b>
Type	xsd:string
Usage	<b>OPTIONAL</b> , MAY use once and only once
Definition	Special requirements regarding confidentiality of the content of this <contentObject>.
Comments	<ol style="list-style-type: none"> <li>MUST be a properly formed -escaped if necessary- XML string.</li> </ol>
Used In	<a href="#">contentObject</a>

3

1

<b>Element</b>	<b><i>other</i></b>
Type	xsd:other
Usage	<b>OPTIONAL</b> , MAY be use to add an unlimited number of XML elements for enveloped signing process.
Definition	Special requirements allowing for signature of the content of a <contentObject>.
Comments	<ol style="list-style-type: none"> <li>1. There is no mandatory validation of the elements if the namespace reference can not be located.</li> <li>2. MUST be a properly formed XML string – escaped, if necessary.</li> <li>3. Element names cannot duplicate other element names in the contentObject. Such duplication would prevent validation due to the ambiguity introduced.</li> <li>4. This element may be used for signatures. If this element is used for experimental extensions, such extensions may not be supported by all users or in future versions of EDXL-DE.</li> </ol>
Used In	<a href="#">contentObject</a>

## 2 3.2.4 nonXMLContent Element and Sub-elements

<b>Element</b>	<b>nonXMLContent</b>
Type	XML Structure
Usage	<b>CONDITIONAL</b> , MAY use multiple
Definition	Container for content provided in a non-XML MIME type.
Comments	<ol style="list-style-type: none"> <li>1. The &lt;nonXMLContent&gt; container MUST have one or both of the elements &lt;contentData&gt; and &lt;uri&gt;.</li> <li>2. If the &lt;uri&gt; element is used in conjunction with the &lt;contentData&gt; element, it must reference a data location that contains the same data as is contained in the &lt;contentData&gt; element.</li> </ol>
Sub-elements	<ul style="list-style-type: none"> <li>• <a href="#">mimeType</a></li> <li>• <a href="#">size</a></li> <li>• <a href="#">digest</a></li> <li>• <a href="#">uri</a></li> <li>• <a href="#">contentData</a></li> </ul>
Used In	<a href="#">contentObject</a>

3

1

<b>Element</b>	<b>mimeType</b>
Type	xsd:string
Usage	<b>REQUIRED</b> , MUST be used once and only once
Definition	The format of the payload.
Comments	<ol style="list-style-type: none"> <li>1. MIME content type and sub-type as described in [<a href="#">RFC 2046</a>].</li> <li>2. MUST be a properly formed -escaped if necessary- XML string.</li> </ol> <p><b>Examples:</b> application/pdf, application/mp3</p>
Used In	<a href="#">nonXMLContent</a>

2

<b>Element</b>	<b>size</b>
Type	xsd:integer
Usage	<b>OPTIONAL</b> , MAY use once and only once
Definition	The file size of the payload .
Comments	<ol style="list-style-type: none"> <li>1. Value must be in bytes and represent the raw file size (not encoded or encrypted).</li> </ol>
Used In	<a href="#">nonXMLContent</a>

3

<b>Element</b>	<b>digest</b>
Type	xsd:string
Usage	<b>OPTIONAL</b> , MAY use once and only once
Definition	The digest value for the payload.
Comments	<ol style="list-style-type: none"> <li>1. Used to ensure the integrity of the payload.</li> <li>2. Calculated using the Secure Hash Algorithm (SHA-1)</li> <li>3. MUST be a properly formed -escaped if necessary- XML string.</li> </ol>
Used In	<a href="#">nonXMLContent</a>

4

1

<b>Element</b>	<b>uri</b>
Type	xsd:anyURI
Usage	<b>OPTIONAL</b> , MAY use once and only once
Definition	A Uniform Resource Identifier that can be used to retrieve the identified resource.
Comments	<ol style="list-style-type: none"> <li>1. May be a full absolute URI, typically a Uniform Resource Locator, that can be used to retrieve the resource over the Internet.</li> <li>2. May be a relative URI naming a file. This may be just a pointer to a file or specifically to the file represented in the &lt;contentData&gt;.</li> </ol>
Used In	<a href="#">nonXMLContent</a>

2

<b>Element</b>	<b>contentData</b>
Type	xsd:base64Binary
Usage	<b>OPTIONAL</b> , MAY use once and only once
Definition	The base-64 encoded data content.
Comments	<ol style="list-style-type: none"> <li>1. MAY be used either with or instead of the &lt;uri&gt; element in contexts where retrieval of a resource via a URI is not feasible.</li> <li>2. MUST be a properly formed -escaped if necessary- XML string.</li> </ol>
Used In	<a href="#">nonXMLContent</a>

### 3 3.2.5 xmlContent Element and Sub-elements

<b>Element</b>	<b>xmlContent</b>
Type	XML Structure
Usage	<b>CONDITIONAL</b> , MAY use multiple
Definition	Container for valid-namespaced XML data.
Sub-elements	<ol style="list-style-type: none"> <li>1. <a href="#">keyXMLContent</a></li> <li>2. <a href="#">embeddedXMLContent</a></li> <li>3. An optional namespace attribute may be included.</li> </ol>
Used In	<a href="#">contentObject</a>

4

1

<b>Element</b>	<b>keyXMLContent</b>
Type	xsd:string
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	A container element for collected fragments of valid XML.
Comments	<ol style="list-style-type: none"><li>1. Extracts must come from the XML document contained within the &lt;embeddedXMLContent&gt; element within the current &lt;contentObject&gt; block.</li><li>2. All content within this element <b>MUST</b> be explicitly namespaced as defined in the enclosing &lt;contentObject&gt; tag.</li><li>3. <b>MUST</b> be a properly formed -escaped if necessary- XML string.</li></ol>
Used In	<a href="#">xmlContent</a>

2

<b>Element</b>	<b>embeddedXMLContent</b>
Type	xsd:string
Usage	<b>OPTIONAL</b> , MAY use multiple
Definition	The <embeddedXMLContent> element is an open container for valid XML from an explicit namespaced XML Schema.
Comments	<ol style="list-style-type: none"><li>1. The content <b>MUST</b> be a separately-namespaced well-formed XML document.</li><li>2. The enclosed XML content <b>MUST</b> be explicitly namespaced as defined in the enclosing &lt;embeddedXMLContent&gt; tag.</li><li>3. Enclosed XML content may be encrypted and/or signed within this element.</li></ol>
Used In	<a href="#">xmlContent</a>

3

1 **3.2.6 List and Associated Value(s)**

<b>Element</b>	<b>valueListUrn</b>
Type	xsd:string
Usage	<b>CONDITIONAL</b> , MAY use once and only once
Definition	The name of a certified list maintained by the Community of Interest (COI) for the value referenced.
Comments	1. MUST be a properly formed -escaped if necessary- XML string.
Used In	<ul style="list-style-type: none"> <li>• <a href="#">EDXLDistribution/senderRole</a></li> <li>• <a href="#">EDXLDistribution/recipientRole</a></li> <li>• <a href="#">EDXLDistribution/keyword</a></li> <li>• <a href="#">contentObject/contentKeyword</a></li> <li>• <a href="#">contentObject/originatorRole</a></li> <li>• <a href="#">contentObject/consumerRole</a></li> </ul>

2

<b>Element</b>	<b>value</b>
Type	xsd:string
Usage	<b>CONDITIONAL</b> , MAY use multiple
Definition	A value from a certified list maintained by the Community of Interest (COI) for the referenced element.
Comments	1. MUST be a properly formed -escaped if necessary- XML string.
Used In	<ul style="list-style-type: none"> <li>• <a href="#">EDXLDistribution/senderRole</a></li> <li>• <a href="#">EDXLDistribution/recipientRole</a></li> <li>• <a href="#">EDXLDistribution/keyword</a></li> <li>• <a href="#">contentObject/contentKeyword</a></li> <li>• <a href="#">contentObject/originatorRole</a></li> <li>• <a href="#">contentObject/consumerRole</a></li> </ul>

3

1 **3.2.7 Explicit Addressing**

<b>Element</b>	<b>explicitAddressScheme</b>
Type	xsd:string
Usage	<b>REQUIRED</b> , MUST use once and only once
Definition	Identifies the distribution addressing scheme used.
Comments	1. MUST be a properly formed -escaped if necessary- XML string. <b>Examples</b> for this type of distribution includes - email, military USMTF, etc. . .
Used In	<a href="#">explicitAddress</a>

2

<b>Element</b>	<b>explicitAddressValue</b>
Type	xsd:string
Usage	<b>REQUIRED</b> , MAY use multiple
Definition	A properly formed -escaped if necessary- XML string denoting the addressees value.
Comments	1. MUST be a properly formed -escaped if necessary- XML string.
Used In	<a href="#">explicitAddress</a>

# Appendix A. XML Schema for the EDXLDistribution Element

```
<?xml version="1.0" encoding="UTF-8"?>

<xsd:schema xmlns:xsd="http://www.w3.org/2001/XMLSchema"
xmlns="urn:oasis:names:tc:emergency:EDXL:DE:1.0"
targetNamespace="urn:oasis:names:tc:emergency:EDXL:DE:1.0"
elementFormDefault="qualified" attributeFormDefault="unqualified" version="1.0CD">

  <xsd:element name="EDXLDistribution">
    <xsd:complexType>
      <xsd:sequence>
        <xsd:element name="distributionID" type="xsd:string"/>
        <xsd:element name="senderID" type="xsd:string"/>
        <xsd:element name="dateTimeSent" type="xsd:dateTime"/>
        <xsd:element name="distributionStatus" type="statusValues"/>
        <xsd:element name="distributionType" type="typeValues"/>
        <xsd:element name="combinedConfidentiality" type="xsd:string"/>
        <xsd:element name="language" type="xsd:string" minOccurs="0"/>
        <xsd:element name="senderRole" type="valueListType" minOccurs="0"
maxOccurs="unbounded"/>
        <xsd:element name="recipientRole" type="valueListType"
minOccurs="0" maxOccurs="unbounded"/>
        <xsd:element name="keyword" type="valueListType" minOccurs="0"
maxOccurs="unbounded"/>
        <xsd:element name="distributionReference" type="xsd:string"
minOccurs="0" maxOccurs="unbounded"/>
        <xsd:element name="explicitAddress" type="valueSchemeType"
minOccurs="0" maxOccurs="unbounded"/>
        <xsd:element name="targetArea" type="targetAreaType" minOccurs="0"
maxOccurs="unbounded"/>
        <xsd:element name="contentObject" type="contentObjectType"
minOccurs="0" maxOccurs="unbounded"/>
      </xsd:sequence>
    </xsd:complexType>
  </xsd:element>
  <xsd:annotation/>
  <xsd:annotation/>

  <xsd:complexType name="contentObjectType">
    <xsd:sequence>
      <xsd:element name="contentDescription" type="xsd:string" minOccurs="0"/>
      <xsd:element name="contentKeyword" type="valueListType" minOccurs="0"
maxOccurs="unbounded"/>
      <xsd:element name="incidentID" type="xsd:string" minOccurs="0"/>
      <xsd:element name="incidentDescription" type="xsd:string" minOccurs="0"/>
      <xsd:element name="originatorRole" type="valueListType" minOccurs="0"
maxOccurs="unbounded"/>
    </xsd:sequence>
  </xsd:complexType>

```



```

1      <xsd:element name="consumerRole" type="valueListType" minOccurs="0"
2 maxOccurs="unbounded" />
3      <xsd:element name="confidentiality" type="xsd:string" minOccurs="0" />
4
5      <xsd:choice minOccurs="1" maxOccurs="unbounded">
6          <xsd:element name="nonXMLContent" type="nonXMLContentType" />
7          <xsd:element name="xmlContent" type="xmlContentType" />
8      </xsd:choice>
9
10     <xsd:any namespace="##other" processContents="lax" minOccurs="0"
11 maxOccurs="unbounded" />
12
13     </xsd:sequence>
14 </xsd:complexType>
15
16 <xsd:complexType name="nonXMLContentType">
17     <xsd:sequence>
18         <xsd:element name="mimeType" type="xsd:string" />
19         <xsd:element name="size" type="xsd:integer" minOccurs="0" />
20         <xsd:element name="digest" type="xsd:string" minOccurs="0" />
21         <xsd:element name="uri" type="xsd:anyURI" minOccurs="0" />
22         <xsd:element name="contentData" type="xsd:base64Binary" minOccurs="0" />
23     </xsd:sequence>
24 </xsd:complexType>
25
26 <xsd:complexType name="xmlContentType">
27     <xsd:sequence>
28         <xsd:element name="keyXMLContent" type="anyXMLType" minOccurs="0"
29 maxOccurs="unbounded" />
30         <xsd:element name="embeddedXMLContent" type="anyXMLType" minOccurs="0"
31 maxOccurs="unbounded" />
32     </xsd:sequence>
33 </xsd:complexType>
34
35 <xsd:complexType name="anyXMLType">
36     <xsd:sequence>
37         <xsd:any namespace="##other" processContents="lax" maxOccurs="unbounded" />
38     </xsd:sequence>
39
40     <xsd:anyAttribute namespace="##other" processContents="lax" />
41 </xsd:complexType>
42
43 <xsd:complexType name="valueListType">
44     <xsd:sequence>
45         <xsd:element name="valueListUrn" type="xsd:string" />
46         <xsd:element name="value" type="xsd:string" maxOccurs="unbounded" />
47     </xsd:sequence>
48 </xsd:complexType>
49
50 <xsd:complexType name="valueSchemeType">

```

```

1      <xsd:sequence>
2          <xsd:element name="explicitAddressScheme" type="xsd:string"/>
3          <xsd:element name="explicitAddressValue" type="xsd:string"
4 maxOccurs="unbounded"/>
5      </xsd:sequence>
6  </xsd:complexType>
7
8  <xsd:complexType name="targetAreaType">
9      <xsd:sequence>
10         <xsd:element name="circle" type="spatialType" minOccurs="0"
11 maxOccurs="unbounded"/>
12         <xsd:element name="polygon" type="spatialType" minOccurs="0"
13 maxOccurs="unbounded"/>
14         <xsd:element name="country" type="xsd:string" minOccurs="0"
15 maxOccurs="unbounded"/>
16         <xsd:element name="subdivision" type="xsd:string" minOccurs="0"
17 maxOccurs="unbounded"/>
18         <xsd:element name="locCodeUN" type="xsd:string" minOccurs="0"
19 maxOccurs="unbounded"/>
20     </xsd:sequence>
21 </xsd:complexType>
22
23 <xsd:complexType name="spatialType">
24     <xsd:simpleContent>
25         <xsd:extension base="xsd:string">
26             <xsd:attribute name="value" type="xsd:string" use="required"
27 fixed="urn:ogc:def:crs:OGC:1.3:CRS84"/>
28         </xsd:extension>
29     </xsd:simpleContent>
30 </xsd:complexType>
31
32 <xsd:simpleType name="statusValues">
33     <xsd:restriction base="xsd:NMTOKEN">
34         <xsd:enumeration value="Actual"/>
35         <xsd:enumeration value="Exercise"/>
36         <xsd:enumeration value="System"/>
37         <xsd:enumeration value="Test"/>
38     </xsd:restriction>
39 </xsd:simpleType>
40
41 <xsd:simpleType name="typeValues">
42     <xsd:restriction base="xsd:NMTOKEN">
43         <xsd:enumeration value="Report"/>
44         <xsd:enumeration value="Update"/>
45         <xsd:enumeration value="Cancel"/>
46         <xsd:enumeration value="Request"/>
47         <xsd:enumeration value="Response"/>
48         <xsd:enumeration value="Dispatch"/>
49         <xsd:enumeration value="Ack"/>
50         <xsd:enumeration value="Error"/>

```

```
1      <xsd:enumeration value="SensorConfiguration"/>
2      <xsd:enumeration value="SensorControl"/>
3      <xsd:enumeration value="SensorStatus"/>
4      <xsd:enumeration value="SensorDetection"/>
5      </xsd:restriction>
6  </xsd:simpleType>
7 </xsd:schema>
```

# 1 Appendix B. EDXL-DE Examples

## 2 B.1 EDXL-DE With CAP Payload

3 The following is a speculative example in the form of an EDXL-DE XML message.

```
4
5 <EDXLDistribution xmlns="urn:oasis:names:tc:emergency:EDXL:DE:1.0">
6   <distributionID>ieam_e3_2</distributionID>
7   <senderID>XML2005</senderID>
8   <dateTimeSent>2005-11-15T16:53:00-05:00</dateTimeSent>
9   <distributionStatus>Exercise</distributionStatus>
10  <distributionType>Update</distributionType>
11  <keyword>
12    <valueListUrn>http://www.niem.gov/EventTypeList</valueListUrn>
13    <value>Explosion</value>
14  </keyword>
15  <targetArea>
16    <polygon>33.4745,-112.1174 33.4745,-112.0238 33.4238,-112.0238 33.4238,-112.1174 33.4745,-
17 112.1174 </polygon>
18  </targetArea>
19  <contentObject>
20    <contentDescription>CAP message from DOT advising best alternate Routes
21  </contentDescription>
22  <xmlContent>
23    <embeddedXMLContent>
24      <alert xmlns="urn:oasis:names:tc:emergency:cap:1.1">
25        <identifier>Vendor generated</identifier>
26        <sender>AZ DOT</sender>
27        <sent>2005-11-15T16:58:00-05:00</sent>
28        <status>Exercise</status>
29        <msgType>Update</msgType>
30        <scope>Public</scope>
31        <info>
32          <category>Transport</category>
33          <event>Traffic Routes</event>
34          <urgency>Immediate</urgency>
35          <severity>Moderate</severity>
36          <certainty>Likely</certainty>
37          <description>Traffic adjustments ensure clear routes to St. Josephs Hospital
38 and Phoenix Childrens Hospital on Thomas Rd. </description>
39          <area>
40            <areaDesc>Best Routes</areaDesc>
41            <polygon>38.91655012246089,-77.02016267943407 38.91655012246089,-
42 77.0117098391165 38.907662564641285,-77.0117098391165 38.907662564641285,-77.02016267943407
43 38.91655012246089,-77.02016267943407 </polygon>
44          </area>
45          </info>
46        </alert>
47      </embeddedXMLContent>
48    </xmlContent>
49  </contentObject>
50 </EDXLDistribution>
51
52
```

## 1 B.2 EDXL-DE With Multiple Encrypted Payloads

2 The following is a speculative example in the form of an EDXL-DE XML message.

```
3 <?xml version="1.0" encoding="UTF-8" standalone="no"?>
4 <EDXLDistribution xmlns="urn:oasis:names:tc:emergency:EDXL:DE:1.0">
5   <distributionID>Sandia001</distributionID>
6   <senderID>dellis@sandia.gov</senderID>
7   <dateTimeSent>2005-08-07T18:05:00-07:00</dateTimeSent>
8   <distributionStatus>Actual</distributionStatus>
9   <distributionType>Report</distributionType>
10  <senderRole>
11    <valueListUrn>urn:sandia:gov:sensors:senderRole</valueListUrn>
12    <value>SENTRY sensor managment system</value>
13  </senderRole>
14  <!--
15  This demonstrates the provison to allow multiple values under the same
16  Value List. <value> is repeated three times, since Warning and reporting
17  systems want CAP content, Hazard Prediction systems want detailed sensor
18  outputs, and situational awareness systems want the location and type of event.
19  -->
20  <recipientRole>
21    <valueListUrn>urn:sandia:gov:sensors:reciepentRole</valueListUrn>
22    <value>Warning and Reporting Devices</value>
23    <value>Hazard Prediction applications</value>
24    <value>Situational Awareness applications</value>
25  </recipientRole>
26
27  <!--
28  This key word can be used by subscribing systems or applications
29  to get distribution of one or more of the enclosed <contentObject>
30  container elements.
31  -->
32
33  <keyword>
34    <valueListUrn>urn:sandia:gov:sensors:keywords</valueListUrn>
35    <value>SNM Detection</value>
36  </keyword>
37
38  <!--
39  The elements explicitAddress used in this example are DMIS COGs and e-mail.
40  Routing of EDXL Distribution is just being designed and there are no good
41  way to show real scheme in this example.
42  -->
43  <explicitAddress>
44    <scheme>DMIS COGs</scheme>
45    <value>1734</value>
46    <value>3520</value>
47  </explicitAddress>
48
49  <explicitAddress>
50    <scheme>e-mail</scheme>
51    <value>dellis@sandia.gov</value>
52  </explicitAddress>
53
54  <!-- In a real messaging system this would probably be FOUO or higher
55  based on the sensitivity of a SNM detection. The current confidentiality
56  is all unclassified in this example for distribution purposes.
57  -->
58  <combinedConfidentiality>Unclassified</combinedConfidentiality>
59
60  <!-- In a real message more than one <targetArea> elements would be present.-->
61  <targetArea>
62    <!--
63    These need to have the correct ISO 3166 codes added
64    -->
65    <country>US</country>
66    <subdivision>California</subdivision>
```

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71

```
<locCodeUN>USA-SF</locCodeUN>
</targetArea>

<!--
This is a XLST transformed CAP 1.0 message for legacy systems. The message is used by
publish/subscription software like NuParadigm Foundation engine in the DoD Alerting Framework.
Legacy Warning and reporting systems would not be able to process a CAP 1.1
message and therefore a transform was accomplished.

Most recent information is added to the beginning of the Distribution in this example to
allow rapid determination of most recent key <contentObject> container elements.
-->
<contentObject>
  <!-- <contentKeyword> is added to allow referencing between <contentObject>s -->
  <contentKeyword>
    <valueListUrn>"urn:sandia.gov:sensor:detection.event.id"</valueListUrn>
    <value>10.2.2.1:2005-08-07T18:00:00Z</value>
  </contentKeyword>
  <!--
This could be eliminated since it provides no distribution value but was retained
to demonstrate the <keyXMLContent> would have to be transformed in CAP 1.1 to CAP 1.0
Conversions
-->
  <confidentiality>Unclassified</confidentiality>
  <xmlContent>
    <embeddedXMLContent xmlns:cap1.0="http://www.incident.com/cap/1.0">
      <EncryptedData xmlns="http://www.w3.org/2001/04/xmlenc#"
Type="http://www.w3.org/2001/04/xmlenc#Element">
<EncryptionMethod Algorithm="http://www.w3.org/2001/04/xmlenc#tripleDES-cbc"/>
<KeyInfo xmlns="http://www.w3.org/2000/09/xmldsig#">
<KeyName>deskey.bin</KeyName>
</KeyInfo>
<CipherData>
<CipherValue>GSCinwYBtwJxp6kcZPGqE6rybCfsnvI6Lz+IZVPqnRfnIlhWq7cI2WT4Bs jBBQCu
TE68pCQ/keOGtvYJ5yNVZEUAnIhOf370EiqklrcBARXb03LCYvLXYKA1zmEC5yFT
CUcyCMV146G4eNU1H7F+wbMjbsGhJ0YgYe+rpjOVYAK9Gs4Uj+CWhi j jxpr5Y/vX
lNEtHFhLsXC9cSfhXWVmi3veXwbDycC+Qt cvQL/Rfr45bDwsJnCcutTzfmqfLcS
BgYUi6osW+XhoRkAttzKbRADVZ6bG5SMkZN0SKiWsaCyKyMKjdpIQwYQh jUXUoAn
veBylXREqfmt0Im/pT7Y45pabWNG9l3al jil8P7qZ5Y26Q0X+i0U+eEGuafHrMVb
S/QBpAkNbp5/f9UR3B4t5t7hL0svDXdr6CWFBNsrczLjz7YC20+g1Hb18YsQdREA
And3PKgoy8Q1Kv6ZLA+aJzQpSvzbSu3btgN6vyF3GGPqKprVIYRFouaJHYgJL81zn
zZovnH41ubwa+YPgD0H48a/FM2LaA8euPzMFdWIKi0fm5DoZZzYcMpkmfLJS10RG
lUKzW0svDw8I1AwX6LBssPm+hoBa7HzTnuM40FD+vsmET+p0bqBtaUSnDhrHXLzp
P6TrcNr5R5cxQ4C+shwezFQDNKbloYc6m5PaTH/6qhlTme32vP8ySNMKvL74QCfP
w8hTzXwq9UvLPq2WKJcI0Phcle3HoYkBTpVk9OUf/CVaxMXGOiXReeLXGPC1IQnn
a6xw7ImkgeCFY+rcttq2fE3UqWtc5R6J16/Jv666K9fgCbXRVhaBdMDYpz0GKFa
gMJulUK6zTtah+bidtUrf31UWAX+wqIqmDFJlivJaRbLEiEVCrt0jKw0juR41dDD
VS5j2BuvmZ5T1LnOnHFU6H4GudnwjpL01eLrWELsFKmbQmUx2A0L6NBj9SRkXXHW
onZV6uX+c3CR460ekvYyM1lrxE2zQPykfh/mELRhGgyDvtqDFQwhDx2Klu+Gh2z
3nC5lyn37laI05KsVl5Gkb6jxVrcUvrcp4pX5czw7/VWbxWoRPy7Bus3akhPu+I
/jchv7SiVRP5mX4Ewh+yeduYX+UZLo07m5zhAMtmFdiLJV9tgHVTJf7ZJ3bGWP+h
Et0N198hGV362cSRhkoLJwNmOgIpGXSMO6T5nA1MzhJ6CkCP8QV1zpKRLVJSRZrn
fffbjd18CzipzjE05JVkbyfbq9I33fkWmbda+Vo9ZMiDinOee6KxnDnxl19ca9Lg
+d19J0qjJz5VwnWLRCEprsoXt+LlmeHC60NjgRarhidlrffuxmONM+QZTk4ZQGIPD
fsk5ftJtzvHgW5G/wN7fxyLh1AqQuCW13IASmfWuJS0+HntYZVoXqGjRg1sK6snx
zteJm6a20yG/M5RvLAEVhOKWyU2+9h jzts8ySg6Qb2+KrUTRQ8JBmVBeSjR2svv
2AWyBYj29JAdAikX9gfGDDvTG9GqJr+jFE9mfObtg7lSdLezQKvVNMsnm6RdSpu
da3vL8uBil1GBNJZS00K06BXp6Pjbl6Ov47EbOfvP8Vm9vKQD7PmjPaIbn1bUr9
V9cHUQ5h6LSecnAy/FZQMLdcamNAIhpiEgoQcwEmaa+1/wTv7LppqxZkFVQQbI2m
nc9Ujcd08g2Qyh+0YCHP50SbCwDe2W+CYBi7QBDDf3qt45zaZnHyRm/yXhVWCJX1
+0WY/+OukquhaWJ8Y0fygAlyk7Jyqqpu2XU9X0Vu8oETQ1L/+37mEzy/beL9VNNr
eU7bfQBAnYw1CkeXs5rAcc1vl1ZEU22Uqg3H5saOQLEHgv1NXL+0C+A9/Q2ZsaFI
BDDiH+f6+6aUno6fotGUA==</CipherValue>
</CipherData>
</EncryptedData>
  </embeddedXMLContent>
</xmlContent>
  <Signature xmlns="http://www.w3.org/2000/09/xmldsig#">
<SignedInfo>
<CanonicalizationMethod Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
<SignatureMethod Algorithm="http://www.w3.org/2000/09/xmldsig#rsa-sha1" />
```

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71

```
<Reference>
<Transforms>
<Transform Algorithm="http://www.w3.org/2000/09/xmldsig#enveloped-signature"/>
</Transforms>
<DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1"/>
<DigestValue>przigAg811cHIqSXpIrFglBGx20=</DigestValue>
</Reference>
</SignedInfo>
<SignatureValue>BH8MGSS9QAlgg7a7I7PF5XjKsqadumTt3cSWxBmwErByvQuaarOgH6MMf1VLkG0Y
tv6zaOqR6Kis4giTqtZBo8QckGukpre2gurdi3Ws0yO3Wt8nWrcH3QAu1lhocXpV
gXahZ8MzHc9zuJq9+bl+S72czTjS0UdCvk/MMRV/xhwZ/1QSn+fh0s3RU6Cn1Q0
aYsUdtX5mAGUWazJghKgK/qSM5jF4c233g7M4m+Rul3C+QOFBOMGmp+NoDnG9b0z
hycJGVdUpY0a+1r0quu2pmdLZnIQVY1stWNFS3wI9Rzds1wzoGP9/nRARGS0kLf1
De+WB4Xdar48A9WJwng0iA==</SignatureValue>
<KeyInfo>
<KeyName>rsaKey.pem</KeyName>
</KeyInfo>
</Signature></contentObject>
<!--
This is the original CAP 1.1 message produced by the SENTRY system.
There was sufficient data to warrant the alert.
In reality the CAP messages would not be Public, however, It is used in this
for simplicity
-->
<contentObject>
<contentKeyword>
<valueListUrn>"urn:sandia:gov:sensor:detection.event.id"</valueListUrn>
<value>10.2.2.1:2005-08-07T18:00:00Z</value>
</contentKeyword>
<confidentiality>Unclassified</confidentiality>
<xmlContent>
<embeddedXMLContent xmlns:cap1.1="urn:oasis:names:tc:emergency:cap:1.1">
<EncryptedData xmlns="http://www.w3.org/2001/04/xmlenc#"
Type="http://www.w3.org/2001/04/xmlenc#Element">
<EncryptionMethod Algorithm="http://www.w3.org/2001/04/xmlenc#tripleDES-cbc"/>
<KeyInfo xmlns="http://www.w3.org/2000/09/xmldsig#">
<KeyName>desKey.bin</KeyName>
</KeyInfo>
<CipherData>
<CipherValue>MiKRuFl1Yb3Vw9JcewTAYVnYT3Zh2Tf9d0fhRyGreJW0FwOxrl/27AXFXBTmZC/2
hw9cMMFAGKeXNrltK00s1Lozx9uZZYoF5UINH18KD/WnNbpwk+ttK3TwRcxBfowm
lzzClMn5suHeUM2PpfiC11lWup8cSfwAqptXVF3sZrLAMSQWJmGfyGYCiaZ+P3NZ
hiVFamDB7D9id5HJ3qHLNcxucGNFA5TfOwe/euP701ah9Q7Rp2nxsXF9PaQYziSS
G4I/J+v+FwuJXhbLqU1PcbP4ofCLg+s6tph2kXfArGSX9u3k7FHvp3tLZnskXCw
iYRGDqrSGrmL7tTmMf/IhFQc4x0ae4ldVEN999uQ6KnDyd22KdUJhupRH8UqZz
+sKVJF3+yatOsroCwOcjTe/GqnNRZntG59dGC5D247LH2AVn/6WU+txFflZhUgOz
A0PElImicguTRAeAIDGJF/QvqzTElr3iYgHXIGfgEhQix35ZURWUTcATrKyNFFe
/CD8+v6YHGbkRgeJDNvJ5AqjZSU1NaJOpCtbbWQm1D878OhjCN+T689PZPB2X2nz
flkupkZ/Fq6Z6aF77j0xp4wB7bpFW5ssWUHySwdg5vYw4hS3Geg5wn3AQViqTGI8
oRaDa3wT9byHq+cq83Wqa3aroJOXzD/HQCmKNhmPFqYj503JH3aZcWNrDxHyBQRr
Libv4o9v4LCGviaKT/2y0S25t5KkL/MJA2c6LIngmhHKQFr1sruWgSrjHn9KtagU
KeYqYlqK6s56X+PHQvusXoxpgDLjXpVvhNpF/mR+h86J4zY3JAicfIZJQ05DjvX
io2iZY/hstzkTfY5+CPvKH7FmuYqeoU7Nano7+EGSB4w0TnSoDfm9D/RIsAtwdpu
7WonmeguEK37u0bNuuQhI9LZTELD0L2HtkPVdo4BYq26WMe5vZdwVW6up92AIEQ
7KvADQZZUGDVoKA3Njt90S56g+a14wcHqx+FS8veacDsYFrmhs+0WYlyWtDJERL
+y0qtHlmsi/kTdYoKRGx+/lyU18FIfqOnk2dk3BicbQ3kyEbnqV3qHBrYqrVITTB
eMUKxL3wB50kcCn3u6Nqun14QFmf809KEZGXZZqdQs7jz6MV3yjpVzelmLs9nbCm
3eXFGrS1HbbwCLQBconzDWgfoN6W/1TRv3z8RmTg+Z+3CjK2MRt6x5XZTcDqk4JW
wozh2btLz4Yc2xUbc1btVd3muOhBq3eSsGXC6xX4fxW0cuqi6UsOZRA2kiKJHY+V
2KPO9/y3x4arscIsBwfmNVZYt6bCoy/Or0yva49yV/A//8JFN7aGLh530dt53J4H
bcsQln3q7kxir5VLuNj0aZYHjtGu7gzPalUpPAJ0trqro4qinspnkdRueW7SQCyd
uF5OG4GMTI+VjX4MnOMogNiAaZqrBoH3B5t7bAKesZVPS6S9NPFkzxlnkqminG
/Z/hBpmsFlcUls+qylXU7umHvssE2juaplNQUaL6IyHQ0tZzsQd0e6mYkDuzNNbH
419czPXXfvcKRJnJ0Yho9j30YfBwyl1F67SMewYhcNg35tAbstXe+Ghg+D/TVcd
SZ4r1Cmk49IQE3SNwIO6vGUTmhmCJGq+yJx891fMLiJzRBr18exdQ1hoVeQ+YzyY
rZ/e6PTZHVkbcHGLsd+InyBdz3MTCmaYLGgG6gGtL42nJYmXDUiWTAfXcWo0jDh
HO280imZg8QghisAAc8uXzwbTjVHIJTC27e6iqldNxnYDoNWDZxVjI3fcccBVUwmz
702I+4Kb/n5MLX5RXeMZ120v1RRnQi7nhZuTeTMEBrIzHptWP5yse3LcNjRJ2Jr2</CipherValue>
</CipherData>
</EncryptedData>
</embeddedXMLContent>
```

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71

```
</xmlContent>
  <Signature xmlns="http://www.w3.org/2000/09/xmldsig#">
<SignedInfo>
<CanonicalizationMethod Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
<SignatureMethod Algorithm="http://www.w3.org/2000/09/xmldsig#rsa-sha1" />
<Reference>
<Transforms>
<Transform Algorithm="http://www.w3.org/2000/09/xmldsig#enveloped-signature" />
</Transforms>
<DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1" />
<DigestValue>N7NvgXfahdGZPjb9o0XvvejLI5o=</DigestValue>
</Reference>
</SignedInfo>
<SignatureValue>Tg8zP+/1Cg/3MR9iSareJb7snexQ3DjBxGSL3xH+Kf3Kh5NQq/Uwagw/fmI2wcxc
ac/2fz893HeTkXGn8mShg+wmdoRwNykp5uHptAzcfBklh3v7FemtM9M73XbX7KsY
fM0J+RTHUxp4tTMYUPogSEJWiSGSGVbp+MALtUH799fGqqqOREyuljfvIlLvCog
wOd6n7J8S2sHjyRXEw5AVFnxL6k02TgjztbEuoLu+qvEZOIGXmj9yfy4nj41RNXe
HMOS1IAcOQgx5vNzju2slFIWzlmvjqq+7aVg5hy0yBiXJuljvigtOxrwHSCaYW8o
HDpQHwM6EXbgW3uaWnf9Kg==</SignatureValue>
<KeyInfo>
<KeyName>rsakey.pem</KeyName>
</KeyInfo>
</Signature></contentObject>
  <contentObject>
    <contentDescription>Photo image from Sensor: RADDET-01, Site: Golden Gate Bridge, having a
Detection class of SNM</contentDescription>
    <contentKeyword>
      <valueListUrn>"urn:sandia:gov:sensor:detection.event.id"</valueListUrn>
      <value>10.2.2.1:2005-08-07T18:00:00Z</value>
    </contentKeyword>
    <confidentiality>Unclassified</confidentiality>
    <nonXMLContent>
      <mimeType>image/jpeg</mimeType>
      <uri>http://sentry/photoCapture/10.2.2.1:2005-08-07T18:00:00Z</uri>
    </nonXMLContent>
    <Signature xmlns="http://www.w3.org/2000/09/xmldsig#">
<SignedInfo>
<CanonicalizationMethod Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
<SignatureMethod Algorithm="http://www.w3.org/2000/09/xmldsig#rsa-sha1" />
<Reference>
<Transforms>
<Transform Algorithm="http://www.w3.org/2000/09/xmldsig#enveloped-signature" />
</Transforms>
<DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1" />
<DigestValue>io7Katgoo77YNfQYdZMB8taoeKg=</DigestValue>
</Reference>
</SignedInfo>
<SignatureValue>AjQXGgp9h5TC2D+bh9w59sbmtUpge/IeZVdQM+zI58XT2RPb70XAAABni78WduA
uP6nxL6k+BBo4G+TgaqWvCQIqdLD0+qyMnM0ExPui5eg00jstbwiSeYxSt2VQqS2
RD2vR81lat0XwIkMpugSftKNJBZgB9mhRqQgP+E0ndJJPNYDz0bLjJp0J/EDxn4H
6qx6GpDKgDc//53jVhOb4zZPIERsTLjPxp00nBK31cs5Rf6vU9MyOObTHZgpvoza
muhejWlCIJfyjd/OoKQ9Hiv4MCX4v/dX7n6ePHZaDxNeCccDIjovYrAHEWxQ9hE6
rqrIugNLZ3Lh8sUzhZLTyg==</SignatureValue>
<KeyInfo>
<KeyName>rsakey.pem</KeyName>
</KeyInfo>
</Signature></contentObject>
  <!-- This is the based 64 encode image of the Suspect vehicle with SNM.
This data is provide for Law Enforcement sensitive systems to redistribute
on private systems which do not have internet access.
-->
  <contentObject>
    <contentDescription>Photo image from Sensor: RADDET-01, Site: Golden Gate Bridge, having a
Detection class of SNM</contentDescription>
    <contentKeyword>
      <valueListUrn>"urn:sandia:gov:sensor:detection.event.id"</valueListUrn>
      <value>10.2.2.1:2005-08-07T18:00:00Z</value>
    </contentKeyword>
    <confidentiality>Unclassified</confidentiality>
    <nonXMLContent>
      <mimeType>image/jpeg</mimeType>
```





1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71

cQsRzxUgoAKUUAiYBgCisu7szksBQBmSB4z0pYrhgcUAaEf2V+9WhHKsgyDQA8qdULwDqvFAEIAz  
DxyKpa5cn+wNQDD/AJYNQB4nEOKsrQBMTOfADxThQAtLQALOFACGzpwFACMvHSqznDUAWYulRXD/  
AMIoASFMCrG4K0aAEVg5qYR5oADHTRF7UAL5QpPKAoAci4qThpQAwrk09EIoAXftODVi3m04DFAH  
R2LZUZFA0RUigCwoHY10gYd6AJfmx0rLvQdx4oAppya0IpkGtC3AFAGraXKTx00RvKHAC0dqAI  
J0DKTjms2UdRQBavWpgcc0AODg0MoagCFoAeoqB7NT2oAhhTlYdKqy6V6CgClLp0gPcMpbKKACTI  
BoA6W0mLLyOattGZE4oAq1WQ4bpTReLcElAFuDUoZONwBqyZUZeGBoAoyTJGx2rzTor8ZwrQB+a  
xjGSBmnq6sOCKAFooAKaRxBQBSntvMr0109uStAFRRsVEMGr9lpYI3SjPtQBopaxw8qtWUAoAfijf  
ABjimsD2oAbLxSghhgigCtPZLJyBzVQabzyKAFawZeRUlUo4jPWgC2GG0opDIMUAQQGbztekbjQ  
dQBz5DUAErLjirCigCVRTwKAHRThQAUTABjmnAcYoAcBThQAEEcGqkgw1AC+cETk1Aj+ZJk0AWxI  
FXA60BGk60ATpDtdqwq8UAGQ01JnPSgBVX1p+0UAOCDHSniMUAOEANBh44oAhNuxqzZ2x8wZHFHFS  
2yIqgVeJUDqALKL710mRQBOr8ciqt3F5oJAoAzGjMROaydSvT9xaANrwlcr9mMbNg+9dGpyOtAds  
0UANYZBRNuI8oAaIQop5UFAAIwMHRUgBxQA8C12igACg0v1juKAD7MjddqVbOPPSgCzHAqDgVtCAd  
aAKN9y6Gswd1JNAFkdvKGVbmrV1eM4ALnNAGOjSRkrkU9BEWzjFAEdzG8nKHIFosBMGO4n9AaJn  
1HyZCpHFTxX8Mg+9g0AWUYMMg5FOoAMA00opoAieJQCSKh+1pGcelACpeLI2BVpcHmgBxcIMk1Gt  
0JHGaaQwNL+VACHmoHBTKUACTr361KGB70AJIwCnNZFzJtY1SaAKjXzqcE05NRPQmgAN4SetV9X  
kSXQR/J58hgqAPJF4qZSKAJLIXuimgB4NOFAC4pKAFKPrQA4H0pRQA8VDNHwaAMq4JU4zRbB2PFA  
GDBzK1bVMCgCQLinYoATZmlCYoAd1C0ASBDT9tAdwKeBigByqpgzDGAAANGEEdkVkwigC4kHI  
qdHWGcdSpFRysqDNAGPqM6iNiK5SWUvMT70ATx3LwAbsQfar9vr1lFgFiR70Aalv4kzjzF/KtKHW  
baX+LB96ALyXmci/K4NVLPgTweaAKm6nowPgaAEIw1ToKAJgopxiBFACLFtoLxp99gKAHLLEfuuK  
XzUH8Y/OgByyo3RhTWDk8NxQBWuVAjIK5rnbxcE7SaAMIUuwxkmtTSDFG+ZDz70ADPA0Ei/KRSYw  
J1/ScgPh0b72B71cgZCuNwJoAbP6T2IODWbLp0ORJXNAELpczRNsYnFaqTh+9AEoPFLn20AI4  
2nNYd86Ak96AKM0oiJ6sHWWz8pxQBHLqssq4zxUdvfNG+WzigC5LrZGNNFWRXWV1+V+DQBeLlxuR  
s1F9r2nawoACp15WhS0fWgCyjq4xUc9ojqcCgDcvbUx5IrL53UAUXbeIyDrU0swGPR44hv+WDUAeV  
hxUqMcAALCtTgLAeitTglADs0uaAC1FADgKUCUAPBoFB0UAZE6h5ce9X7SEKo4oA0EXinhaHYpQ  
KAFAP2oAntPReAcqKiqgByVKFoAcq1ZjWgC7Ecvdikx1oAntLICKEGB6UAPBPY1Wu5WMM5NAHL  
6jetu2A9aauVpi3SgsOT3oAsXh2cZKLHuTwy+nTxHDRsPwoAYImTsaeu8HrQBETzPucfMcVuo3m  
KCTzQA8RAiLWDB4NAD2jiGaeh4oAmU1K0aAECEISK5HU7+UTMVOBQBQXU6bjVi0+ZurmgCyt2y8  
q5/OrkGsOhAbmgDwt7yK6XBxn3qveacjgsgoAwp7ZYs5XmqDMVBHSGCwL20ABWQ1ow+rsRhmzQBL  
9qSX+LB+tSQKzP8AK2fPQBopLPH1BIi5HKJE5xQAht43b0BT0t0TpQBjtxRigCORMg1j3toWzQBH  
T2xrIRvCmAfmoAXzAdkHirUNxEBhgDQBKTbyDrg0iwKgyj0AAMDuq43U5yW9SaAEjuZTYDitCG6  
SdcEc0AI8ZU5TNItyw+ViaAHPCLPesi605kyiyigDPERwtiq+r3xbRb1T/zwagDzDNTRmgCdX9ac  
HoAeJKcsLAdXjXlpwbNADwaedQAUacDQA4UyY4Q0AZqZeb8aloBhRQBAXpTxQA4Cl0AXFKBx0oAu  
LJiUAUANFAD1HNSGUA5pVmOgC1HVPMA0ATqt02kUALuYCs7ULg+WRQBYM8h+05PrXY6BPUGXmgDq  
EYEUNFG4+ZQfKAK0mlWso5ja+1U38PQ7so2PbFAEg0dFTgDc09UpLWeKbg4WgC0hx1p5crQAnmk  
jFClj0oAkVyOtPEwHegBhu0VewPc9qb2s5J4De1AGN9mRgSGqLJLYnIBoAfHekdTVqk6VjkmGDqH  
utpBVseV0tthdrcRAE/MotAbd2SSc44rLuNGVWwJbn0oAzDpT5bccAVTtkQwZwaAIo53Dda3dOvhFg  
sm0AbialbumCcvBPqMcfL5oAprqx3/M2K0IDVXA+bIoAuR30Mn8WDVhXVhKGG3P2Udarz270aAMH  
UIGXPF/OrBjQBCDXyaATng0ATQxs+CCuhs7CN0DBw1AF8WqIMYpDGg6HmgCCeVnPDdaq290kb9  
eaANaC/jcbWp88UcilkYA0AZv2treTBPFOk1NHXBoAz5jHLYMzrCluMrpN5jp5LUAedinq2KAJla  
nZyaAHilxQAampVYigCQE09c0ASA0mqmB4I9aguXwhoAq2oy+aloulAeY1KDigCQU8CgBwxTGBQA  
oAqR4EFPAA60mygBwXFPUUASqksIKALMYOoksx5FAFPgIF08zFAAZL5xWVqMisdGUACp6t01g  
6PK8cZHNAG4mrz2688ipV8WRKvzJzQBds9fjusYwtVLgMOLAeokX1qjdsqzYFAFX0aUc0ABGKchh  
rQBICFaqyHAODQBLXb0QcElhz78nJNAFVp5UXANU2dmbJNACZpyyFTQBPHdsVga19M1VreUHdx6U  
AdjzXyXiZyM+1Tywb1yvWgDOuIpSpGMVg3ts+4/LQBndoojflRkVZgLSFlowooAetyckZp3mFu9AB  
hSeakEgReKAGLeK1q9bapIhGHZqbs2+qk4G/rWgk6SDhhQAKkEcykEVjXmjZyUoAXJ9MkQniqtW  
7pnIoA13FDzV+21ExEbSRQB21/LCpgt171ajtpGOWGKAJH01JEWtZwLE6TPCSyglfagCilLbth  
s102qOUwPNAFVpZpzk09bS5b+E0AWrewmLDNGuafjQb4kciBqAPiwl02UAOC4pUGWoAlAwKCoAa  
DpTlOKAJ0INTAJFACcYoFABmq1w2eKAHw21fRuKAJVB0qQH1oAkVqlDcUAOB+tpFADUxq9KAFzS  
9qACnCG6nFTxnmGc3GasxtigCyrCl+U0ARSKUdZWXdrGgDm775WJxVe21R7ZuDQBpHW11hK1Rm  
smw4jYkUAaoj3jLKFzXd2VwzjcefpQBE3mqsyj07vQALSKXGAAcQZwq+SKAJEk4xUb8k0AVJOS  
9azZrbOeKAM6a1PPFUJLcgnigCBkK5qMkigBA1TQ7mYBaAnilup7Ihs8V2el6il3bg1hnuKALrGO  
Q4LCqdzYK6kZBoAw77TliJLE/N6VQikMSBfHzGgAWxuX04Rt+VPNTMn3kYUAMTZeo0zmgBvkbugN  
LHCYnk5oAtrIUFB1JomwGI/GgDTs9ZY/eOalotQikXrzQAPgkvOBVG405HU4HNAGDE6a0ZOBWAIS  
smD0oA6XTJI4wadW/HkjAcigCUADgTc+YDFAHpPapZxuWanCfSsB4yrYxQBub6S0EYGTGfet4CJ04  
CmgCt5DI+5elUtelU+HtQ3DnyQB4uFp4Q0AL5fFCJ7UAOK0AYFABinBe9ACjip05HWgBam8UARP  
JgHFU3ZmegC5BnbVtTxigCzGnFP2kUAAYDUoagCRWgRTQA9c5q/bWjzL8tADZbZ4j8wqLB9KAFBx  
Tgc0AKKmhHzUAaMS8VOqUAOWrSbsUARS4Peqk2CDQBix805TiuflhIY0AT2kQfIPUU2WPBPTQA+z  
do5gw7V11jrAUANQBv2upwSj1hV4igZOCKAIWtwvQ1HgigA3YFQMwBNACBuaXNADWXPnHQBU1  
tgR0qlLaZzxQBTls+vFUpbNh2oArNay9qdBuiYNigCxpell27cVJY3kqOFRyKAovsl1amMzEmrTz  
SxdiaAM25leZjkd6U3T7dEuBI5U+xoA6eGeHj5a1aOGQcopoAylrS455TsUIKrnSTYh15RQBtYtb  
awBwBWPvVxtNF+UD8KAKFxonBMZrBu9Lljkcg4oASFSnFaljOwNAG5ECAOKEvz2oAgzqwVORW  
dQImSFoAyPtjwycdk0bXwMbJqBrW2tCQgA8VqJP5i5PQ0AaGOTNubJr0kUsOtAGFKkzlpIQM8V  
LFqkikAk4oAvprWFxWXruob9Ev8AnrCf50AebqtPaOAcEBS0KAHhc0u0UAIUGKTFAddtKCQKAHBJ  
SHNAEZUmK8oZoAmjGknQ80AWEapNxiOAcOtOoAFYD1qVwoAKStmtteyVDEuQtADrm8888iqhBPSgA  
xmlAoAcvU0J+agDRHyVdQg0APwD2phjBoAryR1TlXigDOulwprEnQfjxQA2JTFlgOKidwWOAAJY  
EBBvFRABQBZ39ia0be5nQ80cUA0N7KQAxzV1Jy80AKQCKpyAhjQA0bh2pwY0AKGpDz2oAAVB  
FRNEDQBE1uDnioTzG9qAm04N2qtJpZAOfoApPpUhpCmrNho8pnU1eAaA03toAKSjHQU+WAMpoAy  
bi2JBK4rDnn1hJGdkUAQR6zPE3U4rXtFEg4fMeaALn9qLIVdclRu55peV6e1AGb50qv1INbN1fyw  
QbnYkehoA0rPW4522MMGm6rfweQUABagDnFcvJgDqa6jTrbyoQW6mgDSUDFKFoARowwxis28sg4P  
FAHXu1EZIF01tJG3SgBYZpEYDJFdh35RFBFpSaANE3se3KuM+1MOqMAeeKAMm91COZiCmynWu  
mLeJuVwKACBq7iP7pyPasjv9PuE0a+Jzqgn+dAHGBRT8YFACHpTk6UASr0p2KAGlc03b1oAMG1C0

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71

AKF9qPLZQA0xmjYaAFCNT0yDQBMrViRgGVXGKcGHPQAZye0lTKM0APVBmrUUPrcCgBx+agLQA4c  
d6CxFACq+RViEjdQbfjAxwasIWHsgCZZMdrT96kdaAI3IIqpKotAGddjCGsCdxk0ARfalZdh4xVd  
+WoAv2UPmrcGrgtP07ZFAFMi1Byhg3BSI8gCce0Abn2B1g8wEEdahhuBnAYZFAFoS8VDLJzmgB8  
cisKkG00AKY17VE0ZXoaAI+e9FABiJGD0oAmjQN2qYWyntQAC1QdhU8USJ0FAFPWAFM1kAU0Ac3q  
moNGSgVhXFvxjyzc0AVQFKZyKiJk2gYhBoAupMQotWI7th3oAsJcxufnUH8Kn1kWWMLGQMUAnt18g  
Fiefaqd3dnecjNAE+13NuLgNifwNdfDdQyKNrD8KAJRJg9eKmV896AHgjFNcZHSgCpNArA5Fc/qV  
uEBKrQBzrfLJkip11DD5Tg0AI0sgBwTULTXODjJHTQBATN1bOat2eQT2jJGcUAdZp+sJcxjfwaj8  
QyQnw7qDDH+p/rQB5Mpp/WgBD1qRBQBKBtwtAChBRszQAnl/SnLFmgBwhz2p4hx2oAaybaFUE9KA  
JfL46U1YM9qAHFzjlxSeSR2oAcIzTwh0AkSI56VMEIoAcBinBqAJVPrUgoAUU1wCetADLQ4qaFfm  
6UAX414qwoYd6AJNzDqM0m4HqKAGN04NQuWaoAzrtsORXOXKnJoAoEkPVy1jwaQKe9AGpaxG2m2n  
pW1BK0hoAuxiF/vKtXwFo5ztAPtQBqR2i+UUDttPasuXTkhmLLQAuWGdaYybgRQBAUZCRT1dh3o  
AnSXipVfNAB8p0oGgBPI96PJNAEkslWq6iBhxQAjQt2qLa6nnNADgxpkyppFAGBqFtvJOKWZ7Yg  
nigChIjLnrUXWNADkUwXvVm07U8GcWkoPRg1Wdk70AWIrwjqalPkzj5hzQBA9h3jai0J7t8p0  
BQBp23iB1AWVfXrZtNXhmXhQBqRzK44NTAigBHAZTWXd24YHIBFAHNX9oi5I4rFaXa2BQA+05yM  
MKuQ3IQHC9FwGcZdJGSSwU/WiVrR+qAFSGCJZo4T+70KrazqL2FERNr/WgDjQakWgBerVKo9qa  
JVP46UAOpVFA2sUoNAEiHnmpQRQBDMARxRBHnmGcWvWtPjQYoAmCDFHlKe1ACG3pPIwaANCzGq/e  
FWZ7aIR5AoAy2QA8ZbQA4AinKTQBIDTGCvQBmpqaL06gDQj6dKsKRQBLwaTaKAI2UVA6CgGcjcp  
lTmsS5iQkigDNktgtlSkLgiaN1bB4oA3IzHIAz9cVnHAm4PigAS6KHhgauwaiQetAGzZ6idJjqa4  
mWQ5FAFYuMdaaJMc0AQzvK5FRB6AJEkFTI4oAlBGOTOU4oAkU1KCKKAFxT0bFAF1TkUyQ47UAQ5U  
0hTI60AU54ARzWVcWYoeKAmi4suvFZslqVzQBTeLbqEgigByTmlWo7vPB/WgC2jq444qQF16UATR  
3jXqPUIR5eAP2QATRyBQAGBskEUo4ODVU200RzGT+FAJ3o8t0TiQnaPwuliko3mgCQvVG8kbYcUzYcQ7Sow  
yCDWBLuDZoAi84irMMrMmC0AEkzRNYTqt4jdaAH+ch74qlqsiHSLsBv+WR/nQBkBaCENAAEOamXi  
gCQE9SMAOFPHSgBaKAHLThQAYzU8QwKAJG5WknJxigCYJShPSgB2w04JQA9VI6cU4hmGCtQBXE  
IjmosUoAXHFAAARoTAFmMHFTxghhkUAX4/pU6gGgB4Hps4NADT05FQuRQBUnGQawrtcMeKAMuQ  
kYhIUuRFQAP2QATRyBQAGBskEUo4ODVU200RzGT+FAJ3o8t0TiQnaPwuliko3mgCQvVG8kbYcUzYcQ7Sow  
aAId+RSZNADTyDmo8c0AOUEVIVsgCQMaer4oAkWQVIRigCQH3pVbBoAtRSLjBqYhWHWgCBoQDwaU  
RnFAEUkFHNvHIBFAFCa3BB4rMuLXrxQBkzWhBPFU3tyD0oAgaE+LRGNh0oAckjIepq9DdA8NQA6U  
CRsISaiaKWHnJoAnhuJAocIehuzQB0OnsXQHFA6HAoAkDZFYruBzQBlXdkrgnFYdzp/J+WgDNks  
Cp6VEYZE+6KAK00cJE5zUAjdt3oAeCwHOap6kT/Zl1jP+qNAEKipV+lAEOUeLATPagBfLwKbtAgB  
eRTw/rQAvmU5WFAD1ang0AObqRTQBjGcvV60gCUYpQQKAFGDTgRQA80BTfMFAAxBHFQ7QTQAYApO  
M0ANdeKWNeKALCAirCs04oAtI3FTK1AEqtK4Y0AKjdcA0AU5o+DzWJfRke0AY8y9aqYwc0AQ07A  
8Ghbh170AWI7+Rf4jV2LV5UH3zQBdglUysOmm2K5kkQZ6UATPkQeQa1832oAXfkdkZnmGB2R2pJ  
9AEitT80AKDT8Y9aAHq10D0ASxyVOJCBQBG8jdc0LlPlPJoAkNyHHSmBlPUUARSOPHFUZYCQ0AUJ  
bYHtVSSzz2oArPZZ7VXeyI7UAUVJLVhni0DEy54NAELvM0Em4jiQxNecZhtQKO9AF6COKdACQDVhd  
MfcCpBFAHR6bH5UYVhzWmFU0ANYbelNHNADWjBHSqU9sCCcUAY80G+UqBSGxBHSGCF9NB7VAdMH9  
2gBn9kA9qqanohGk3jY6QsaA0cVakVcUASKppcGgAyaevSgA4pdonACGL0pvlkUAKqtTgWHWgBk  
9qeJQKAhTYQatx3HvQB0Jc9D1TcmG/bmYo3+9ABuN0tK0APIXTaAEPBl0AU9amjUY6UATqoxTin  
oafXxevell1i6igCVZwKkZT3oAchBo3cUARSdIPFZ7CGQ8UAac9PHgkYqq8eFPFAFJ4+aiKY7UA  
JtNOVSTQB6BEAeWjPdvbgCgC6jA1OrkZ0AAoNNK4PWGADYHIp0lXdigCZSDUmeKAG+ho3H1oAA  
9SrLQA9JQDVLZAR1oAcXUiq7n0NADVf1qRXGKAH5hVdweaAIUWVH5YNAALcN2qNrQY6UAVJrHg8  
VnzWJGekAKU1qRniqXhIPsGCWAUjJDFdmp0zkDdQBvQNKvRcu0tAD+LNK+1AAP9arXkgSI46mgCnb  
W+RuYzZu7QAdBQBGYh6U3yR7UAPSBfSg2sRBdDvz/wBMGoA80QcVJQBIvSnDFACqoNOKgDigBu2l  
CmgB4zS4oAULxSfc0AJ5dIYutAAsJHSpVRh2oAflgKkScgc0ASi4Bp4lU9DQA40D3qaPJ6UAPJIF  
NzQAE0gNAAOXq0nSgCVT2waAHA1Ime1ACEA0YoAUFh0NLucd6AAue4qN9rgg0AZN5Z1TnFZkKBHA  
GCPJfjtUBzjZ0Ank1LFBzQBrsW0CtCMY6UAUWUcirsbyUALuNNZyKAG+ZkUkYy2aALKgYpWU+ta  
CMretM5FABm1UnNAD81mJnGKAHbzSFjigBmfSlDkUASLmnn7gaAGFBUZTBoAkjxU3lBvegANvkcj  
9KqzWfXj9KAM+axznigt2H+zQAsOn5YcVs2tiqAcUAaccIxwalEZfADlPrT8cUARSHAml1km6udo  
+6tAGLHHTXGKcVx2oAiIXPNNaLjK0ARrwaq60f8AiQ3/APlwagDzNalWgBwpQM0A0AxThk0ALiLF  
AC0UAOB4pBz2oAkVfapPLGKAFWONbcdqAEKcm7BigNlc0ohYngmgACSKetTo8yUAO+00uoF00/  
FADVPQ96cJF5oAfCctmra0ASKaedQ9ATUGNACE8UgNAEG6UtABimlRQBDMoI21XazV16UAV0Wn  
0qnJpLjokAITp8ifw1JfAMdyKANCKHAqdUoAcFNTRbugoAkOVODTWOQcCgCsWocVcg5WgCwg7VKF  
4oAXApMCGbuxTSiJexoAURHoDShCp6UAOYgrwoagdiBQA1XzTxQAhaBaacsuKAH+Zml3A0AJuweKn  
iuCv0oAvwyxyjmpzbk40KAKc9ltzxVM2o9KAeFuF7VKUvGKAfWZ1OCKsJOD1oAf5gp4d2T3oApX8/  
1x7V6niIwG2x7j949aALpIAqCSXg0AVHmIAnJc4HNAEUlWcKeoXoToD+p8ApgaAPP16VKg5FADw  
hpwGKAFFPHa0AWGUA0x7Uu3NACHKdtFAD1FPa0AeuRTu1ADcUBRmgB20DtRnFAArDNWYpABgjNAD  
DtJ6Ck8lD2oAabMHPUBwbdjQA6ON4z1qwsrgc80ASL0e61Ks6+uKAJfKhrUoYetaC7velU0AODin  
Ag0ALmkJoAgzukuYDdigBMAUuAAeManqBSC3T0FAC/Z1PamG2PY0AJ5Tr709AQelAEjozcmpYrZX  
HJ5oAgez/enHIFsJDTFAD8Ypd+BQAWmTlpwI9aAEyKXPFACeYVp6PuPNAClgCcVX1Izt060AORQB  
UqqDQBN9id0yBVZ4WTINADOR2NAOKAHBqelAEyMVPBrRhuV150DQAslxvGKreYAerQA8MpppHPQB  
GwqHeVNAEiy+9DS7VJzQBQjC3V1knKrW1HwoxQArgkCvXJ9RQAwpmo2jGKAK5AbqjrObot9j/ngl  
AHALKvTNSfaVWgCxDcBxUpwaaACnYoAMUtADxilz2oAUGnDmgBwG010zzQBIBmnBaAF2UoSgBSvt  
QFGDQg9t5qwkIKZoaAiaMgM0qRkd80AVS9FkWBNoPUUeWD3oAUIDxSeXz0oAdeWEHBoHmDuaA0F/Sn  
CbHUGGB3nKeM1IsG7UAPDUMeCaIo+pNTg0AGeacOaAHC1oAkUVIKAFwDTGQdhQBLEAcMiivNgJ  
UYzQBekTlCoxl1XtQBEXcdRTg3HSgA25PFLBIRkUA1Y3XqKUE96AAG0gB7UANYlQailjyzE4oAmB  
Ip6vQBcgvCnGaSeYMc4FAFZnQ9qTCN3oABDk/KamWF1WgBChHWLGVYc0AT4OM0080AIGI609XyOt  
ACke9RsiEtoQBbnFVLu50NgPJ0AsWk+Wg9TwmkuBg0ASHwaJlxigCvuANGcigCJhmszWVw019/wBc  
TQB5csjEnmpBuPegCeGQoavRz570AUWYgPkaAlk1MIXQAx1x0phBoAfGhJ5qdYuOtAEnI7U0kZ5F  
ADgw9acCT0AepPpU18jpQ4rTmc0AOAqVVO30aAEX64zT1UGGB21R3oABoADGM80mzHTpQA9FA6  
1JsXqOaAEZc9qTbz0oAa3FM3eooAQgjdqCFA6GgB+4gcUjSMRigB0b4HINSCRfWgBdw9aedXQA4G  
nA00AIEth+8cV14UdZcQBhmKJoAVGqLzZkWUjPQBbjQYp/1D0oAja3Q/w0z7Eh7YoABYAHKnm/NC  
MEZFAFSsbJ6VD5gz0oAeGQ0u1T3oAgm/ug0+OPAxigB2yk2e1AdcFTnmpFO4YxQAx4mB4FNC+1AE

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71

i5FWI3PSgBz8iqhLGTg9KALCyOBg040D1oAUYPcVlIQw4oAicFKj3nB5oAgmk2qTkVmRnz5y56A8  
UAAmbbeKsLJjvQBYSSnsdw4oArtkKhkUONigBQc1na5gaHf8A/XE0AeRRtclDjdSKAJFIzU8fWgC5  
GeOtTq1ADt+OaZ9p1bFAEQzZPNOM6AdBQA37QpNPW4A70ASpcc3NTrscUAiYq605ZkSgCRJom6c  
U9eehoAlzgcihQD2oAcAM1KQuzjFAEJ47UKTigALU5QetADx81L0FACD1IuaAJQePwMkCgCjCnr  
QVXFaeRGDxRnmGCR2TmnAe1ADxt9KQhaAGmPIyCabtcA4qgBvArTzzTxMR1BoAkW5X1qVZwe9ADxI  
D3o3UABfaCasWJMhJzigDQU44pwagBwpyjNAEGFMZA3BOKAM+4hCMCEGqpUelADCgprZUHmgCBCx  
ctmrKyKUAPeO70okHrQAu4EU6FwGwQKANSKCOV01V7izCcigCr5VKqlaAF1OE9zUccJxk9TQBIRj  
rTAHKK1DFehNAEmSzHglWZ8UAZ15OWP1qetTQRbYxxQA8E5p4ZgOtaEiSkdaspM09ADmdWWqrOV  
agAE2BVDW5wdDvuf+WJoA8m8115qRWZaAJFkYHrV2GXigC3HNvHvZBQBKuGFN8oZzmzBGITiioZGzz  
QBEJQp5q1HKhfACF/m4qzFKyigCwr5qCZ8GgBILjnpWnDOoGaALJmV1oQnGRQA4ZPpapAvHNACHAR  
0pAoHagB31oepxTkUcGgBwJp20UAJ5VAVgaAH9e09NMfuaAG+XnmlCHGKAGmPB6UbrjkUANwBy  
BS9c0AA475pRg80ALyO1BXPJGGAHBR2pwXjnmGbhIH4UwxAddQAIq+eHxUu6RR1zQBG8jkYIq1at  
hMBjigDRW4j14bNS1YHoaAJFcedamR6AJVe1YZFAFC4TqapEYNACYqCY8HegAjtCLj1z2oANuaYV  
xQAAEdDS5ZTQBswF2pUK3BrRISVaAKT2uG4qN4GQZxxQBRZw8uDOFW0ZSMUAKUU1C0VAEel1p4zi  
gCGXoaotZiNCTQBQtX50pkb14rTUhVoAYhLpntU+wEcUAN2460HPQGgAXcKRiSORQBXCXANZ2tMD0  
17/1xNAHCSIMVF5BPSgBjwMB0p8QYDmgCeNiDUyuaAJBI3rUyyHHWgCOYserVcs3SgByW7ScmpTC  
YxwaAE2BVDW5wdDvuf+WJoA8m8115qRWZaAJFkYHrV2GXigC3HNvHvZBQBKuGFN8oZzmzBGITiioZGzz  
ZJznigCRUWkaQQKAK0hbmW4YDPNAFsb8CqU5YcigBR1TR196AEwPpRggfEOAUD3pwX3oAXYPW1M  
Q1oAb5GDQYgvgACMxelNCgdqAF2+1J83NADMTk0vmEGGbpC+9KsmeKAFYD0FGYd6AGHeOCKVXIb  
BFAFwBWTIGKZuYHgmCRLMvferCXrDqKAJ0v178VYU8U9GoAbJKHHWqDthqAgB+KhX53JoAsqvFO  
20AIFx0cKZFAEBCDZqSOEAZzQBMBikwDQAOiB70hXbQAgIPWnBRQAu0UfHQAnwnK9U9ZMUAS1PTr  
SFh6UAMIFRNQAZkUowetACsgK8Gq5XBoAXjHNKEBHB0AbgipPffjFACN/k0w4NAE0Z+XFMkOOLADV  
n1qYTDHNACH1bmgN4zQAoduzGms8g96AImnfBGKkglGMHG0AXFkQ9xUoKnuKAFGMcYoFADJEGMc  
UAOBFOFACHgVXwXf2FAEmzAperQA5c0vzUAKpYgPnxx1oAq3dyIomOecVm2sTSlpT1NAFgtsFJEd  
zbjQBbQjFPBGKAF3DFIcUANwpo8tTQAEsnpWbrIku1X3H/LE0AcBgD5IqVYvmoAtLHxTWtFbtQBE  
9oAOKqyQMueKAKUqnniocyOa596YrYPBoAsJKRTvPPRQA8THFOWX5uaANCAxXffenyxDGVFAESRk  
96txQP2NAFKxyKtMeOUqSKAKEZA/zZFaloxIAzQBpI+0cVMkHoAmWTPWp1Ye1AEgwfSnbR2oAQDA  
qNye2KAI1B5p/wcNABz60ufegBDtIqPHBoABuz2p2TQAoz3ppYe1ACZGOLJQAHNNIPoKAI2FC4xm  
gBNwzRyKAFwSKQR7GgB0JOS01NaQZxQAAR1wK1BUjokAFXAo1LkE0AGQOpphYH6UAIU96NgHegB  
Mc9aVS3ZqAJUlkX+Kni5Zeq0APF2pHPFHmqeQaAFD09WoaZLJgYHU06EYWGcBtTGQUAA4p6sMc0A  
L8ppCAAaAMS7Yz3H1pyB1q7AvlpjFAENx874WkrWXTQBKRkdjUiyUASAAjtrtA70AJketGaAGmQj  
vWRkxbr70D/AMV4mgDmo02mrrarQBMoFPBFACFAagljAU8UAZs00c8VUeEjPFAEDQ5zUBQpnrQA1Z  
RnFPVjnmGCEOMC7EnigCzaysp5NaQnbbyeKAIjKVOclbs7G8mgDbgKOVpNSGMH+HigDpYARzX  
UlsuB1oAuxn3qwhwKAHANlqRJMCHNAFhXGOKerGgAyPwMmpIoAbgnPFOwR3oAUHFkSCKAGFjjpQ  
GQ9c0Al81IxHoAABScZNN5B5WgBDjPAPwxigBxXjgUAetADWUGoGHpQAZBzyCKcFJPFaEGDAU7j  
vQAKq7utMlhCnOaAicYpOexoAemGUbvFNAC7sihWaoAcGGafTDUAGwUYFADSLAkHQigBcqfSk2Kj  
cmgBdjd7rGm+2InfNADVmnywyKtX3GYPFAEwnRh1o8WUAG+113igAD4qtexFlQnHU0AVCPIMjd  
TV2TCqTQBBeUssAtIimgCVYfbrUn2NmCUAQYqfBx0qAqTQA3aRS7SRQBxMYoKydwz/Y16T/zxNAG  
MOKKVs9KAHBMzUseTloAsKmaVoty4oAgywY7VUkhHPFAFR4PaoGt89RQBAlsm9KQqKUABjNNMWT0  
oAekRXPuHzgMZoAaGNWYJdLAGtaXZzTQT4XNAERYSTviOHC5xigBdJZ4NTIry5NAEoyBS89qAHX  
hhUofHegBQ2e9AagBwYClJzQAhdQ0z5jHqQAOAxRtX2oADjHAFNxtQAOIwjqM0ANBVRUoXyKAF  
PTHemD17UAicnJGKYVIHNAcgr0609SdnIoAduGDubHnjmgCI9c8ipNrsu480AQOQ1NA70APLcVH  
g0AODHG0tG360AKBSglTQAGQng0zn0c0AOWUjgrT8ow5GKAGmMdv5poDjoaAddIkejBvvUAShQeR  
UbitT2oAQRkdJfJKjokSAHCRwM5tThOw6igBTdKBzxWXLN9quQB90UAAsDKqAUPJ5j4HIoAepxUq  
6UATrvV1h460AOYBhigzxbTxQA0BT1pS14oApPB5r8dBVLWLMjRL4/8ATE0AcoNx6VIm4UATKcjp  
T1cgdKkJ03b0qZH1oAcQrDmoXqAD0M0VhxVea0AHFAFJ4Cp0M0UzY/UAAL5QI4FKtmWocUAE1oYj  
pVcxeeoAaIqcqGgC1FlenWrqvIV6mgCxbud3P51pI52YJoAelTKMCGAxm15BoAlD8UmVboTmgBVH  
HGc0HI60AJketSiRQ09AAZfY4py4PrQA8jimjABAoAZzk809WGoTAdSIRmoyQD1oAcrrDtTs+TADS  
VP1pBwaAEJzxrT0AZjB6U5TnjFAEGjIHipj5+7QAeVjtUiJ8hBFAEMkYPYUwrcUAIYiTzxT/J4o  
AheMrOpFBAoAUK3pFY5OaAAjHrSKPwGCTHFmJx0NACiTbTw6k0AKSO/FIQUmg5oARW9CakEvnXNAAd  
zDio2Q0AJg0AYHSgCpdzV2g8mobzNoyRk0AWwccjJinIWQ8UAS/aD3W1W4HuKAJ47hm/eFWVmUjg  
0ASLOPWL7hQBCQQ2aa7nGAaAJYI+Kra2v8AxI7/AB/zwnAHEIwFTAg0ASDbn4HagAbxT1fmgBz  
TKvWm+arDigCMSsrccKnUhxzQAYs3D9BUE1mSOBQBMWTRHkVMkwFAA0ue2arsm48CgBnlU5YvagC  
ZysDNscgCaFg3cda0I2YDBAoAnQ1Mpa0AbnB4qQcrnFACADvSjJpQBokmByKax3c9qAGYFPGAM4/  
OgBPMY2MCPBifpQA8MAotNZ8duKAGGUnwKQjvQAIvTsbjQBIpC9BS5yOaAIyyikD5OBQBKEYKzhg  
fagB2FAPnD6D0ASLL1SN1N3MT7UAIzdpwaUSj14oAJGQ85pgYcGbs+TQJVzjFAA2w1Ht9DQA05z0  
oXk8igAcbaajDPNAC554qNsnigBhrU/NG5TQA4knqabkgdaAJEcY5pfoaAho5HW1Mw9KADzARU  
yAKcHpbQ1btvnmz2FYy1KgA0AShc84pfu9qAD1jwTg09wRQA0oD3pDvT7rGgBVuZV75qdb1x9UAO  
bUFA54psF0rybieKANKKZcdRVXW5B/YV/wA/8sTQBWRDZ61NFU70AWLGRtTxBxQA4tgUIMC3SgB7  
xB6jWmKaAJw1laJov6UAKjEh1qsbxjigBPKWQfMKYBfCEigCB7cr0FM8vFAAI6BHZ0oAnSLIwaeL  
fnpQBbht16mpyo6ACGBUib2qQLgdaAanApQ5x7UAITu705PSgCZOshZEOrbSP1NAEWzB40ak21Vz  
xmgCMso7c0hyBnAeydy1TKrOKAJFhINP8vPegCNkC96FJxntQA4MPWkLgBcRHMJ70KNp5xQAkI  
4BpA2RyaAFIyOtNKEjFADcEHjNPEhAxigBpyee1MUHNAF1VbjPrUeVA96AFV1IxigAZ4oAXIPU0p  
YKOBmgAGG7Ug+XrQAxmDGKEic8YoAf5RUcDNRvx2oAYMkelIRj3oAtimHnpQAik5wRUnagBur0NO  
AFACSMFHigsYTP8AcfGaALNvp8yJgqD7ipPs7ofmQ4oAaQccU3DHRQAqgr3o05j1oAtAr3zSc+1A  
DWXv0pVfADDDG96j2hDxQA4SuvRjVbVrub+xr1d3H1GDBDEq5610sgxQBIswqZJFoAeWdjinRoAK  
AH54NRGQDOaAEE2TxThlutACGE9QaQLIo60ASC5ZrG1It0B1NAB9uTODimGRXOQKAHBSRnHFN8sz

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71

6UAW4wu3GKtRRBqAj jEFFNW05FACBwoxmml iRxQA0n jrQCQOwoAeufSpMnHSgBc569KcHCDigByz  
buOBQRnq3FADWAZlpDgr loAYqjvUu4DhRQA5WxnLUnmEGgB4wwznNKOIFACEZGQMGM8qNx5NADmf  
cvAqMHSRQApXimKfm6UATygc4NSDDIGCTagFQuoJ6UAKEMGYP3lqBQAOQNwDTHgWmgCIxYQQQA  
FU55oAeIhSHHSgByDg4pDnoRQA3YM0 / CqaABmJHGtULJnvQBQVBoWQfxCgA3IabjPQ0AKEPUmmP  
nHFADVUnklKBGUAI3zgjGarKTBjntQBq22pooAJBqOb+GRcYFAFOXyySRxTBGDNFACFGR0pu001A  
DQDjpTT7UARSGPeowG9KAAg jmmdeooATYKpasmNIvP8ArkaAOYXfnmpVm2nBoAlaQ9ackrUAWYpf  
U1YE4x1oAXzh60wsrHmgCSMJ2pSrDkUAQNTiVfNaeQjigBiszSDy0sJl1+XNADTh83zHFX04UYoA  
sK5C4qWp5hQBLtAqeJwOtAcYs56GqxcE9TQBjtJXimDcDzyKADdk421Kq1uMGgCVPkPQ4qb5cZGa  
ATuc8dkQ4agBu3byDxTvOycCgBPMLU9W+1ACMQfrSLgdTQBI CuOuaMA0AKpClJ5uBQAZzSehppJ  
oAcGI6mkLg9KAJFUSvpTCjDg0AIUIGc0qyY4oAkEpxRG7Fsk0AWUPc4pHcdqAEjchs06dt / INAEK  
9MGnKtABvIODSjBFACEAUm4njAoARlbBoai3HdgmGcUMFhrSMSw4AoAgOQabjJyRQApXPQZpm045  
zQAqFql2gryeaAITFzxx5j5T0oAUOocDFNaNZOPGKAiws07cUwWrrj7rkUASLFMp+ / kVPlsdKAGF+x  
z9Q5oAUyKdFTGDnEaHEBaTj0FADSAetRNGYrORQAwwKT1GKqav / AMge8H / TE0Ac8ygcUjNAF  
tYlxzUM8qXg0AUxeEHg09Lti3WgCy10D1NSGDQM5oAfHdc9asfahjrQBCblSaZjCIf4NAFFr8byM  
1NH9uooAkM+TkGrCM5IHNAFYNznrV2Nh1xQBjU5qZACM0AR0eafao8DPFAD1LEYGacAwPzUAL1Ae  
lSK+TxQBMDkc0u0Y5NAEb5xhRTFVufzoAMtntS9B1AoAYOVbPcnmgBw+XqcUnmpQAOcKeKk37h0  
oAQEg8QBMPTNAAXAIKgakik / McUATBUYH5qjKfMcYoAcu8c5qQn8vPwGbm4sccnpeUo5UaUjPtp  
TgAB0oAUDnrXSEZNADh07VbiVZInzg0AReWpPXmpBGoFAFabbnrUSy46UAKZ16Gmb1znpQA8Pnoa  
axB7jNACCoexNScGgCMo0ooJG3GKAGZA60rMCO1ADQAaTAXmgBo+Y5HApX15BoAYcDtTec0A059ac  
p45oADIB0phlIPTigBxIIziozjHFADd3FIKAFBJ704nHvQAocY6UmQexFACFeOtUNXH / ABJz18o  
2Ac+5igCZGJGDTjECM96AEUqDgmLlVzeCKAIxhz3AqtLAWGVPNACR7geRUwcCgBf056UcN1FAAI8d  
DURlnkHFAEX20dJnJq5Ba3AHU0AXYrSbOSTWnbW7LjJoAOI42FTFiq4xQAqMSatqw2Y70AIUJFMC  
470ACKa9am4Yz0AYOWec05U2jpbQmjppgUyPereRigBCGA6i0SGPegAyM4PNO0zvQAZcM4A4p27Hag  
Bm8Nxi1UIEcaAhhBjNOBwKAAqTyaTB9eKAHDOMGk2A9aAHDjgGkZtAeSt+TYDCgACge102bh1o  
AbjBwaT5hyKAG / vM5zRlxQAB2B5q39FLYFAD23DnFmaT3oAgf5+hqLG2gCIjJ5pyqG4oAVkZfu01  
XydrDBoAlCZHWLviVxPQAhuApwelMaZ01ACiZSMEU9PLfigAZAp4qNiMcmgBi8GnqRg5oAXbuzim  
hAvegBw+1NPOoAbxiKwpzQAbiBjGaJzX6GgCEvzxmlBJHvQBIRy4ItpzMMdKAI9x75xSq4HegB28V  
R1b5tHvT / wBMjQBx013tBGaqm6J0aAF+0EglTnlweTQBNvLk8E1CXkU5BoAclw5NX42dxQA4rJnJ  
NWIYXbrnFAFu055q / BaLjpbQcS0G0LW47ba+7QBj5Rz0xU8UYzQBaeYA6VGCMDtADkhkeKnUhdY  
KAFaQgVazMaAEXPULKhJoAmGelPC5oADEw5ApNrkyZQA1onxQihFACCEk5Bokhbsc0ARGNx2NPUE  
rzn8aANGNOuaYPLNAEesc209P8zLc0AO3n8KbvbOBQAOlx9618wGgBVI65prcnrQA9T796esnPSg  
B+ / 1NIJCCe0ASo27rinEHsaAJFAIPdt6CgBjAChMqc9KALDTqYsHr61TLgmBQ+RxtCx9KAGE8U  
1d2TigCZGJGDTjECM96AEUqDgmLlVzeCKAIxhz3AqtLAWGVPNACR7geRUwcCgBf056UcN1FAAI8d  
KXBFADlyOtGR6UAIDnJFKUOKAGMGxzTQC01ACqRS7FxBQBUHYU3aB2oAQe9I4z0NADAPU0mKAAZF  
VdVf / iT3g / 6ZGgDzSW+Uk80LeJjmgBfti54qGVzJ0oAYls7EHmrKWDFcGgCxBpOHJFXlRlHagC0L  
MHTU8dvt7UAWEi46VahTHagC6gG0lTKwXtQBKCrDgCnIgzZQBkwBGARUYUKeaALKAbSeKib1oAT5  
S0Tsbv7UACKM1KAB0oAURkngmp17yQBIGwOtM+UtmgBWDQCMCOW2aAD00Aeae0SaAI3kZUMVG  
G4yKAI8Z5waDGCuTQAKFAOKCHGKAEEmd065dzHhTQAFQevWmlCAFsgCPJB4NLx0AkTdjUm8gYN  
AACTyOacGwKABXO / LqwsrNxigBFEMkmgc jcetADHCm5BHxmgArv3gBNSTx4OV6UAV1XHeng5GCa  
AEC+9IUIPFACYI5FWU09cHg0ARtHzlFAU9DQBIsfHrSkArg4oAiMI25IqMw80ANAFscVGPdWww4o  
41LCMBnrT+o9KAewQoouKADax3pyEj6UAPbG3moSM5xQAnkik3n1waEBAjd7UAMKMTQUPGAEAc  
+1Jy0lAcBzis / VSf7JvD / wBMjQB5AqyOec1aj3PrQBcisz3q7DacjigC / FbAY4q41vxwKAJhBgd  
KmJgz2oAsJEF7U8RA84oAkWIVKkQAOAk+7QWPYUAPQkdTUqt3oAkVuKOTQBIN6ikLtQBjGuRSsoH  
X1gBgTvm1VsHpmgCZJcnp1nmUdqAImLl+tcIRuc0ASKP71IzAhPqAgI3cipsZXgUAQMhZkImkAdv  
mgB6DdgYADFsmigEDBoArGik8Cpo4EAW5z+NADzbqB70zBtSKAI8ZrSMOMUACkNjNMbhsDpQA4Pt  
4zS2e9YADQx9aAWY0ATAEDgVPPf4HNADZJAerUfMTQAGQhGKUEHoKAewQc4PFwGkLx47igCgWer  
mnbhQBGXJNSICe9ADsEH2pw5HBoAeFJHvSA7etAeyA9TyKdtTOaAFKZqJoTn5TQAWqcVCTjtQais  
gcNnFoFB5TpQA3eMYH60m8jpbQAZJ5zTgeKAGvJtFKkitQA9iCvSoG60AIOB3pMjpmgAhy8g04SZ  
HIoAaUU8ioyNPQBEIHSsvWXxpV2P+mRoA8 / is+OBV+G2AHSgCysGDwKsJBjtQBZjJx2q0igCgB+  
Kk7GKAJcZp6qaAHEFSKvSc4oAeT7U4c9KAHZGKTeccUALHuu761bhzmBZZeozUljYk0ASpJt4BqQO  
H60A03KowKQAntQBKqACmvjJxQAZbjmpFCHgGgAIYnrRg98UAAhbGKLANAA2SvNQb+cY4oAeDgcG  
m18UAORw010abhtQAqkyDOaaxyMGgBmw / hQyZHXNAETKQmhaJg49aAJMDbmmqA / FAC+WU5qRBU6U  
AS1CBxUZUG80AOUE9qfja6UANJIHSMhyBx1oAlBbZzU1tMpYoy8nmpmgBhiwxqvJxQBCZCpGakwr  
sdxQBKshIqRHGaeAjrG64pYYPINAEkUpHB5oJ+agCZenNOLLjgUAV5GGELRsvHFAERC55HNOXao+  
ACERkj0aQAemRQAhwBkVGGHvQANGjvUYyBulAEu70ppJz0FADd / bGKXaO+KAFaucmkAnigB3Q0rC  
gctM+1awtYfOmXf / AFzNAHPxQj0q0kQ7CgCZYfap01wKAJFYpyjQBIFANShaAHqMGpVxjigCQBs  
uMU1VxdQAPab6U8MMdKAewDyKQITQADkNANWEEdgnNADsZHPGAj3FScrQA5QWORxUgJBwSKHAD2NO  
V2HhagB5nx8uc0hPgcUAMJLdeKRQc8HNAEq / L1NWI8EdaAFwM0jSsOBQAIWJ5p7AAfdoAHYDHHW  
trUAORM9Tuv1 / LkigBqF1PFSBCw3GgBjbse1NTg80ATKAQeetBiTpQAx4VxwaJjhX8aAFYbrJHFN  
SQgnbQBIsnPNPCHGfWgC1MR0NPDZXRQaucjFIPUE54oAkz6VGvBo4DkUAIKXkAyc1G / zDpQBCEOhp  
Qx9aAJoS090LgNkUAPjdmBipSD34oAawJUkH8qjSQjgkmgCysZFcZqbd8vWgCMsM0gJ4oAYybjg  
9aJki0ouD7UAQ5eH4ODUwcfKAI19c0GcJnBoAXchHNMJAoAF5N078CgBhDUwsRwaAIYxzUMQ  
OtAegbcKR3CpQBmXEmSeaydUP / Esuv8ArmaAM9E9KsItAfHfP23BoAlQDF04FAADmpk680ASYBpy  
KB3oAk2igKAKAI2YqaF06gB / K0oYgUALHL13FX2RFQetAEB78VEzeGoAFBz7U8qCKABV21MCuPmNA  
ER2ZpfOeKAGlGwWkRc98UAKYAdRmmhiOM0ATxzE8VnNp1oABwfvYpCjOeDxQAgj9aVka6HNAaqq  
cipBjk414oAUKueDThA60AMI55NrmfAHSgCIs3akLtpmgADOV5yKjyQRhqAJSVc9eayVxXUAiyk  
NmpA / wAuKAFUAikHynFAD1j77qQrZQA4ELzSNKWPHSgCRFMkTL3quUBGKAI9vPsnFAEoAaFbPaO  
CktyKALcCDt1qZwcUAQ5PpSOMBuFADY5MnFWA+RigBpbBgRGAFACj5uc0jD1FAFAQZPT8aJcCkn4  
oAUKAfW12jmgCF1GEM0m0+vFACBCO9IH2nnJoAkEgIpu5W4FAC4GDxTC9AcBjioJZOMUAUnbNUN  
T / 5B11 / 1ynAFaJfWp1AzQB0gqTbuoAbjmtnFADoSc1YzmgBwyanQCgBzDjIpoJxQAHAYUIAKaAF  
dj2pm496ALdr8p3EVLJP8xoArNKWPBp6LuHNADzGR0pwGBQAOyAcYppbd0FADgjs01NLFceCaAGRi

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70  
71

u7pUqyD0aAH+YHhRShBkHigCQAjKad3p4l29aAJMqzwikDbTQBIQGHXFNCdqAHLB3pGQjokAFVfW  
n7SB1zQB66ti08jvQAmcZJHFND3oACQRyKhwCepoATAz1pc7TxQBKjADmnoVyeKAHqqe0lM+UGg  
Bd6/Sn1Sy+1ADPKPQHNI0LKetAE0BIOccZ9tKGMKORnNAEDIDwEppjA61gBpRqKqQoMUAOQbeQK  
dvJB6k0AN3EDkU5WBBDCGCBkCtkD8aeGGMGgByghJNkL9KAFEm0lSebuToKAIiQzTzUbjJ4FAEQB3  
dTxuHFADG9qax03nrQBcdwGaaCW60AB4XgOK59KAH7sdTTS2RxQAxmIHNU5HyaAIs1U1P/AJBd  
1/lyNAFVDipAaALEZzUy5oAeBnm12A0APEI7U5VGeaAJFUU8JQA7HFRmgBgODTutAAQQM0gIY90a  
AJwGxgCnBPl+agBulBTlwe1AAd4ovix60APKrt5PNMRLBwaAJicLweKgZN2aAEWMLlp2RjigB6OF  
HGKcPYOASAFPPFIu0mgB/mbRwKkjOeSKALEZyOgodQ04oAchIHXignnjFAEYcljnfKZSRQAm47e  
agK50aAHcdzTvMjQdKAK8kgJ6cVGR5yAKAF4zyOKA7AdKAEjJfJ0elTq60AL70ny45zQAqx7unSpO  
VXbyaELvHziohNI74xQBOFYAetXg+6JcnkUARFyppS/ByOKAIyAxqPadlADlOOBmo2dg3SgByHP  
JqQuCMcUAOGGQJfQmNeeKAFRAOjUrJQAgUjpyKXIGeKAGNyfSk6fSgBCRG1HhHfNADiwIqJhyfSg  
BhHXimKBQAl0PrTARdKHNADWY0itQBFI5NQhmgCInFU9Tf8A4111/wBczQBEq+lTKLAFiNcCbPQA  
oY0lPSgCXca0aAIFJNSK1AAabkCgB7fMaAKA0F8D8DFJc3gUAaWFCNDV5SQODQBXMg6Uq57GgB5d  
vNJG4B+bNAEudxx2ppUKeKAHAKDODTNzBs9KAJm1h0NAjAhfNAEQ4Y1KgGfvGgB+7Py5pChHegBy  
njmpogT9KAJ4ztzxillyCaADJPAPFNLPWgBwGetOwm0lADDgUhbhJg2Gbv1qc8VFJfxfAEI/uirG  
Qc0ANkYAE9R/f4yaAHLA4NO/SgCRDjrZs7st04oAsIQRintjZkY4oAg8wk47Uo56CgB6sQMYzUk  
YMjBRQA8rt0z6imk+lACNkLnNQFz2oAchx15p3GelAEyAAHGgq8jFCUAN88hc05Ji1ADyD605H4  
w2KAGfMxk0nm4J4oAYZVB5p+Aw4xQBEyn1pobxzZQAwN82MYqQDPagB2ABUBX5sgGgAAz1FLsUr  
0NAELQJb5qnm1TgUAQ1jURNAEWtmqunNtLr/rkaAESpUoAsIKeOtAEwAlpyrQAp4FAJoAUfNCsK  
AHGTTdwoACHUCKV+TQA5hvFJEhd0ATyTsbiofMzlw0cANKd85p6n2oAUvjrSgQaAJAQOgp64HJG  
aAEMm7PFM5z0AiMBOHVRYtAYv0FAcEATimm07haAJFQdacy7j7UAKYv1zinw8dTQBLjPQ0Y2nFAA  
W2g8Umc80AKhwealdA9qAGMMmnAewoAAST0pJFG3tmgCq3DZxQGJ6UAIItxomyQ8YoAkBQnvVY/  
WgCWM5xtSEegoAlibj5qWRj1HSgBfKHgg59amWMDRQAAGpIyAQRBQYnaMqGGM4qk8gzyaAG+ZkY  
ZdTKQZ60AK5CDpUqk+WgBBcbfepA4ZckUANC+ZnApNpSgByy9jnnBLHpQADpyajdlB60AL8pHBpo  
FAD1Xd30KAcZ0AiM2LcGnoGHegBznjvSKsvXJIoAN4PQUm4ZoAgmkC5rPkfJNAEBY1GzY3e1  
VdRP/Etuv+uRoARKmU0AWEORUi9aAJRjXUin2oAdgEGkOBQAwT2ptAB1oxQAhNkPI5oAkWtB5qxG6  
9aAI5WznFQ+ZgUAOR89aec0ANoE9NLgcCgCaJ8cnmpxIH4HFADhEouKa5wcUAOHZDnFTJgDrQAEb  
jxRtyccCgBcbayZoAFMPK4owFG7NAEOYbMk80qsPrQBIpLcYpRHZ6UAQsMPjruiggUASAZx705w  
FGM80AR7sc1Ezuzc0ARsThBFAXA4oAQpJPNMJGaaAHINRbPm60ASqMChLIONGaAEIwc05DuPXF  
EwXBz2qeM88nigAXYZC03rTjtsBIFABTdqVwMgmgClkGp0favNACSOrRn1qvJk56UAMz2AqRA4H  
PSGzCMqcih3I0eaaAAMM45pD90aAEGERTWXOQRzQA2N0xNO2HPB4oAkRcdSabIFA5oAYPLGVpSqe  
oxQAmA09KZDjFADQ20opCwwaAKNw+c1Rd8HrQBQ0mKhaTNAEatzmodQP/Etuv+uZoAahI4qwtAFi  
M4qdSBQA8GNKRQA/djPQScvFAEJbZrNaAbvPvYmgBwQngKvGVoAQc9qsxxH2mgCMoemmeWc0AWY  
4gKkZeOAKAIHTioli7mgB4Xjip1lH0NAExlwnoqPljk0AKp7VKE6fMaAJVzinMce1AAQQtQsp7UA  
MYlPenByxGaALKLlaeseORQBmM7UySg8UAR8HJqQOWPsgBwPoc9KRpQx6UAMdivP6Uu5cjAwa  
AFdFNCocMYoAilhwOKjwi55NAA6KByajXBPNAEjJkZU1EkTfFs0Aoc4NPVF9TQBIzMFx20WQDg8  
UAP+bORzTgCRk9qAUBJ2dyvApwKMPwNAFb7zVOCuzBNAF2C8VHG5BOSSKAFPrripossuDQAF29e  
lmk2s2BQAw5UUGc/j9aAHh/UYNKpYeaAGSAI+RTLIYZAoAXzF6d6gkyDnPFAYEYkIPJ4p5fIoAbup  
xPFAAucVWnl7UAUZUPeqrsCetAfd35pucigAQECodQ/5Bt1/lyNAD1XNTKOKAJkqYUAPUZp4FACK  
8U3NAATxULSUACKGrMe3FACswHSONbNAC024gVeB2xYoAgLcc0xwJoAmU8cmlLnBoAZuyeaNuaAd  
hTgmpMxGAaAF3MrYNJkls4zQBdkCMnvU1rcBhsYge9AFohCP1NRBMMc0AKVU80nymgBhXqc0xZ2Tj  
nFAEgyBlyetMJ9qAGON6EVBFcyseTigBFMZWxTgxzQAhzuHWpwTjp+NACqA3Wh4wx4oAcu+MYxUi  
HccHgUAKwEbZU0rQXG48igCPCp9KAYBhxQBGVU9Tg1Ds+b5TmgCTYwWtgipNw8DFADi+4n6QRQA  
woR2pn1EnpQa/wa1+4pDG4BOKAI9+cg9ARJApIoAurnkGoW3McEnFABTjGacBtHFADSu+5kbQZC  
vBoARrgBETUpJwe9AFOSXrVV5OtAEe/mpiUIoAkWq2o8adc/9czQA5DjrU6kUATJipMelaAr4pWk  
4oADIKTzBQAnmjpmoy0c0AKoNTRg0APPSoywzigCWPANTmQEYoAYBxzTkFAExTK5qB2I0KAE1AI  
mT3oAdSeet1FC8A0ASEKF681AWIPaOaeshz1qlimDpyOKALHmrjC00c0ABAHJNRsVzxQaiuw7U5p  
WkrQBEJdvNW4bgEhKAFeTnlprnt6cUARzSiQ4xj6U1UA6CgC1Adx9MU6ReTg0AC9MZqMkTmgBy  
4Kk5496Ztd90KAhLbNoTmQquM0AR7SB61LEPxx0oASSFMZHBqIKAKAGkjPspAwK4FACDjP5q209  
KAJiwkXHSkrSvVQBL1GMYqdVDQEZGRQBAgruIbim4w+MigCGYL2FQRKA40aALcYXhrTnVGXI60AR  
EHTT0XI0AYzPetIsvFAEWlJXkZphlODxxQBvKXLbLlGkAFHLkYNAAsu07TmlKF+mRQA14yq5BpNw2  
9aAGF/Q1Xlba60AZ003vVvpsjFAELPweaiJPNADeclaJ6UASLVfUT/xLbn/rmaAFWpAxFAE0T1ZX  
mgBxTNN20oAaV44pNpxQAu3IpUUntQABIRtFMWXBoAVnz0NKoyaAJVGKft4yKAFX0NSrgUASbsjGa  
jKAg5oAi2c8VNECo55oAUUn3phYEUAIGzTmZfpQBCQWPBpyN5YPNAD45QepxU8VwitzyAHmVWVNDY  
I4oARuaeaJCMYoaJEan3qQIFPFAEQswsMYpDCT3oAaIysmSatKgwCBmgBNwVuoKZIXo0TQA5Ubg  
nipfLB780AOCBU54pmEaxmgBouPKBAGajNzlsGgB5kXoKUFsZBoAVySopqgFcd6AEI4xSquatigC  
RFBUNFPVAVeSvBGR20FNHynrQBkvzdtViEBce4NAEUq/P04qMgCgBha9aQIhGcZNAcCLZp4B40a  
kHrnFNLnGF5oAhdznBpQuRkYoAmAxEQc1C05yfxoATPJ4qTau3pzQBC8Pc01dyLigBjNuzzzUGzJ  
OTQA75QDms26ubkqUAZ7SbqjOKAI2FN0AeqZGamjGKAJB0qrqP8AyDbn/rn/AFoAkUDF0yMUAPSr  
UbYoAlD0hbicGbm5pVf1oAXdg09XFACM26oCDQAqAg81aQ5OBQYKYKYNRByDigB3NOBJHWZBAT2N  
SBvlPINAEW4gmj3Y0AIWbvRuIwFByNhtSNIKAFRwDInGHcc5oAYUK01c5NAE0W7nPSRAyZMUAN  
2btktTZJAW4xQAgJAGKlD4FAAsrZqXzCBQA0ydm1ah+7QBKUQDPWq5AL5oAnk2hOdZUXPWgBxZma  
zOpNu0aAEKApkgVAYkPINAAI5JAPiqrWFAEkeGzk01hhsG8UAN250c1NFtI+Y/1QA04GQ01rD6U  
ASKVY7ad5ANACoAvFTRN81AETvyvblqjtOTk4oAgKNu9qniygx60AN1RuoNRKhOSaAF5B70Nhu1  
AcUAwzUasAcZ0AeZmBjPFNBAXk0ALEQwIHWgtg4oAUhcKbIpxQBvdG5NqluoIoArTykAgVmysWoA  
gPFM3HNAcnpTCDmgCaIcc1KBQAucQuon/iwXP8A1z/rQA0SYqQPmgCZCamDGG3kGneZx1oATJ6  
0bqAEzTsgCgBvdTskr2oAUAEVNDjPFAFhzlahxigB2cjjioKABWJpwYDNACZyamjAxQAOfqAgE8U  
ASLGCp5pJL2oAJEPOqamQ00/FAEPc1cc5pPIY9BQA4IEGDUGfavSgCSUkeZp0Kbk5ODQAhGG2g1  
PGoxyaEfaG4p+cjFAEYyG5FWBcYwMUASGfA9aaHL84xQBLuIXtTS4PGAAPxTglb0DQAMkrjru  
ffvQA4RkHcK1CZfAB5e0daJdyJBoAXORzTBnd8rUADE9+tSxkGgCYGbcinxvleTQA7aSM0gdvXGK

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65  
66  
67  
68  
69  
70

```
AJlNbJlIaosbjntQA3HakLhaAAMDyaJfG4lfyOaJ3kHmjqaAH4yvFQFdrC0ASlQRQ65GKAI0zG2cU
2VyTuoAZHeAHArVgYKw4oAryPg1UuZbt4oAzHfLHNQuwIoAgY1EaAFDU5TzQBogFK2ccUAMBI61V
1Fs6bc/7n9aA11Uk1zjXNAFhRipB0oATg1GxoAcjE9aVuOaAEBz0pcnFAAtPABHWgBcEd6kjfaa
LXmBhimZoAFIPFyGoADwOKZkmgBTxTlK0MUAAK0cYp4bHaga3Ec44pkjJNADElGeTvpXQp70AOTb
inmUYxQBECWbmgG+7xQBVx81Sj03pzQaqMe90J4oAfCoySSMU8E7yQKAGTic46UnORg0AWTIBF93
mmxzEZ460ASq+70aYQCScc0APQkDBXigrT0QKAFWM/eH5UoZckuKABph5eMCIOTnPU0ASGRtWRtN
gPIoAayHBxTlRQvPWgCMhWY80AbTl0AnjJIWkC3yjpQA5JjtxUMj1WyaAIYxc5U10jBMBiaAHck8
GmPkHmgBy/d60wqT0NAEBAnvSICuTQABstxSyHA5wTQA1GXPJpzsBypoAjbL85xUBBJINAETJT4q
QRkD71ADJQUQnNZs0hYkUAVJDwarFuetADM+9JnigBMUi5DUAWUbiPacigBhPNvtQUHTbn/rnQAI
ipkOKAJi3FIHNACbjmng5FACYIpGNAD1NOJ4oAQHFSGzGaAHGnKowTQA5Tg8mnkigCMn0NLGx3da
ALHVeaZjB4oAKA45qJ+OaAER8nOasrIuOaAEEVSMCq0hNAAIDr3qRSM4FAFhcBetKDK0ASbVxnNJ
5gAIOKAIJGXd8tPj5XrzQAFiO1IDu6g0APDgcCpk4X0aAI3GDuzmmJJlutAE8Uokzk4ApS3BwaAB
dxPdjTG09ABJLj0BTfFuTQA8yMyfKagZmHXNAD1Bcc0gYRvzQBMGD5p4LDpg0ADZHT9KYWT+CKAG
YIzkUgBzQBZQFeaduBoAay7ec1A7nnPNADoCCauzRl0QRQBvVsnhiQRUn3u+aAAKQCMUzJGcCgBr
cZNRiZwcEcUA02kJNMZxmgCuQ4bnNDFzwdQA1nZPvZpQwPIFABuPamecV5IzQBwubjcdWa0nJoA
jZgaruKAIs4o35oAepGKQ9aAHpVhcAUALVXuENmuf+uZoANuKcuKAH9qQdaAF5p6hJFADyeKIJ6K
AANPBGTQAAdtTw+BigCZAH4qcx7U4NAFC9aTeQKAEZqRGwaALAbilXnJoAGYjpvD3J4oAam7qK
cSQMkmgBpmp4cMOTQBIID2BqZY8DNAD1TPU07eEGKADcX+7THBXRQAirkbju6NGoHiZ6UASM64zGg
gmHx7tAEa+Xk5FDSAcDpQBC7fJTYeYrjigCQq7f1oR2wcigCzG2R0qVehFACMQBULZagCSM7F5Ga
l4d0lAD1VRwTioPqvagCMMebVhWKGzoAlSQFfelyHrigrigBpPGCBUEdu5HFAE+ABxTeAc0AI7+ZgUx
1GDxQV80wscVJ/aMhTznigBFmDcnOasRyZHB0AmWU0FgckmgCU5E6DrSL05FAAYt7035x9KAGSE
BclFvU0AMk04YzxtA2ygBxcHvUUjHQAAM2eUEnBqoz880AN3Zpp5FAELiot2KAJEbNTqAAhJFPW
gBwqpqX/ACDhnn/lmaAFVwRQG5oAeXFM3c0ASB8ilDcUAIzU0NnrQA8cUooAA1IWOaAJozDu61aa
U7aAK5bJpVwetAEoVdvFM6HAoAmTO2nb9tAC+ZkdKiG3PJoATzADgdKex+WgCIIGSPxepWgBVwp
qwp3gYoAdnioyCeaAJYtoHJxTmwSe4oAhlbc/LUABPPNAE8RbplqZiAKAIImbd3qNsrzQA+Ng3FSB
QpoAlXDIQBk0kUed84oAsMVVeBzQAdnPAEDZ3daeSNoGoaAHgErjHFKEbGKAGuWU0liWoAVBhsG
pCST7UAM31ScvKs70uMDigBvmBjU0ZBGM5oAkCkUp1JGaIiUw9KG05eaAKksW4k1AiAyhcUASKf
WPHAQRJh04oAnVirSE5NACmi9c80K3bNAC13xUW924zQBBIWz81MGDQAxcg9aQ7scjNADDgDoach
7xQBTKTGAQScE0AIh5qUcigBhQEVBJFQAka44qyoxQA6jODQAoaq2oHonXP/AFzNAEKNU2eKAEya
BQA6jJoAUEnrTsUAKCacCKAAkE8U9VytACqdpqUvkUAMzS9KAFWRqcD3oAUz7eKaLgHg0ATJKpU
81WlFj4NADY2YEZq4MbOTQAi4JpZAgfKaAHqDjmpUIA4PNAD0UucVJjBwRQA2ngUHcowBkUACqX
6imvDsGc0AJGHbZ2p0m4DoaACGFmBY5pZELfL2FAFcxOpyKcjOfvUATRmW6VMTkckZoAcE565qVp
ABg0ANV0POBnkEiHgmUAAnVakWf5KAGk7xSwgBjkcUADAS2VpATjBIOATIIOaavOQMOAIV2d+akj
dutAE6ykDjQSK4zwaAGMwdsE4prgIaAI2dD0pgjw2ccUANuG+X5aoeY0Z56UAXYLlWAGalchWypo
AYG3nGaeEI5BoACp6gmmgKwOBzQBFIcRUZXIwOKAE8sjmms5Uc0AU5JwTioXljpQBHIc5qpJQBGr
YNSGjFACbuacQctAEIXDVO0lACgUuAaAG4xVbUP+Qdc/9zcQB//Z
</contentData>
</nonXMLContent>
<Signature xmlns="http://www.w3.org/2000/09/xmldsig#">
<SignedInfo>
<CanonicalizationMethod Algorithm="http://www.w3.org/2001/10/xml-exc-c14n#" />
<SignatureMethod Algorithm="http://www.w3.org/2000/09/xmldsig#rsa-sha1" />
<Reference>
<Transforms>
<Transform Algorithm="http://www.w3.org/2000/09/xmldsig#enveloped-signature" />
</Transforms>
<DigestMethod Algorithm="http://www.w3.org/2000/09/xmldsig#sha1" />
<DigestValue>PkrjafcKUD027EETVu5wqlubcA=</DigestValue>
</Reference>
</SignedInfo>
<SignatureValue>NvqlkBLs4GpM+t+uoWQ53rmjNT43qdwBMsEoiB0a2BRwqkmyNkQDbA2eIHmxfBfo
xe+q+15v/2IGQqW+5XmWtMx8QIQkGBE1sDlybOKibxBqNuWH+J6yR1mIA6bOmBE+
+F2zA9DuvKZVLa8El1pUGke6FeIzoMC7TdDcBtmSAKRmXxe8MjxjxApm3vnMSt9A
iCo2EUx4qYf82iJ9FX7vIFffL2QW38RvZqY+rjXshV5OK3fkTPFI+ZE51lrHKjb3
gu409JrdNtSy/wLd/WLypiyFNDZXXt6i5wBbdAvBkQ0jHECOJjfn+h1bHkvT4wLX
Cpc26QQ6Ic3goSLojC3rjw==</SignatureValue>
<KeyInfo>
<KeyName>rsaKey.pem</KeyName>
</KeyInfo>
</Signature></contentObject>
<!--
The following content object contains the readings from a UNWD radiation Portal
The Detection ID is being used to correlate other contentObject container elements to
the data found in this detection

Because there is no provision for Location information in the current metadata situational
awareness systems would have to extract location for the contents of related CAP messages.
-->
</EDXLDistribution>
```

1 Appendix C. Acknowledgments

2 **C.1 OASIS Emergency Management Technical Committee:**

- 3 • John Aerts, LA County Information Systems Advisory Body
- 4 • Patti Aymond, IEM
- 5 • William Beavin, The Boeing Company
- 6 • Art Botterell, Individual
- 7 • Rex Brooks, HumanMarkup.org, Inc.
- 8 • Thomas Bui, The Boeing Company
- 9 • Len Bullard, Individual
- 10 • Scott Came, Individual
- 11 • Mark Carlson, Conneva, Inc.\*
- 12 • Eliot Christian, US Department of the Interior
- 13 • James Bryce Clark, OASIS
- 14 • Robin Cover, OASIS
- 15 • David Danko, ESRI
- 16 • Paul Denning, Mitre Corporation
- 17 • Mike Dillon, Drummond Group, Inc.
- 18 • Matthew Dovey, Oxford University
- 19 • Sukumar Dwarkanath, ComCare Alliance
- 20 • Scott Edson, LA County Information Systems Advisory Body
- 21 • David, Ellis, Individual
- 22 • Jeff Flading, Anteon Corporation
- 23 • Jack Fox, US Department of Homeland Security
- 24 • Lawrence Freudinger, NASA
- 25 • Gerald Golden, Raytheon Technical Services Company
- 26 • Tim Grapes, Science Applications International Corporation
- 27 • Gilbert Green, USAMC Logistics Support Activity
- 28 • Gary Ham, Disaster Management Interoperability Services
- 29 • Adam Hocek, Individual
- 30 • Travis Hubbard, Disaster Management Interoperability Services
- 31 • Renato Iannella, NICTA
- 32 • Stephen Jepsen, Oracle
- 33 • Elysa Jones, Warning Systems, Inc.
- 34 • Hong-Eng Koh, Sun Microsystems
- 35 • Jeff Kyser, Warning Systems, Inc.
- 36 • Louis Lagonik, Lockheed Martin
- 37 • Kim Lambert, LMI Government Consulting
- 38 • Richard Masline, IBM
- 39 • Mary McRae, OASIS
- 40 • Tom Merkle, Lockheed Martin
- 41 • Peter Miller, US Department of Homeland Security
- 42 • John Moehrke, GE Healthcare
- 43 • Russell Moody, Science Applications International Corporation
- 44 • James Morentz, Science Applications International Corporation
- 45 • Raajmohan Na, EDS
- 46 • Bona Nasution, MTG Management Consultants, LLC.
- 47 • Ash Parikh, Raining Data Corporation
- 48 • Gary Poindexter, Individual
- 49 • Joe Ramirez, Crossflo Systems Inc.
- 50 • Michelle Raymond, Individual



- 1 • Carl Reed, Open GIS Consortium (OGC)
- 2 • Kent Reed, NIST
- 3 • Julia Ridgely, Individual
- 4 • Eleanor Robinson, Anteon Corporation
- 5 • John Ruegg, LA County Information Systems Advisory Body
- 6 • Boris Shur, US Department of Justice
- 7 • Kwasi Speede, Anteon Corporation
- 8 • William Summers, Science Applications International Corporation
- 9 • Aaron Temin, Individual
- 10 • Michael Thompson, The Boeing Company
- 11 • Lee Tincher, Science Applications International Corporation
- 12 • Brett Trusko, OASIS
- 13 • Rick Tucker, Mitre Corporation
- 14 • Richard Vandame, US Department of Homeland Security
- 15 • Winfield Wagner, Crossflo Systems, Inc.
- 16 • Sylvia Webb, Individual
- 17 • Jerry Weltman, IEM
- 18 • Konstantin Wilms, Individual

# 1 Appendix D. Revision History

2

Revision	Date	Editor	Changes Made
Committee Draft r1	8/15/05	Webb Raymond	Incorporated comments from New Orleans face to face meeting
Committee Draft r2	1/31/06	Aymond	Editorial corrections throughout
Committee Draft r2	1/31/06	Aymond	<p>3.1 Document Object Model</p> <ul style="list-style-type: none"> <li>▪ EDXLDistribution <ul style="list-style-type: none"> <li>○ combinedConfidentiality is now a required element</li> <li>○ language is a new optional field</li> <li>○ the distributionReference is conditional</li> <li>○ An EDXLDistribution element can have 0 or more targetArea elements</li> <li>○ An EDXLDistribution element can have 0 or more contentObject elements</li> </ul> </li> <li>▪ contentObject <ul style="list-style-type: none"> <li>○ The optional elements incidentID and incidentDescription have been added to the contentObject element</li> <li>○ An optional xsd:any element has been added to the contentObject element</li> <li>○ A contentObject element can have 0 or more nonXMLContent or xmlContent elements</li> </ul> </li> <li>▪ nonXMLContent <ul style="list-style-type: none"> <li>○ size element is not conditional</li> </ul> </li> </ul>
Committee Draft r2	1/31/06	Aymond	<p>3.2 Data Dictionary</p> <p>Added the paragraph: “Note: Unless explicitly constrained within this Data Dictionary, EDXL-DE elements MAY have null values. Implementers MUST check for this condition wherever it might affect application performance.”</p>
Committee Draft r2	1/31/06	Aymond	<p>3.2.1 EDXLDistribution Element and Sub-elements</p> <ul style="list-style-type: none"> <li>▪ EDXLDistribution table <ul style="list-style-type: none"> <li>○ Usage: Changed “MUST use once” to “MUST be used once and only once”</li> </ul> </li> <li>▪ distributionID table <ul style="list-style-type: none"> <li>○ Usage: Changed “MUST use once” to “MUST be used once and only once”</li> </ul> </li> <li>▪ senderID table <ul style="list-style-type: none"> <li>○ Usage: Changed “MUST use once” to “MUST be used once and only once”</li> <li>○ Comments: Changed examples to be @example.gov and @example.com</li> </ul> </li> <li>▪ dateTimeSent table <ul style="list-style-type: none"> <li>○ Usage: Changed “MUST use once” to “MUST be used once and only once”</li> </ul> </li> <li>▪ distributionStatus table <ul style="list-style-type: none"> <li>○ Usage: Changed “MUST use once” to “MUST be used once and only once”</li> <li>○ Comments: Added the bullet “The status MUST be a properly formed -escaped if</li> </ul> </li> </ul>

			<p>necessary- XML string.”</p> <ul style="list-style-type: none"> <li>▪ distributionType table <ul style="list-style-type: none"> <li>○ Usage: Changed “MUST use once” to “MUST be used once and only once”</li> <li>○ Comments: Added the following sensor distribution types: <ul style="list-style-type: none"> <li>▪ SensorConfiguration - These messages are for reporting configuration during power up or after Installation or Maintenance.</li> <li>▪ SensorControl - These are messages used to control sensors/sensor concentrator components behavior.</li> <li>▪ SensorStatus - These are concise messages which report sensors/sensor concentrator component status or state of health.</li> <li>▪ SensorDetection - These are high priority messages which report sensor detections.</li> </ul> </li> <li>○ Comments: Added the following comments: <ul style="list-style-type: none"> <li>▪ The distribution type applies to the function of the content objects as a set. Those cases where payloads have different distribution types should be clustered in different distribution elements.</li> <li>▪ The type MUST be a properly formed -escaped if necessary- XML string.</li> </ul> </li> </ul> </li> <li>▪ Added combinedConfidentiality table</li> <li>▪ Added language table</li> <li>▪ explicitAddress table <ul style="list-style-type: none"> <li>○ Comments: Added the following comments: <ul style="list-style-type: none"> <li>▪ The explicit address of a recipient in the form: <pre> &lt;explicitAddress&gt;   &lt; explicitAddressScheme&gt; explicitAddressScheme &lt;/ explicitAddressScheme&gt;   &lt;explicitAddressValue&gt; explicitAddressValue &lt;/ explicitAddressValue&gt; &lt;/ explicitAddress &gt; </pre> where the content of &lt;explicitAddressScheme&gt; is the distribution addressing scheme used, and the content of &lt;explicitAddressValue&gt; is a string denoting the addressees value. <ul style="list-style-type: none"> <li>▪ Multiple instances of the &lt;value&gt;, MAY occur with a single &lt;valueListUrn&gt; within the &lt;keyword&gt; container.</li> <li>▪ Multiple instances of &lt;keyword&gt; MAY occur within a single &lt;EDXLDistribution&gt;</li> </ul> </li> </ul> </li> </ul> </li> </ul>
--	--	--	---

			<ul style="list-style-type: none"> <li>container.</li> <li>▪ Removed explicitAddressScheme table</li> <li>▪ Removed explicitAddressValue table</li> </ul>
Committee Draft r2	1/31/06	Aymond	<p>3.2.2 targetArea Element and Sub-elements</p> <ul style="list-style-type: none"> <li>▪ circle table <ul style="list-style-type: none"> <li>○ Comments: Deleted the following comment: <ul style="list-style-type: none"> <li>▪ The fixed mandatory attribute of "urn:ogc:def:crs:OGC:1.3:CRS84" must be included.</li> </ul> </li> </ul> </li> <li>▪ polygon table <ul style="list-style-type: none"> <li>○ Comments: Deleted the following comment: <ul style="list-style-type: none"> <li>▪ The fixed mandatory attribute of "urn:ogc:def:crs:OGC:1.3:CRS84" must be included.</li> </ul> </li> </ul> </li> <li>▪ subdivision table <ul style="list-style-type: none"> <li>○ Comments: Added the following comment: <ul style="list-style-type: none"> <li>▪ MUST be a properly formed - escaped if necessary- XML string.</li> </ul> </li> </ul> </li> <li>▪ locCodeUN table <ul style="list-style-type: none"> <li>○ Comments: Added the following comment: <ul style="list-style-type: none"> <li>▪ MUST be a properly formed - escaped if necessary- XML string.</li> </ul> </li> </ul> </li> </ul>
Committee Draft r2	1/31/06	Aymond	<p>3.2.3 contentObject Element and Sub-elements</p> <ul style="list-style-type: none"> <li>▪ contentObject table <ul style="list-style-type: none"> <li>○ Comments: Added the following comment: <ul style="list-style-type: none"> <li>▪ The &lt;contentObject&gt; may have an optional attribute that defines a namespace prefix which resolves ambiguous element names.</li> </ul> </li> <li>○ Sub-elements: Added the following sub-elements: <ul style="list-style-type: none"> <li>▪ incidentID</li> <li>▪ incidentDescription</li> </ul> </li> </ul> </li> <li>▪ contentDescription table <ul style="list-style-type: none"> <li>○ Usage: changed from "May use once" to "May use once and only once"</li> </ul> </li> <li>▪ Added incidentID table</li> <li>▪ Added incidentDescription table</li> <li>▪ confidentiality table <ul style="list-style-type: none"> <li>○ Usage: Changed from "May use once" to "May use once and only once"</li> </ul> </li> <li>▪ Added any table</li> </ul>
Committee Draft r2	1/31/06	Aymond	<p>3.2.4 nonXMLContent Element and Sub-elements</p> <ul style="list-style-type: none"> <li>▪ nonXMLContent table <ul style="list-style-type: none"> <li>○ Usage: Changed "optional" to "May use multiple"</li> </ul> </li> <li>▪ mimeType table <ul style="list-style-type: none"> <li>○ Usage: Changed "MUST use once" to "MUST be used once and only once"</li> <li>○ Definition: Changed "content" to "payload"</li> <li>○ Comments: Changed example from "text/xml" to "application/mp3"</li> </ul> </li> <li>▪ size table</li> </ul>

			<ul style="list-style-type: none"> <li>○ Usage: Changed “MAY use once” to “MUST be used once and only once”</li> <li>○ Definition: Changed “content object item” to “payload”</li> <li>▪ digest table <ul style="list-style-type: none"> <li>○ Usage: Changed “MAY use once” to “MUST be used once and only once”</li> <li>○ Definition: Changed “content object” to “payload”</li> <li>○ Comments: Changed “content object” to “payload”</li> </ul> </li> <li>▪ uri table <ul style="list-style-type: none"> <li>○ Usage: Changed “MAY use once” to “MUST be used once and only once”</li> </ul> </li> <li>▪ contentData table <ul style="list-style-type: none"> <li>○ Type: changed “xsd:string” to “xsd:base64Binary”</li> <li>○ Usage: Changed “MAY use once” to “MUST be used once and only once”</li> </ul> </li> </ul>
Committee Draft r2	1/31/06	Aymond	<p>3.2.5 xmlContent Element and Sub-elements</p> <ul style="list-style-type: none"> <li>▪ xmlContent table <ul style="list-style-type: none"> <li>○ Usage: Changed “optional” to “may use multiple”</li> <li>○ Sub-elements: Added the following comment: <ul style="list-style-type: none"> <li>▪ An optional namespace attribute may be included.</li> </ul> </li> </ul> </li> <li>▪ keyXMLContent table <ul style="list-style-type: none"> <li>○ Changed element name from “keyXmlContent” to “keyXMLContent”</li> <li>○ Usage: Changed “May use once” to May use multiple”</li> </ul> </li> <li>▪ embeddedXMLContent table <ul style="list-style-type: none"> <li>○ Usage: Changed “May use once” to May use multiple”</li> </ul> </li> </ul>
Committee Draft r2	1/31/06	Aymond	<p>3.2.6 List and Associated Value(s)</p> <ul style="list-style-type: none"> <li>▪ Removed “Support” from the end of the section name</li> <li>▪ valueListURN table <ul style="list-style-type: none"> <li>○ Usage: Changed “optional” to “CONDITIONAL, May use multiple”</li> <li>○ Comments: Added the following comment: <ul style="list-style-type: none"> <li>▪ MUST be a properly formed - escaped if necessary- XML string.</li> </ul> </li> </ul> </li> <li>▪ value table <ul style="list-style-type: none"> <li>○ Usage: Changed “conditional to “CONDITIONAL, May use once and only once”</li> <li>○ Comments: Added the following coment <ul style="list-style-type: none"> <li>▪ MUST be a properly formed - escaped if necessary- XML string.</li> </ul> </li> </ul> </li> </ul>
Committee Draft r2	1/31/06	Aymond	<p>3.2.7 Explicit Addressing</p> <p>Added this section to the document</p>
Committee Draft r2	1/31/06	Aymond	<p>Appendix A. XML Schema for the EDXLDistribution Element</p> <ul style="list-style-type: none"> <li>▪ Added EDXL-DE schema to the document</li> </ul>

Committee Draft r2	1/31/06	Aymond	Appendix B. EDXL-DE Examples <ul style="list-style-type: none"> <li>▪ Added appendix to the document</li> </ul>
Committee Draft r2	1/31/06	Aymond	Appendix C. OASIS Emergency Management Technical Committee: <ul style="list-style-type: none"> <li>▪ Changed Appendix B to Appendix C</li> <li>▪ Updated TC list in Appendix C</li> </ul>
Committee Draft r2	1/31/06	Aymond	Added Appendix D. Revision History

1