



# Test Assertions for the SCA EJB Session Bean Binding Version 1.1 Specification

## Working Draft 2

26 October 2009

### Specification URIs:

#### This Version:

<http://docs.oasis-open.org/sca-j/sca-ejbbinding-1.1-test-assertions-WD1.html>  
<http://docs.oasis-open.org/sca-j/sca-ejbbinding-1.1-test-assertions-WD1.odt>  
<http://docs.oasis-open.org/sca-j/sca-ejbbinding-1.1-test-assertions-WD1.pdf> (Authoritative)

#### Previous Version:

#### Latest Version:

<http://docs.oasis-open.org/sca-j/sca-ejbbinding-1.1-test-assertions.html>  
<http://docs.oasis-open.org/sca-j/sca-ejbbinding-1.1-test-assertions.odt>  
<http://docs.oasis-open.org/sca-j/sca-ejbbinding-1.1-test-assertions.pdf> (Authoritative)

### Technical Committee:

OASIS Service Component Architecture / J (SCA-J) TC

### Chair(s):

Mark Combellack	Avaya
David Booz	IBM

### Editor(s):

David Booz	IBM
------------	-----

### Related Work:

This document is related to:

- Service Component Architecture EJB Session Bean Binding Specification Version 1.1

### Declared XML Namespace(s):

None

### Abstract:

This document defines the Test Assertions for the SCA EJB Session Bean Binding specification.

The Test Assertions represent the testable items relating to the normative statements made in the SCA EJB Session Bean Binding specification. The Test Assertions provide a bridge between the

normative statements in the specification and the conformance TestCases which are designed to check that an SCA runtime conforms to the requirements of the specification.

**Status:**

This document was last revised or approved by the OASIS Service Component Architecture / J (SCA-J) TC on the above date. The level of approval is also listed above. Check the “Latest Version” or “Latest Approved Version” location noted above for possible later revisions of this document.

Technical Committee members should send comments on this specification to the Technical Committee’s email list. Others should send comments to the Technical Committee by using the “Send A Comment” button on the Technical Committee’s web page at <http://www.oasis-open.org/committees/sca-j/>.

For information on whether any patents have been disclosed that may be essential to implementing this specification, and any offers of patent licensing terms, please refer to the Intellectual Property Rights section of the Technical Committee web page (<http://www.oasis-open.org/committees/sca-j/ipr.php>).

The non-normative errata page for this specification is located at <http://www.oasis-open.org/committees/sca-j/>

---

# Notices

Copyright © OASIS® 2009. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website.

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE.

OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Committee Specification or OASIS Standard, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification.

OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this specification by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this specification. OASIS may include such claims on its website, but disclaims any obligation to do so.

OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this document or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Committee Specification or OASIS Standard, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.

The names "OASIS", [insert specific trademarked names, abbreviations, etc. here] are trademarks of OASIS, the owner and developer of this specification, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, specifications, while reserving the right to enforce its marks against misleading uses. Please see <http://www.oasis-open.org/who/trademark.php> for above guidance.

# Table of Contents

2	1 Introduction.....	5
3	1.1 Example Test Assertion.....	5
4	1.2 Terminology.....	5
5	1.3 Normative References.....	6
6	1.4 Non-normative References.....	6
7	2 Test Assertions.....	7
8	2.1 Section 2.....	7
9	2.2 Section 3.....	9
10	2.3 Section 4.....	11
11	2.4 Section 6.....	11
12	3 Cross Mapping of Conformance Statements to Assertions.....	13
13	4 Conformance.....	14
14		

# 1 Introduction

This document defines the Test Assertions for the SCA EJB Session Bean Binding Specification Version 1.1.

The test assertions in this document follow the format defined in the OASIS Test Assertion Guidelines specification [TA-GUIDE].

## 1.1 Example Test Assertion

Test assertions are presented in a tabular format with rows corresponding to the entry types defined in [TA-GUIDE].

Assertion ID	BSB-TA-xxxx
Source	[BSBx00yy]
Target	<kitchenSink/> element of composite file
Prerequisites	The <kitchenSink/> element has a @drain attribute
Predicate	The @drain attribute value of the <kitchenSink/> element is a URI that identifies a portal into the drainage system of the Domain.
Prescription Level	Mandatory
Tags	kitchenSink drain Domain

**Assertion ID:** Is a unique ID for the test assertion. Its format starts with a 3 letter string that identifies the specification to which it relates - "BSB" is for the SCA EJB Session Bean Binding specification. This is followed by "-TA-" to indicate that this identifier is for a test assertion. This is then followed by a unique 4 digit number.

**Source:** Is the identifier(s) of the normative statement(s) in the specification to which this assertion relates.

**Target:** Identifies the target which is addressed by this assertion. This is typically some SCA document element, or other SCA artifact but possibly could identify an SCA runtime and its behaviour.

**Prerequisites:** Defines any prerequisites for this test assertion. The prerequisites may be defined in terms of one or more other test assertions that must be true.

**Predicate:** The meat of the assertion - something that should evaluate to true or false for the given target.

**Prescription Level:** Mandatory (for MUST requirements) or Preferred (for SHOULD requirements) or Permitted (for MAY requirements).

**Tags:** Zero or more labels that may be attached to this test assertion - these tags can be used to group sets of assertions.

## 1.2 Terminology

The keywords "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD NOT", "RECOMMENDED", "MAY", and "OPTIONAL" in this specification are to be interpreted as described in [IETF RFC 2119 \[RFC 2119\]](#)

44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
  
58  
59  
60

### 1.3 Normative References

**[RFC 2119]** S. Bradner. *Key words for use in RFCs to Indicate Requirement Levels*. IETF RFC 2119, March 1997.  
<http://www.ietf.org/rfc/rfc2119.txt>.

**[TA-GUIDE]** Test Assertion Guidelines, Draft 0.9.9.6, 16 November, 2008,  
[http://www.oasis-open.org/apps/group\\_public/download.php/30070/TestAssertionsGuidelines-draft-0-9-9-6.pdf](http://www.oasis-open.org/apps/group_public/download.php/30070/TestAssertionsGuidelines-draft-0-9-9-6.pdf)

**[JAVABSBI]** OASIS SCA EJB Session Bean Binding specification,  
<http://docs.oasis-open.org/opencsa/sca-j/sca-ejbbinding-1.1-spec.pdf>

**[CORBA]** CORBA Naming Service Specification,  
<http://www.omg.org/docs/formal/04-10-03.pdf>

**[ASSEMBLY]** SCA Assembly Model Specification Version 1.1,  
<http://docs.oasis-open.org/opencsa/sca-assembly/sca-assembly-1.1-spec-cd03.pdf>

### 1.4 Non-normative References

None

## 2 Test Assertions

### 2.1 Section 2

Assertion ID	BSB-TA-2001
Source	[BSB20001]
Target	<binding.ejb.ejb-version="EJB2"/>
Prerequisites	
Predicate	The value of the @homeInterface attribute is a fully qualified home interface
Prescription Level	mandatory
Tags	"ejb2" "home"

Assertion ID	BSB-TA-2002
Source	[BSB20002]
Target	A <reference> with child <binding.ejb/> containing @ejb-link-name attribute
Prerequisites	SCA component containing the <reference/> is packaged within a Java EE EAR file
Predicate	The value of the @ejb-link-name attribute matches an <ejb-link> target in the same Java EE EAR file
Prescription Level	mandatory
Tags	"reference"

Assertion ID	BSB-TA-2003
Source	[BSB20003]
Target	A <service> with child <binding.ejb/> containing @ejb-link-name attribute
Prerequisites	SCA component containing the <reference/> is packaged within a Java EE EAR file
Predicate	The value of the @ejb-link-name attribute conforms to the "<jar-name>#<ejb-name>" pattern and is unique amongst <ejb-link> targets in the same Java EE EAR file
Prescription Level	mandatory
Tags	"service"

Assertion ID	BSB-TA-2004
Source	[BSB20004]
Target	An SCA component that exposes a <service> with child <binding.ejb ejb-version="EJB2"/>
Prerequisites	An EJB 2.x client that can invoke the service
Predicate	The EJB 2.x client can lookup the EJB home, create and then invoke the service as a session bean.
Prescription Level	mandatory
Tags	"service" "ejb2"

70

71

Assertion ID	BSB-TA-2005
Source	[BSB20005]
Target	An SCA component that exposes a <service> with child <binding.ejb ejb-version="EJB3"/>
Prerequisites	An EJB 3.x client that can invoke the service
Predicate	The EJB 3.x client can locate the service as a remote session bean and invoke it.
Prescription Level	mandatory
Tags	"service" "ejb3"

72

73

Assertion ID	BSB-TA-2006
Source	[BSB20006]
Target	The @uri attribute of <binding.ejb/>
Prerequisites	
Predicate	The value of the @uri attribute is a compliant Object URL [CORBA].
Prescription Level	mandatory
Tags	"URI"

74

75

Assertion ID	BSB-TA-2007
Source	[BSB20007]
Target	A <reference> with child <binding.ejb/>
Prerequisites	
Predicate	Either the @uri attribute or the @ejb-link-name attribute is specified on the binding.
Prescription	mandatory



Level	
Tags	"reference"

76

77

Assertion ID	BSB-TA-2008
Source	[BSB20008]
Target	A <service> or <reference> with child <binding.ejb/>
Prerequisites	
Predicate	The <binding.ejb/> element conforms to the sca-binding-ejb.xsd schema
Prescription Level	mandatory
Tags	"reference" "service" "schema"

78

79

Assertion ID	BSB-TA-2009
Source	[BSB20009]
Target	SCA composite or componentType document
Prerequisites	The document contains a <binding.ejb/> element
Predicate	The document is a conformant SCA Session Bean Binding XML Document
Prescription Level	mandatory
Tags	"document"

80

81

## 2.2 Section 3

82

Assertion ID	BSB-TA-3001
Source	[BSB30001]
Target	Interface of an SCA service with a child <binding.ejb/> element
Prerequisites	SCA service exposes a remotable interface
Predicate	The SCA interface is a compatible superset [ASSEMBLY] of an EJB reference interface
Prescription Level	mandatory
Tags	"service" "interface"

83

84

Assertion ID	BSB-TA-3002
Source	[BSB30001]

Target	Interface of an SCA service with a child <binding.ejb/> element
Prerequisites	SCA service exposes a local interface
Predicate	The SCA interface is a compatible superset [ASSEMBLY] of an EJB reference interface
Prescription Level	mandatory
Tags	"service" "interface"

85

86

Assertion ID	BSB-TA-3003
Source	[BSB30001]
Target	Interface of an SCA service with a child <binding.ejb/> element
Prerequisites	SCA service exposes a remote or local interface The SCA interface contains methods from the EJBObject (remote) or EJBLocalObject (local) interface.
Predicate	The interface is valid
Prescription Level	permitted
Tags	"service" "interface"

87

88

Assertion ID	BSB-TA-3004
Source	[BSB30001]
Target	Interface of an SCA reference with a child <binding.ejb/> element
Prerequisites	SCA reference is bound to a remote session bean interface
Predicate	The SCA interface is remotable and is a compatible subset [ASSEMBLY] of the session bean interface.
Prescription Level	mandatory
Tags	"reference" "interface"

89

90

Assertion ID	BSB-TA-3005
Source	[BSB30001]
Target	Interface of an SCA reference with a child <binding.ejb/> element
Prerequisites	SCA reference is bound to a local session bean interface
Predicate	The SCA interface is local and is a compatible subset [ASSEMBLY] of the session bean interface.
Prescription Level	mandatory

Tags	"reference" "interface"
------	-------------------------

91  
92

Assertion ID	BSB-TA-3006
Source	[BSB30001]
Target	Interface of an SCA reference with a child <binding.ejb/> element
Prerequisites	SCA reference is bound to a local or remote session bean interface The SCA interface contains methods from the EJBLocalObject (local) or EJBObject (remote) interface.
Predicate	The interface is valid
Prescription Level	permitted
Tags	"reference" "interface"

93  
94

Assertion ID	BSB-TA-3007
Source	[BSB30002]
Target	Interface of an SCA reference with a child <binding.ejb/> element
Prerequisites	
Predicate	The SCA interface is not an EJB 2.x interface.
Prescription Level	mandatory
Tags	"reference" "interface" "ejb2"

95

## 2.3 Section 4

96  
97

Assertion ID	BSB-TA-4001
Source	[BSB40001]
Target	An SCA reference with a child <binding.ejb/> element
Prerequisites	a) The SCA reference is bound to an EJB Session bean b) A method A on the session bean throws a non-business exception c) Method A is invoked
Predicate	The SCA client receives a ServiceRuntimeException.
Prescription Level	mandatory
Tags	"reference" "exception"

98

99

## 2.4 Section 6

100

Assertion ID	BSB-TA-6001
Source	[BSB60001]
Target	An SCA service with a child <binding.ejb/> element
Prerequisites	
Predicate	The Java interface that is the value of the @homeInterface attribute contains one create method.
Prescription Level	mandatory
Tags	"service" "home"

101

102

Assertion ID	BSB-TA-6002
Source	[BSB60002]
Target	An SCA service with a child <binding.ejb.ejb-version="EJB2"/> element
Prerequisites	An EJB 2.x client that is connected to the SCA service
Predicate	The EJB 2.x client can invoke an EJBObject or EJBLocalObject method.
Prescription Level	mandatory
Tags	"service" "home" "ejb2"

103

### 3 Cross Mapping of Conformance Statements to Assertions

Conformance statement	Test Assertion
BSB20001	BSB-TA-2001
BSB20002	BSB-TA-2002
BSB20003	BSB-TA-2003
BSB20004	BSB-TA-2004
BSB20005	BSB-TA-2005
BSB20006	BSB-TA-2006
BSB20007	BSB-TA-2007
BSB20008	BSB-TA-2008
BSB20009	BSB-TA-2009

Conformance statement	Test Assertion
BSB30001	BSB-TA-3001 BSB-TA-3002 BSB-TA-3003 BSB-TA-3004 BSB-TA-3005 BSB-TA-3006
BSB30002	BSB-TA-3007

Conformance statement	Test Assertion
BSB40001	BSB-TA-4001

Conformance statement	Test Assertion
BSB60001	BSB-TA-6001
BSB60002	BSB-TA-6002

---

114

## 4 Conformance

115

There are no conformance statements relating to the Test Assertions.

116

117

---

## Appendix A. Acknowledgments

118 The following individuals have participated in the creation of this specification and are gratefully  
119 acknowledged

120 **Participants:**

121

Participant Name	Affiliation
------------------	-------------

122

123

124

---

## Appendix B. Non-Normative Text



127

---

## Appendix C. Revision History

128

129

Revision	Date	Editor	Changes Made
1	08/28/09	David Booz	Initial version
2	10/26/09	David Booz	Minor updates from review

130