



Energy Interoperation Common Transactive Services (CTS) Version 1.0

Committee Specification Draft 01

Working draft **08**

5 August 2021

This stage:

<https://docs.oasis-open.org/energyinterop/ei-cts/v1.0/csd01/ei-cts-v1.0-wd07.pdf> (Authoritative)

<https://docs.oasis-open.org/energyinterop/ei-cts/v1.0/csd01/ei-cts-v1.0-wd07.html>

<https://docs.oasis-open.org/energyinterop/ei-cts/v1.0/csd01/ei-cts-v1.0-wd07.docx>

Previous stage of Version 1.0:

<https://docs.oasis-open.org/energyinterop/ei-cts/v1.0/csd01/ei-cts-v1.0-wd06.pdf> (Authoritative)

<https://docs.oasis-open.org/energyinterop/ei-cts/v1.0/csd01/ei-cts-v1.0-wd06.html>

<https://docs.oasis-open.org/energyinterop/ei-cts/v1.0/csd01/ei-cts-v1.0-wd06.docx>

Latest stage of Version 1.0:

<https://docs.oasis-open.org/energyinterop/ei-cts/v1.0/ei-cts-v1.0.pdf> (Authoritative)

<https://docs.oasis-open.org/energyinterop/ei-cts/v1.0/ei-cts-v1.0.html>

<https://docs.oasis-open.org/energyinterop/ei-cts/v1.0/ei-cts-v1.0.docx>

Technical Committee:

OASIS Energy Interoperation TC

Chairs:

David Holmberg (david.holmberg@nist.gov), NIST

William T. Cox ([wtcox@coxsoftwarearchitects.com](mailto:wtcx@coxsoftwarearchitects.com)), Individual

Editor:

Toby Considine (toby.considine@unc.edu), University of North Carolina at Chapel Hill

Additional artifacts:

This document is one component of a Work Product that also includes:

This prose specification is one component of a Work Product that also includes:

- UML models
- JSON schemas
- FIX Simple Binary Encoding binding (SBE)
- XML schemas

Related work:

This document replaces or supersedes:

- Common Transactive Services 1.0. The Energy Mashup Lab Specification. Edited by William T. Cox, Toby Considine 30 November 2020. <https://www.theenergymashuplab.org/s/cts-1-0-draft-20201130.pdf>

This document is related to:

Deleted: 07 draft

Deleted: 21 June

Formatted: Highlight

Deleted: wd07 → 21 June

- 41 • *Energy Interoperation Version 1.0*. Edited by Toby Considine, 11 June 2014. OASIS Standard.
42 <http://docs.oasis-open.org/energyinterop/ei/v1.0/os/energyinterop-v1.0-os.html> Latest version:
43 <http://docs.oasis-open.org/energyinterop/ei/v1.0/energyinterop-v1.0.html>. and its TeMIX Profile
44 • OASIS Energy Market Information Exchange (EMIX) Version 1.0 Committee Specification 02 Edited
45 by Toby Considine, 11 January 2012. [http://docs.oasis-open.org/emix/emix/v1.0/cs02/emix-v1.0-](http://docs.oasis-open.org/emix/emix/v1.0/cs02/emix-v1.0-cs02.html)
46 [cs02.html](http://docs.oasis-open.org/emix/emix/v1.0/emix-v1.0.html) Latest version: <http://docs.oasis-open.org/emix/emix/v1.0/emix-v1.0.html>
47 • OASIS WS-Calendar Platform-Independent Model version 1.0, Committee Specification 02 Edited by
48 William T. Cox and Toby Considine, 21 August 2015. [http://docs.oasis-open.org/ws-calendar/ws-](http://docs.oasis-open.org/ws-calendar/ws-calendar-pim/v1.0/cs02/ws-calendar-pim-v1.0-cs02.html)
49 [calendar-pim/v1.0/cs02/ws-calendar-pim-v1.0-cs02.html](http://docs.oasis-open.org/ws-calendar/ws-calendar-pim/v1.0/cs02/ws-calendar-pim-v1.0-cs02.html) Latest version: [http://docs.oasis-](http://docs.oasis-open.org/ws-calendar/ws-calendar-pim/v1.0/ws-calendar-pim-v1.0.html)
50 [open.org/ws-calendar/ws-calendar-pim/v1.0/ws-calendar-pim-v1.0.html](http://docs.oasis-open.org/ws-calendar/ws-calendar-pim/v1.0/ws-calendar-pim-v1.0.html)
51 • OASIS WS-Calendar Schedule Signals and Streams Version 1.0 Committee Specification 01. Edited
52 by Toby Considine and William T. Cox, 18 September 2016. [http://docs.oasis-open.org/ws-](http://docs.oasis-open.org/ws-calendar/streams/v1.0/cs01/streams-v1.0-cs01.html)
53 [calendar/streams/v1.0/cs01/streams-v1.0-cs01.html](http://docs.oasis-open.org/ws-calendar/streams/v1.0/cs01/streams-v1.0-cs01.html) Latest version: [http://docs.oasis-open.org/ws-](http://docs.oasis-open.org/ws-calendar/streams/v1.0/streams-v1.0.html)
54 [calendar/streams/v1.0/streams-v1.0.html](http://docs.oasis-open.org/ws-calendar/streams/v1.0/streams-v1.0.html)

55 Declared XML namespaces:

- 56 • list namespaces declared within this document (hyperlink if HTTP-based)

57 Abstract:

58 Common Transactive Services (CTS) permits energy consumers and producers to interact through
59 energy markets by simplifying actor interaction with any market. CTS is a streamlined and simplified
60 profile of the OASIS Energy Interoperation (EI) specification, which describes an information and
61 communication model to coordinate the exchange of energy between any two Parties that consume or
62 supply energy, such as energy suppliers and customers, markets and service providers.

63 Status

64 This document was last revised or approved by the OASIS Energy Interoperation TC on the above date.
65 The level of approval is also listed above. Check the "Latest stage" location noted above for possible later
66 revisions of this document. Any other numbered Versions and other technical work produced by the
67 Technical Committee (TC) are listed at [https://www.oasis-](https://www.oasis-open.org/committees/tc_home.php?wg_abbrev=energyinterop#technical)
68 [open.org/committees/tc_home.php?wg_abbrev=energyinterop#technical](https://www.oasis-open.org/committees/tc_home.php?wg_abbrev=energyinterop#technical).

69 TC members should send comments on this document to the TC's email list. Others should send
70 comments to the TC's public comment list, after subscribing to it by following the instructions at the "Send
71 A Comment" button on the TC's web page at <https://www.oasis-open.org/committees/energyinterop/>.

72 This document is provided under the [RF on Limited Terms](#) Mode of the [OASIS IPR Policy](#), the mode
73 chosen when the Technical Committee was established. For information on whether any patents have
74 been disclosed that may be essential to implementing this document, and any offers of patent licensing
75 terms, please refer to the Intellectual Property Rights section of the TC's web page ([https://www.oasis-](https://www.oasis-open.org/committees/energyinterop/ipr.php)
76 [open.org/committees/energyinterop/ipr.php](https://www.oasis-open.org/committees/energyinterop/ipr.php)).

77 Note that any machine-readable content ([Computer Language Definitions](#)) declared Normative for this
78 Work Product is provided in separate plain text files. In the event of a discrepancy between any such
79 plain text file and display content in the Work Product's prose narrative document(s), the content in the
80 separate plain text file prevails.

81 Key words:

82 The key words "MUST", "MUST NOT", "REQUIRED", "SHALL", "SHALL NOT", "SHOULD", "SHOULD
83 NOT", "RECOMMENDED", "NOT RECOMMENDED", "MAY", and "OPTIONAL" in this document are to
84 be interpreted as described in BCP 14 [[RFC2119](#)] and [[RFC8174](#)] when, and only when, they appear in
85 all capitals, as shown here.

86 Citation format:

87 When referencing this document, the following citation format should be used:

88 [Energyinterop-CTS-v1.0]

89 *Energy Interoperation Common Transactive Services (CTS) Version 1.0*. Edited by Toby Considine, 12
90 February 2021. OASIS Committee Specification Draft 01. <https://docs.oasis-open.org/energyinterop/ei->

Deleted: allows

Formatted: Highlight

Formatted: Highlight

Deleted: wd07 → 21 June

92 [cts/v1.0/csd01/ei-cts-v1.0-csd01.html](https://docs.oasis-open.org/energyinterop/ei-cts/v1.0/csd01/ei-cts-v1.0-csd01.html). Latest stage: [https://docs.oasis-open.org/energyinterop/ei-](https://docs.oasis-open.org/energyinterop/ei-cts/v1.0/ei-cts-v1.0.html)
93 [cts/v1.0/ei-cts-v1.0.html](https://docs.oasis-open.org/energyinterop/ei-cts/v1.0/ei-cts-v1.0.html).

94 **Notices:**

95 Copyright © OASIS Open 2021. All Rights Reserved.

96 Distributed under the terms of the OASIS IPR Policy, [<https://www.oasis-open.org/policies-guidelines/ipr>].

97 For complete copyright information please see the Notices section in the Appendix.

Table of Contents

99	1	Introduction	7
100	1.1	Application of the Common Transactive Services	7
101	1.2	Support for Developers	8
102	1.3	Naming Conventions	8
103	1.4	Editing Conventions	9
104	1.5	Security and Privacy	9
105	1.5.1	Security Considerations	9
106	1.5.2	Privacy Considerations	9
107	1.6	Semantic Composition	9
108	1.6.1	Conformance with Energy Interoperation	10
109	1.6.2	Conformance with EMIX	10
110	1.6.3	Conformance with WS-Calendar Streams	10
111	1.6.3.1	Schedule Negotiation with WS-Calendar	10
112	1.6.3.2	Streams and Inheritance	12
113	1.6.4	Compatibility with Facilities Smart Grid Information Model	12
114	2	Overview of Common Transactive Services	14
115	2.1	Scope of Common Transactive Services	14
116	2.1.1	Applicability to Microgrids (Informative)	14
117	2.1.2	Specific scope statements	14
118	2.2	Resources, Products and Instruments	14
119	2.3	Common Transactive Services Architecture	16
120	2.3.1	Facets in CTS	16
121	2.3.2	Sides in Tenders and Transactions	17
122	2.3.3	Party and Counterparty in Tenders and Transactions	18
123	2.3.4	Responses	18
124	3	Common Semantic Elements of CTS	20
125	3.1	Semantic Elements from WS-Calendar	20
126	3.2	Semantic Elements from EMIX	20
127	3.2.1	Defining Resource	20
128	3.2.2	Defining Product	21
129	3.2.3	Market-related Elements from EMIX	21
130	4	Basic Interaction and Terminology	25
131	4.1	Structure of Common Transactive Services and Operations	25
132	4.2	Naming of Services and Operations	25
133	4.3	Payloads and Messages	25
134	4.4	Description of the Facets and Payloads	25
135	4.5	Responses	26
136	5	Market Characteristics Facet	28
137	5.1	The Market Context	28
138	5.2	Interaction Pattern for the Market Characteristics Facet	28
139	5.3	Information Model for the Market Characteristics Facet	29
140	5.4	Operation Payloads for the Market Characteristics Facet	30
141	6	Tender Facet	32

Deleted:	1	Introduction	7
	1.1	Application of the Common Transactive Services	7
	1.2	Support for Developers	8
	1.3	Naming Conventions	8
	1.4	Editing Conventions	9
	1.5	Architecture	9
	1.5.1	Security Considerations	9
	1.5.2	Privacy Considerations	9
	1.6	Semantic Composition	9
	1.6.1	Conformance with Energy Interoperation	10
	1.6.2	Conformance with EMIX	10
	1.6.3	Conformance with WS-Calendar Streams	10
	1.6.3.1	Schedule Negotiation with WS-Calendar	10
	1.6.3.2	Streams and Inheritance	12
	1.6.4	Compatibility with Facilities Smart Grid Information Model	12
	2	Overview of Common Transactive Services	14
	2.1	Scope of Common Transactive Services	14
	2.1.1	Applicability to Microgrids	14
	2.1.2	Specific scope statements	14
	2.2	Resources, Products and Instruments	14
	2.3	Common Transactive Services Architecture	16
	2.3.1	Facets of CTS	16
	2.3.2	Sides in Tenders and Transactions	17
	2.3.3	Responses	18
	3	Common Semantic Elements of CTS	20
	3.1	Semantic Elements from WS-Calendar	20
	3.2	Semantic Elements from EMIX	20
	3.2.1	Defining Resource	20
	3.2.2	Defining the Product	21
	3.2.3	Market-related Elements from EMIX	21
	4	Basic Interaction and Terminology	25
	4.1	Structure of Common Transactive Services and Operations	25
	4.2	Naming of Services and Operations	25
	4.3	Payloads and Messages	25
	4.4	Description of the Facets and Payloads	25
	4.5	Responses	26
	5	Configuration and Market Characteristics Facet	28
	5.1	The Market Context	28
	5.2	Interaction Pattern for the Market Context Facet	28
	5.3	Information Model for the EiMarketContext Facet	29
	5.4	Operation Payloads for the EiMarketContext Facet	30
	6	Tender Facet	32
	6.1	Tenders as a Pre-Transaction Payloads	32
	6.1.1	Interaction Pattern for the Tender Facet	32
	6.1.2	Information Model for the Tender Facet	33
	6.1.3	Payloads for the EiTender Facet	35
	7	Transaction Facet	39
	7.1	Transaction Services	39
	7.1.1	Interaction Pattern for the EiTransaction Service	39
	7.1.2	Information Model for the EiTransaction Service	40
	7.1.3	Operation Payloads for the EiTransaction Facet	41
	7.2	Comparison of Transaction Payloads	41
	8	Position Facet	43
	9	Measurement and Verification Facet	44
	10	Market Information Facet—Quotes and Tickers	45
	11	Bindings	46
	11.1	JSON	46
	11.2	XML Schema	46
	11.2.1	XML Namespaces	46
	11.3	Simple Binary Encoding	46
	12	Conformance	47
	12.1	Claiming Conformance to Common Transactive Services	47
	Appendix A	References	48
	A.1	Normative References	48
	A.2	Informative References	49
	Appendix B	Security and Privacy Considerations	51
	Deleted:	wd07	21 June

2892 6.1 Tenders as a Pre-Transaction Payloads 32

2893 6.2 Interaction Patterns for the Tender Facet 32

2894 6.3 Information Model for the Tender Facet 33

2895 6.4 Payloads for the Tender Facet 35

2896 7 Transaction Facet 39

2897 7.1 Transaction Services 39

2898 7.2 Interaction Pattern for the Transaction Facet 39

2899 7.3 Information Model for the Transaction Facet 40

2900 7.4 Operation Payloads for the Transaction Facet 41

2901 7.5 Comparison of Transactive Payloads 41

2902 8 Position Facet 43

2903 9 Measurement and Verification Facet 44

2904 10 Market Information Facet—Quotes and Tickers 45

2905 11 Bindings 46

2906 11.1 JSON 46

2907 11.2 XML Schema 46

2908 11.2.1 XML Namespaces 46

2909 11.3 Simple Binary Encoding 46

2910 12 Conformance 47

2911 12.1 Claiming Conformance to Common Transactive Services 47

2912 Appendix A. References 48

2913 A.1 Normative References 48

2914 A.2 Informative References 49

2915 Appendix B. Security and Privacy Considerations 51

2916 Appendix C. Glossary of Terms and Abbreviations Used in this document 52

2917 Appendix D. Acknowledgments 53

2918 D.1 Special Thanks 53

2919 D.2 Participants 53

2920 Appendix E. Revision History 54

2921 Notices 55

2922

Deleted: wd07→21 June

2923

Table of Tables

2924	Table 1-1: Core Semantics from WS-Calendar	11
2925	Table 2-1: Abstract Definitions used in CTS Markets	15
2926	Table 2-2: Transactive Facets	17
2927	Table 2-3: Responses	18
2928	Table 3-1: CTS Elements from WS-Calendar	20
2929	Table 3-2 Defining the Resource	20
2930	Table 3-3 Defining the Product	21
2931	Table 3-4 Market-related elements from EMIX	22
2932	Table 3-5 Standard Terms that define market interactions	22
2933	Table 5-1 Standard Terms that define market interactions	29
2934	Table 6-1: Pre-Transaction Tender Services	32
2935	Table 6-2: EiResponse Attributes	34
2936	Table 13 EiCreateTenderType Attributes	37
2937	Table 7-1: Transaction Management Service	39
2938	Table 7-2: EiTransaction Attributes	40
2939	Table C-1 Abbreviations and Terms used throughout this document for which this document is not normative.	52

2941

Table of Figures

2943	Figure 1-1: Basic Power Object from EMIX	12
2944	Figure 1-2: Applying Basic Power to a Sequence	12
2945	Figure 4-1: Example of generic error response for a service operation	26
2946	Figure 5-5-1: UML Sequence diagram for Market Context service	28
2947	Figure 6-1: UML Sequence Diagram for the EiTender Service	33
2948	Figure 6-2: Class EiTenderType	33
2949	Figure 6-3-3 Enumeration TransactiveStateType	35
2950	Figure 6-4: UML Class Diagram for the Operation Payloads for the EiTender Service	36
2951	Figure 7-1: UML Sequence Diagram for the EiTransaction Service	40
2952	Figure 7-2: UML Class Diagram of EiTransaction	40
2953	Figure 7-3: UML Class Diagram of EiTransaction Service Operation Payloads	41
2954	Figure 7-4: UML Diagram comparing all Transactive Payloads	42

2955

ei-cts-v1.0-wd08

Standards Track Work Product

Copyright © OASIS Open 2021. All Rights Reserved.

5 August 2021

Page 6 of 55

Deleted: Table 1-1: Core Semantics from WS-Calendar → 11 ¶
Table 2-1: Abstract Definitions used in CTS Markets → 15 ¶
Table 2-2: Transactive Service Message Groups → 17 ¶
Table 2-3: Responses → 18 ¶
Table 3-1: CTS Elements from WS-Calendar → 20 ¶
Table 3-2 Defining the Resource → 20 ¶
Table 3-3 Defining the Product → 21 ¶
Table 3-4 Market-related elements from EMIX → 22 ¶
Table 3-5 Standard Terms that define market interactions → 22 ¶
Table 6-1: Pre-Transaction Tender Services → 32 ¶
Table 6-2: EiResponse Attributes → 34 ¶
Table 7-1: Transaction Management Service → 39 ¶
Table 7-2: EiTransaction Attributes → 40 ¶
Table C-1 Abbreviations and Terms used throughout this document for which this document is not normative. → 52 ¶

Deleted: ¶
Table 2-1: Abstract Definitions used in CTS Markets → 15 ¶
Table 2-2: Transactive Service Message Groups → 17 ¶
Table 2-3: Responses → 18 ¶
Table 3-1: CTS Elements from WS-Calendar → 20 ¶
Table 3-2 Defining the Resource → 20 ¶
Table 3-3 Defining the Product → 21 ¶
Table 3-4 Market-related elements from EMIX → 22 ¶
Table 3-5 Standard Terms that define market interactions → 22 ... [2]

Deleted: ¶ ... [3]

Deleted: ¶ ... [4]

Deleted: ¶ ... [5]

Deleted: ¶ ... [6]

Deleted: ¶ ... [7]

Deleted: ¶ ... [8]

Deleted: ¶ ... [9]

Deleted: ¶ ... [10]

Deleted: ¶ ... [11]

Deleted: ¶ ... [12]

Deleted: ¶ ... [13]

Deleted: ¶ ... [14]

Deleted: ¶

Deleted: Figure 1-1: Basic Power Object from EMIX → 12 ... [15]

Deleted: ¶ ... [16]

Deleted: ¶ ... [17]

Deleted: ¶ ... [18]

Deleted: ¶ ... [19]

Deleted: ¶ ... [20]

Deleted: ¶ ... [21]

Deleted: ¶ ... [22]

Deleted: ¶ ... [23]

Deleted: ¶ ... [24]

Deleted: ¶ ... [25]

Deleted: ¶ ... [26]

Deleted: ¶ ... [27]

Deleted: wd07 → 21 June

3250

1 Introduction

3251

The Common Transactive Services (CTS) enable actor interaction with any resource market.

3252

CTS is an application profile of OASIS Energy Interoperation 1.0 ([EI]) specification, with most optionality and complexity stripped away, including specification of communications. While Energy Interoperation defines the messages and services for transactive energy and demand response. CTS defines messages for a transactive energy profile specification and leaving communication details unspecified (in order to permit broad semantic interoperation in multiple environments).

3253

3254

3255

3256

Transactive resource management coordinates resource supply and use between any two Parties using markets that trade instruments based on time. Transactive energy applies Transactive Resource Management [TRM] to energy markets.

3257

3258

3259

The initial research in TRM used a market to allocate heat from a single furnace within a commercial building. A resource is defined as a tradable commodity whose value depends on price, location, and time of delivery [EMIX]. TRM balances supply and demand over time using automated voluntary transactions between market participants.

3260

3261

3262

3263

3264

3265

3266

TRM is a means to allocate resources including the delivery of commodities including but not limited to electrical energy, electrical power, natural gas, and thermal energy such as steam, hot water, or chilled water.

3267

3268

Transactable energy resources also include the capability to deliver resources, such as transmission line capacity, flow-rate capacity¹, and network bandwidth.

3269

3270

3271

TRM applied to energy is commonly referred to as Transactive Energy (TE), although the resource managed might be energy, power, frequency, voltage, or other characteristic. We use "Energy" and "Power" interchangeably in this specification.

3272

3273

3274

3275

3276

3277

3278

Neither EI nor CTS specifies which technologies participants will use; rather CTS defines a technology-agnostic minimal set of messages to enable interoperation through markets of participants irrespective of internal technology. In a similar manner, CTS does not specify the internal organization or operations a market for transactive energy will use, but rather a common set of messages that can be used to operate any particular transactive energy market. The goal of CTS is to enable systems and devices developed today or in the future to participate in markets deployed today or in the future. The reader can find an extended discussion of Transactive Energy (TE) in the EI specification.

3279

3280

3281

CTS is a lightweight profile of the OASIS Energy Interoperation to support an actor model. An essential aspect of the actor model is to use a limited number of simple messages, with each message strongly typed. All CTS messages are simple and make no assumptions about the systems behind the messages.

3282

1.1 Application of the Common Transactive Services

3283

3284

3285

The purpose of this specification is to codify the common interactions and messages required for markets, hence for simple transactive energy markets. Any system able to use CTS should be able to interoperate with any CTS-conforming market with minimal or no change.

3286

Systems that can be represented by CTS actors include but are not limited to

3287

3288

3289

3290

3291

- Smart Buildings/Homes/Industrial Facility
- Building systems/devices
- Business Enterprises
- Vehicles
- Microgrids

¹ In North American wholesale electricity markets, transmission rights are bought and sold.

Deleted: .

Deleted: (abbreviated EI)

Deleted: needed

Deleted: for

Deleted: , simplifying definitions

Deleted: stripping away

Deleted: .

Deleted: such as

Deleted: .

Deleted: wd07→21 June

3301 • Collections of IoT (Internet of Things) devices

3302 TE demonstrations and deployments to date have been unique systems—each uses its own message
3303 model and its own market dynamics. Many early implementations required the use of central or cloud-
3304 based markets. Central markets discount local decision making while introducing new barriers to
3305 resilience. Others rely on a single price-setting supplier. None are interoperable either at the system level
3306 or for the actors involved.

3307 CTS defines communications between market actors and does not define the market or the device
3308 controls. Autonomous market actors must be able to recognize patterns and make choices to best
3309 support their own needs. Actors need not share details of their internal operations with others.

3310 CTS is valuable for creating micromarkets **[Micromarkets]** to manage power within microgrids.
3311 Micromarkets support the capability for dynamic restructuring of grids for fault resilience and efficiency
3312 **[GridFaultResilience]**. CTS limits complexity by abstracting market interactions to the few common
3313 messages of CTS within a bounded scope.

3314 A device, building, market, or microgrid implementing CTS can exchange information with any other
3315 market or system using CTS, meaning that an application need not be reimplemented or tailored to
3316 different CTS-enabled markets.

3317 CTS does not presume a market with a single seller (e.g., a utility). CTS recognizes two parties to a
3318 transaction, and the role of any Party can switch from buyer to seller from one transaction to the next.
3319 Each Resource Offer (Tender) has a Side attribute (Buy or Sell) when each transaction is committed
3320 (once the product has been purchased) it is owned by the purchaser, and it can be re-sold as desired or
3321 needed.

3322 A CTS-operated micromarket may balance power over time in a traditional distribution system attached to
3323 a larger power grid or it may bind to and operate a stand-alone autonomous microgrid **[BusinessCase]**.

3324 1.2 Support for Developers

3325 The Common Transactive Services are defined in XML schemas **[XSD]** and described using Universal
3326 Modelling Language **[UML]**. Many software development tools can accept artifacts in UML or in XSD to
3327 enforce proper message formation.

3328 This specification also provides **[JSON]** schemas compatible with JSON Abstract Data Notation **[JADN]**
3329 format.

3330 The FIX Simple Binary Encoding **[SBE]** specification is used in financial markets. SBE is designed to
3331 encode and decode messages using fewer CPU instructions than standard encodings and without forcing
3332 memory management delays. SBE-based messaging is used when very high rates of message
3333 throughput are required. This specification will deliver schemas for generating SBE messages based on
3334 the common message content.

3335 1.3 Naming Conventions

3336 This specification follows some naming conventions for artifacts defined by the specification, as follows:
3337 For the names of elements and the names of attributes within XSD files and UML models, the names
3338 follow the lowerCamelCase convention, with all names starting with a lower-case letter. For example,

```
<element name="componentType" type="ei:ComponentType"/>
```

3340 For the names of types within XSD files, the names follow the UpperCamelCase convention with all
3341 names starting with a lower-case letter prefixed by "type-". For example,

```
<complexType name="ComponentServiceType">
```

3343 For clarity in UML models the suffix "type" is not always used.

3344 For the names of intents, the names follow the lowerCamelCase convention, with all names starting with
3345 a lower-case letter, EXCEPT for cases where the intent represents an established acronym, in which
3346 case the entire name is in upper case.

Deleted: Micromarkets contain

Deleted: side attribute. We assume that

Deleted: wd07 → 21 June

3349 JSON and where possible SBE names follow the same conventions.

3350 1.4 Editing Conventions

3351 For readability, element names in tables appear as separate words. The actual names are
3352 lowerCamelCase, as specified above, and as they appear in the UML models, and in the XML and JSON
3353 schemas.

3354 All elements in the tables not marked as “optional” are mandatory.

3355 Information in the **Meaning** column of the tables is normative. Information appearing in the **Notes** column
3356 is explanatory and non-normative.²

3357 Examples and Appendices are non-normative.

3358 1.5 Security and Privacy

3359 Service requests and responses are generally considered public actions of each interoperating system,
3360 with limitations to address privacy and security considerations (see Appendix B). Service actions are
3361 independent from private actions behind the interface (i.e., device control actions). A service is used
3362 without needing to know all the details of its implementation. Services are generally paid for results, not
3363 effort.

3364 1.5.1 Security Considerations

3365 Loose integration using the service-oriented architecture (SOA) style assumes careful definition of
3366 security requirements between partners. Size of transactions, costs of failure to perform, confidentiality
3367 agreements, information stewardship, and even changing regulatory requirements can require similar
3368 transactions be expressed within quite different security contexts. It is a feature of the SOA approach that
3369 security is composed in to meet the specific and evolving needs of different markets and transactions.
3370 Security implementation is free to evolve over time and to support different needs. The Common
3371 Transactive Services allow for this composition, without prescribing any particular security
3372 implementation.

3373 1.5.2 Privacy Considerations

3374 Detailed knowledge of offers to buy or sell or of energy inputs and outputs for an actor may reveal
3375 information on actions and operations.

3376 For example, indicating whether a production line is starting or stopping, or anticipated energy needs, or
3377 who has been buying or selling power may imply business information damaging to actors.

3378 Similarly, an adverse party may be able to determine the likelihood that a dwelling is presently occupied.

3379 Both security and privacy considerations are addressed in Appendix B.

3380 1.6 Semantic Composition

3381 The semantics and interactions of CTS are selected from and derived from [EI].

3382 Energy Interoperation references two other standards, [EMIX] and [WS-Calendar], and uses an early
3383 Streams definition.

- 3384 • EMIX describes price and product for electricity markets.
- 3385 • WS-Calendar communicates schedules and sequences of operations. CTS uses the
- 3386 [Streams] optimization which is a standalone specification, rather than part of Energy
- 3387 Interoperation 1.0.

Deleted: <#>Architecture

Deleted: SOA

Deleted: This specification

Deleted: terminology

Deleted: instead

Deleted: wd07 → 21 June

² In ISO and IEC standards, portions that are not normative are *informative*. OASIS uses the term *non-normative*.

- 3391 • Energy Interoperation uses the vocabulary and information models defined by those
3392 specifications to describe the services that it provides. The payload for each Energy
3393 Interoperation service references a product defined using **[EMIX]**. EMIX schedules and
3394 sequences are defined using [WS-Calendar]. Any additional schedule-related information
3395 required by [EI] is expressed using [WS-Calendar].
3396 • Since [EI] was published, a semantically equivalent but simpler [Streams] specification was
3397 developed in the OASIS WS-Calendar Technical Committee . CTS uses that simpler
3398 [Streams] specification.

3399 All terms used in this specification are as defined in their respective specifications.
3400 Assumptions

3401 1.6.1 Conformance with Energy Interoperation

3402 OASIS Energy Interoperation **[EI]** Transactive Services is the basis for CTS, which draws definitions of
3403 parties and transactive interactions from the EI TEMIX profile.

3404 Energy Interop assumes an Energy Services Interface (ESI) as the external face of the energy-
3405 consuming or supplying node. Energy Interop defines an end-to-end interaction model; as does CTS.

3406 1.6.2 Conformance with EMIX

3407 This specification uses a simplified profile of the models and artifacts defined in OASIS Energy Market
3408 Information Exchange **[EMIX]** to communicate product definitions, quantities, and prices. EMIX provides a
3409 succinct way to indicate how prices, quantities, or both vary over time.

3410 The EMIX product definition is the Transactive Resource in CTS 1.0.

3411 EMIX also defines Market Context, a URI used as the identifier of the Market. EMIX further defines
3412 Standard Terms as retrievable information about the market that an actor can use to configure itself for
3413 interoperation with a given market. We extend and clarify those terms, provide an extension mechanism,
3414 and discuss the relationship of markets, marketplaces, and products.

Deleted: a

Deleted: often no more than

3415 1.6.3 Conformance with WS-Calendar Streams

3416 **EDITOR'S NOTE** This entire section will be radically compressed and simplified.

3417 The WS-Calendar specifications³ express sequences and enable negotiation of schedules in a manner
3418 that is semantically compatible with human schedules, i.e., [iCalendar]. A goal of the initial WS-Calendar
3419 specification was to create messages that were nearly identical to those used in human schedules. Later
3420 work defined an abstract Platform Independent Model (PIM) to which that initial specification conforms. EI
3421 defined a compact expression of WS-Calendar for remote telemetry and projections. This work was then
3422 accepted by the WS-Calendar Technical Committee as the basis for Schedule Signals and Streams
3423 [Streams], a general-purpose compact schedule expression that conforms with WS-Calendar-PIM, and
3424 thereby with WS-Calendar.

3425 1.6.3.1 Schedule Negotiation with WS-Calendar

3426 WS-Calendar considers information model for services to negotiate a schedule. Any scheduled event can
3427 be fully described by any two of three elements, when the event begins, the duration of the event, and
3428 when the event ends. With any two, the third can be computed.

3429 Because WS-Calendar models physical processes, or services derived from physical processes. It
3430 generally constructs a schedule around Duration. "When is the best time to perform this activity for an
3431 Hour?" Schedule negotiation is the process of fully specifying when this Duration occurs in time.

³ See Section A.1 Normative References

Deleted: wd07→21 June

3434 A Schedule can be specified by adding either the Starting Date and Time or the Ending Date and Time to
3435 the Duration. CTS 1.0 uses the Starting date and time.
3436 For some schedule communications, either the Date or the Time may be initially known. Consider a
3437 process that can run any day at 9:00 AM, but a date must be specified. Alternately consider a process
3438 that can run at any time on Tuesday, but requires a starting time to be scheduled.
3439 WS-Calendar specifies rules for composing a schedule, perhaps with successive service calls. CTS uses
3440 this pattern to define instruments and schedule resource delivery.
3441 WS-Calendar uses the terms in Table 1-1 to describe the composition of a schedule. This specification
3442 does not redefine these terms; they are listed here solely as a convenience to the reader.

3443 Table 1-1: Core Semantics from WS-Calendar

WS-Calendar Term	Description
Duration	Duration is the length of time for an event scheduled using iCalendar or any of its derivatives. <i>It is unfortunate but true that the Duration “objects” defined in many programming languages are not identical. The [XCAL] Duration is a data type using the string representation defined in the iCalendar ([RFC5545]) Duration.</i>
Interval	An Interval has as attributes a single Duration. An Interval may be part of a Sequence. An entire Sequence can be scheduled by scheduling a single Interval in that sequence. For this reason, Intervals are defined through Duration rather than through Start or End.
Sequence	A set of Intervals with defined temporal relationships. In Streams, Sequences have no gaps between intervals. A Sequence is re-locatable, i.e., it does not have a specific date and time. A Sequence may consist of a single Interval. An entire Sequence can be scheduled by scheduling a single Interval.
Gluon	A Gluon influences the serialization of Intervals in a Sequence, through inheritance and through schedule setting. The Gluon is similar to the Interval, but has no service or schedule effects until applied to an Interval or Sequence.
Payload	The placeholder in an Interval Component that holds that thing that occurs during an Interval. In Streams, this specification refers to the Payload conveyed by an Interval. In CTS 1.0, every Interval in a Stream inherits the same Product with price and quantity varying by Interval.
Lineage	The ordered set of Parents that results in a given inheritance or execution context for a Sequence.
Inheritance	A pattern by which information in Sequence is completed or modified by information from a Gluon. Information specified in one informational object is considered present in another that is itself lacking expression of that information.
Bequeath	A Parent Bequeaths attributes (Inheritance) to its Children.

Deleted: wd07→ 21 June

3444 Normative descriptions of the terms in the table above are in [WS-Calendar].

3445 1.6.3.2 Streams and Inheritance

3446 Streams convey sets of similar payloads with values that vary over time, i.e., it is described using a
3447 sequence of intervals. Many communications involve information about a single interval of time. For
3448 simplicity and parsimony of expression, single Intervals are expressed as a stream with a cardinality of
3449 one.

3450 Consider a simple Power payload as defined in [EMIX].

Units:	KW	Quantity:	10
--------	----	-----------	----

3452 Figure 1-1: Basic Power Object from EMIX

3453 A Stream conveys repeating intervals over time, with something that changes over the course of the
3454 schedule. The information that is true for every Interval is expressed once only. The information that
3455 changes during each interval, is expressed as part of each interval.

Units	KW	Start:	8:00	Duration:	1Hour	Quantity	10
				Duration:	1Hour	Quantity	10
				Duration:	1Hour	Quantity	15
				Duration:	1Hour	Quantity	25
				Duration:	1Hour	Quantity	10*

3456
3457 Figure 1-2: Applying Basic Power to a Sequence

3458 WS-Calendar calls this pattern Inheritance and specifies a number of rules that govern Inheritance.
3459 Repeated reference to a Stream may add more information, for example a Duration to a Stream, and
3460 another reference add a Date. Elements of a Payload MAY also be inherited. A Stream is Fully Bound
3461 when all information it is payload is complete, and it has all the elements necessary for a schedule. i.e., a
3462 Duration and a Starting Date and Starting Time. This specification does not redefine these terms; they are
3463 listed here solely as a convenience to the reader.

3464 The Stream specification extends the use of Inheritance as defined in WS-Calendar. Messages convey a
3465 Schedule, whether for Tender or for a Contract. Each Interval in the Schedule contains an information
3466 payload. Each payload is completed through inheriting information from the Stream. The Stream itself
3467 inherits information from the context of the interaction, especially from the Market Context, as if from a
3468 Gluon.

3469 A Market Context Bequeaths essential information to a Stream, which in turn bequeaths its information to
3470 each Interval in the Stream. This specification uses this pattern of expression throughout.

3471 For most messages, there is a cardinality of one (1), that is, only a single Interval is described in a
3472 message payload. A Market may permit messages to have a cardinality greater than one, for example, a
3473 Tender for 24 durations of one hour to express day-ahead prices. Where permitted, CTS considers these
3474 to be identical to [24] consecutive messages.

3475 1.6.4 Compatibility with Facilities Smart Grid Information Model

3476 The Facilities Smart Grid Information Model [FSGIM] was developed to define the power capabilities and
3477 requirements of building systems over time. FSGIM addresses the so-called *built environment* and uses
3478 the semantics of WS-Calendar and EMIX to construct its information models for [power] use over time.
3479 These sequences of [power] requirements are referred to as load curves. Load curves can potentially be
3480 relocated in time, perhaps delaying or accelerating the start time to get a more advantageous price for
3481 [power].

3482 Because FSGIM load curves use the information models of EMIX and WS-Calendar, conforming load
3483 curves submitted by a facility could be the basis upon which a TE Agent would base its market decisions.

3484 The Architecture of EML-CTS is premised on distinct physical systems being able to interoperate by
3485 coordinating their production and consumption of energy irrespective of their ownership, motivations, or
3486 internal mechanisms. This specification defines messages and interactions of that interoperation.

Deleted: ,

Deleted: g

Deleted: wd07→→ 21 June

3489 CTS tenders and transactions can be used to express FSGIM load requests. CTS 1.0 uses single-
3490 interval Streams to express single-interval tenders in anticipation of the possible use of Streams in
3491 FSGIM-conformant communications.

Deleted: wd07→→ 21 June

3492

2 Overview of Common Transactive Services

3493

2.1 Scope of Common Transactive Services

3494

CTS engages Transactive Resources, e.g. Distributed Energy Resources (DER), as well as any provider or consumer of energy, while making no assumptions as to their internal processes or technology.

3495

3496

This specification supports agreements and transactional obligations, while offering flexibility of implementation to support specific approaches and goals of the various participants.

3497

3498

No particular agreements are endorsed, proposed or required in order to implement this specification.

3499

Energy market operations are beyond the scope of this specification although interactions that enable management of the actual delivery and acceptance are within scope but not included in CTS 1.0.

3500

3501

As shown in [CTS2016] the Common Transactive Services with suitable product definitions can be used to communicate with essentially any market.

3502

3503

2.1.1 Applicability to Microgrids (Informative)

3504

As an extended example, using the Common Transactive Services terminology, a microgrid is comprised of interacting nodes ~~each represented by an actor (interacting as CTS parties)~~. Those ~~actors~~ interact in a micromarket co-extensive in scope with the microgrid. No actor reveals any internal mechanisms, but only its interest in buying and selling power.

3505

3506

3507

3508

CTS can also be used for the fractal integration of microgrids. Any micromarket can be bound to or co-extensive with a node in a larger microgrid. A micromarket participating in this way exposes only its aggregate market position. Any participant in CTS effectively aggregates resources it logically contains.

3509

3510

3511

Any participant in the original micromarket MAY itself represent a contained autonomous microgrid or any autonomous entity whether or not it is managed in turn by a market.

3512

3513

[StructuredEnergy][SmartGridBusiness]

3514

2.1.2 Specific scope statements

3515

Interaction patterns and facet definitions to support the following are in scope for Common Transactive Services:

3517

- Interaction patterns to support transactive energy, ~~including tenders, transactions, and supporting information~~

3518

3519

- Information models for price and product communication,

3520

- ~~Information models for market characteristics~~

3521

- Payload definitions for Common Transactive Services

3522

The following are out of scope for Common Transactive Services:

3523

- Requirements specifying the type of agreement, contract, product definition, or tariff used by a particular market.

3524

3525

- Computations or agreements that describe how power is sold into or sold out of a marketplace.

3526

- Communication protocols, although semantic interaction patterns are in scope.

3527

Section 1 describes standard bindings, which may be extended by The Energy Mashup Lab or others in the future.

3528

3529

2.2 Resources, Products and Instruments

3530

Systems use the common transactive services to operate transactive resource markets. A transactive resource market balances the supply of a resource over time and the demand for that resource by using a market specifying the time of delivery.

3531

3532

Deleted: a number of

Deleted: (

Deleted: parties

Deleted: .

Deleted: .

Deleted: wd07→ 21 June

3538 [See Section 3.2 for formal definitions.](#)

3539 We define a Resource as any commodity whose value is determined by time of delivery. Transactable
3540 resources include, but are not limited to, energy, heat, natural gas, water, and transport as a support
3541 service for these. The ancillary services reactive power, voltage control, and frequency control are also
3542 transactable.

3543 A Product names a transactive resource that has been “chunked” for market. These chunks define the
3544 market granularity in quantity and in time. For example, the product may be 1 MW of power delivered over
3545 an hour. Similarly, another Product may be 1 kW of power over a 5-minute period. Some transactive
3546 energy markets in North America today have durations as brief as two seconds. Temporal granularity is
3547 equally important as quantity for product definition.

3548 An Instrument is a Product at a specific time. For example, the 1 MW of Power delivered over an hour
3549 beginning at 3:00 PM is a different Instrument than the same Product [delivered starting](#) at 11:00 PM. We
3550 use the semantics from financial markets to name the thing that is bought or sold is an [Instrument](#).

3551 A market considers all the tenders it has received offering to buy or sell an Instrument, using a Matching
3552 Engine to decide which can be cleared (*satisfied*) in full or in part. The 3:00pm instrument is traded
3553 independently from the 4:00pm instrument.

3554 [The Resource definition](#) is extensible; any conforming resource definition can be used to define Products
3555 that can be traded [using CTS](#).

3556 These terms are summarized in Table 2-1: .

3557 Table 2-1: Abstract Definitions used in CTS Markets

Transactive Entity	Definition
Resource	A measurable commodity, substance, service, or force, whose value is determined by time of delivery
Product	A Resource defined by size/granularity of the Resource and by the granularity of time. A market is defined by its product. Example 1: electric power in 10 kW units delivered over an hour of time. Example 2: electric energy in 1 kWh units delivered over a half hour.
Instrument	A Product instantiated by a particular begin time. Example: the Product beginning at 9:00 AM on April 3. An instrument is tendered to a market with specific quantity and price.
Party	A Party is an Actor that buys or sells Instruments in a CTS Marketplace. A Party may be described by a specific role in a specific interaction, such as Party or Counter Party. For semantic and privacy issues, see Party and Counterparty in Tenders and Transactions below.
Market	Where Products are traded by matching tenders submitted by Parties to buy or sell an Instrument
Marketplace	An actor wherein one or more Markets are conducted

Deleted: 1 kW or

Deleted: delivered

Deleted: is

Deleted: Just as in EMIX, the

Deleted: based on this specification

Deleted: level

Deleted: The thing that tendered in a market, i.e., a

Deleted: referenced

Deleted: wd07 → 21 June

Transactive Entity	Definition
Market Context	<p>In EMIX, the Market Context is a URI identifying a Marketplace. In CTS, the Market Context MAY be resolvable and available so an Actor can retrieve machine-readable information describing a Marketplace. Examples of information that might be associated with an EMIX Market Context include:</p> <ul style="list-style-type: none"> • A list of Products traded in this Marketplace • Specific details of market operation (e.g., rules for registration and qualification, product quality, penalties for non-delivery, etc.) • Currency used for market transactions
Matching Engine	A computing engine to match tenders (offers to sell and to buy) using a particular algorithm.

Deleted: may

Deleted: found in a

2.3 Common Transactive Services Architecture

The implied CTS architecture is drawn from and is a subset and simplification of the architecture presented in [EI]. Specifically, the Energy Interoperation architecture uses the Service-Oriented Architecture (SOA) model which has become the consensus view for energy-related interoperation. CTS refines and simplifies this to an Actor model.

The **[Actor Model]** names a style of system integration used for high scalability and resilience. The Actor Model uses a small number of simple messages to coordinate behavior among simple agents termed Actors. The Actor Model accomplishes complex behaviors through the fabric that ~~hosts~~ the Actors. This specification makes no assumptions about this fabric. Note that systems represented by Actors need not be actually simple; any modern facility incorporates a number of complex energy systems. This complexity is encapsulated within the Actors and the interactions are reduced to simple messages.

Deleted: hoists

It is important to understand that an Actor may take on roles for its TE-related messages. In a Tender or Transaction, one Actor is the Party, the other is the Counterparty.

The Common Transactive Services are a lightweight profile of the OASIS Energy Interoperation specification, simplified into Actor-to-Actor messages. Each CTS message is simple and makes no assumptions about the systems behind the messages. The market receives tenders and announces contracts. Only the simple messages of CTS are used.

CTS is agnostic about how CTS messages are transported. In distinction, [EI] specifies transport (e.g. XML-based SOAP message exchanges). CTS messages may be thought of as the information exchange in a Service-Oriented Architecture environment, with the same implied message patterns.

Just as the market participants present simple messages, so too, does the market. The internals of a market contain a Matching Engine to match tenders and to declare contracts. The rules used to match tenders could be a continuously clearing order book, or a periodic double auction, or some other model. This complexity is hidden from the Actors.

Deleted: of

Deleted: in CTS

Formatted: Font: Bold

Deleted: considers

Deleted: contracts

Formatted: Font: Italic

Deleted: separate

Deleted: all

Deleted: categorized

Deleted: may support

Deleted: wd07 → 21 June

2.3.1 Facets in CTS

Nearly all interactions ~~implied in CTS (and described as payloads)~~ are as defined in [EI]. That specification defines contracts between systems as services with defined messages and interactions.

This specification ~~describes~~ these ~~roles taken on by actors as facets for that Actor~~, each ~~distinct~~ from other roles the Actor may perform. The facets are ~~named and briefly described~~ in Table 2-2. Each facet ~~includes~~ several messages, as in submitting a Tender, acknowledging a Tender, and cancelling a Tender.

~~Those familiar with [EI] will recognize that each facet is mappable to an EI service.~~

~~Each facet is discussed in detail starting in Section 5~~

3609 The message or payload of each facet is similar to the information in an Instrument. *"I would like to*
3610 *buy...?"* *"I would like to sell...?"*
3611 Table 2-2: Transactive Facets

Facet	Definition
Market Characteristics	A Party to potential transactions needs to know what products are traded in a Marketplace, the granularity (size and time and price), and other Marketplace information. While moving slowly over time, this can generally be viewed as static information about the Marketplace and its Products.
Tender	A Tender is an actionable offer to buy or to sell an instrument at a given price. Tenders go to the market and are generally private. It is possible to request that a Tender be advertised to all Actors in the Marketplace.
Transaction	A Transaction is created by the Market to record a contract when a tender to buy and a tender to sell are matched. Both parties are notified of contract creation.
Position	At any moment, a Party has a position which represents the cumulative amount of an Instrument that an actor has previously transacted for that time interval. A Position for an Instrument reflects the algebraic sum of all quantities previously bought or sold.
Measurement and Verification (not part of this specification)	After the Product as represented by an Instrument is sold and delivered, there is typically an asynchronous verification that what was purchased was in fact what was consumed or delivered. It is simplest to think of Delivery as a meter reading, although that meter may be virtual or computed.
Market Information including Quote (not part of this specification)	A Quote is a non-actionable indication of a potential price or availability of an instrument. Different Markets may restrict which actors may issue Quotes, say from only Market Agents or from External Actors.

3612 Each of these facets includes multiple messages which are described starting in Section 4. Sometimes
3613 one facet precedes the use of another facet, as Tenders may initiate messages for the Transaction Facet.

3614 2.3.2 Sides in Tenders and Transactions

3615 A Party can take one of two Sides in a given Transaction:

- 3616
 - Buy, or
 - 3617 • Sell

3618 A Party selling [an Instrument] takes the Sell Side of the Transaction. A Party buying [an Instrument]
3619 takes the Buy Side of the Transaction. The offering Party is called the Party in a Transaction; the other
3620 Party is called the Counterparty

3621 From the perspective of the market, there is no distinction between a Party selling additional power and
3622 party selling from its previously acquired position. An Actor representing a generator would generally take
3623 the Sell side of a transaction. An Actor representing a consumer generally takes the Buy side of a
3624 transaction.

Deleted: Would you

Deleted: Would you

Deleted: While each facet is discussed later in detail, Table 2-2 names these facets so we can describe the distinctions between them later. Those familiar with EI will recognize that each facet is mappable to an EI service.

Deleted: Service Message Groups

Deleted: Configuration and

Deleted: memorialize

Deleted: For example,

Deleted: bought

Deleted: Contracts (

Deleted:).

Deleted: wd07→21 June

3638 However, a generator may take the Buy Side of a Transaction in order to reduce its own generation, in
3639 response either to changes in physical or market conditions or to reflect other commitments made by the
3640 actor.
3641 A consumer may choose to sell from its current position if its plans change, or if it receives an attractive
3642 price. A power storage system actor may choose to buy or sell from interval to interval, consistent with its
3643 operating and financial goals.
3644 We do not specify how the [Product related to the Instrument] is delivered. For example, a long-distance
3645 transfer might be implemented with the seller selling power to its local grid and the buyer buying power
3646 from its local grid, with financial reconciliation producing the same result as a direct sale and delivery.

3647 **2.3.3 Party and Counterparty in Tenders and Transactions**

3648 Which Party or Parties should be included in a Tender or Transaction payload? Who needs to know and
3649 be able to track a reference?
3650 The Party in a Tender is offering to buy or sell.
3651 Delegation may involve a sender (a delegate) that is not the party that is buying or selling. The PartyID
3652 should always reference the party that is tendering.
3653 The Counterparty for a tender may reference either
3654 1) The Market itself, or
3655 2) A specific Party to which the Tender is made
3656 The former suggests a market tender where the market will match tenders and produce? Transactions.
3657 The latter suggests a bilateral interaction not necessarily involving a market. Note that the behavior of the
3658 Actor creating a tender is the same, as the process to determine the Counterparty is not in scope.
3659 In market interactions, the Counterparty SHOULD be the PartyID for the Market as determined by the
3660 MarketPlace. This value is accessible via the Market Characteristics Facet.
3661 When a Transaction is created, a contract is created between the buyer and the seller.

3662 **2.3.4 Responses**

3663 This section re-iterates terms and simplifies models from [EI]. That specification is normative. The
3664 response types are common across all message categories.

3665 Table 2-3: Responses

Attribute	Meaning
Request ID	A reference ID which identifies the artifact or message element to which this is a response. The Request ID uniquely identifies this request, and can serve as a messaging correlation ID ⁴ .

⁴ As an example of the *Correlation Pattern* for messages

Deleted: wd07→ 21 June

Attribute	Meaning
Response Code	<p>The Response Code indicates success or failure of the operation requested. The Response Description is unconstrained text, perhaps for use in a user interface.</p> <p>The code ranges are those used for HTTP response codes,⁵ specifically</p> <p>1xx: Informational - Request received, continuing process</p> <p>2xx: Success - The action was successfully received, understood, and accepted</p> <p>3xx: Pending - Further action must be taken in order to complete the request</p> <p>4xx: Requester Error - The request contains bad syntax or cannot be fulfilled</p> <p>5xx: Responder Error - The responder failed to fulfill an apparently valid request</p>

3666 The column labeled *Response* lists the name of the service operation payload (in Energy Interoperation
3667 and its TEMIX profile, this includes the service operation as well) invoked in response. Most operations
3668 have a response. The roles of *Service Consumer* and *Service Provider* are reversed for the *Response*.

⁵ See e.g. https://en.wikipedia.org/wiki/List_of_HTTP_status_codes

3669
3670
3671

3672
3673
3674
3675
3676

3 Common Semantic Elements of CTS

The messages of CTS use a few common elements. These elements are derived from definitions in [WS-Calendar], [EMIX], and in [EI].

3.1 Semantic Elements from WS-Calendar

Time and Duration are the essential elements of defining an instrument as well as for interacting with a market. A Stream [Streams] is a series of back-to-back intervals each with its own associated information.

Table 3-1: CTS Elements from WS-Calendar

Attribute	Meaning
Duration	Duration is used to define Products, as in “Power can be purchased and there is a one-hour (duration) market for Power”. Duration is also used in Delivery to specify the period over which Delivery is measured, as in “How much Power was delivered in the 4 hours beginning with the Begin DateTime.
Offset	A Duration that some markets MAY use to transfer trading off of hourly boundaries. A power distribution entity may experience disruption if there is a big price change on the hour. Offset enables a market rule to trade, for example, 3 minutes after the hour.
Begin Date-Time	Begin Date-Time fully binds a Duration into an Interval. When applied to a Product, the Begin Date-Time defines an Instrument., i.e., something that is directly traded in the Market.
Expiration Date-Time	Expiration is used to limit the time a Tender is on the Market. There is an implicit expiration for every Tender equal to the Begin Date-Time of the instrument. Expiration Date-Time is needed only if the requested Expiration is prior to the Begin of the Instrument.

3.2 Semantic Elements from EMIX

EMIX defines what is sold in a market, when it is sold, how big the units are, and the price at which it is sold. EMIX refers to this as the Item. In CTS, we refactor this into the Resource (what is sold), the Product (how much of a Resource is sold and for how long), and the Instrument (a Product sold at a specific time).
CTS Markets consist of offers (Tenders) to buy and sell these Instruments.

3.2.1 Defining Resource

Each Resource in a marketplace must be defined in that market. A given marketplace MAY have multiple products based on the same resource.

Table 3-2 Defining the Resource

Attribute	Meaning
Resource	Abstract base for describing all Resources. A Resource consists of a Name and a Description.

Deleted: wd07→ 21 June

Attribute	Meaning
Item Description	The Item Description is the common name, same as in EMIX
Item Unit	Item Unit is the unit of measure for the Resource.
Attributes	Optional elements that further describe the Resource, as in hertz and voltage

3.2.2 Defining Product

The product completes the re-factoring of the EMIX Item, adding the size and duration to a Resource

Table 3-3 Defining the Product

Attribute	Meaning
Product	Abstract Base for all defining all Products. The core of each Product is the Resource, as described above.
Scale	Mantissa that specifies the size of the Resource Unit. For example, a Product denominated in megawatts has a mantissa of 6.
Size	An integer “chunking” the Product, i.e., the Product could be traded in units of 5 kW, a size of 5 and a scale of 3.
Warrant	Undefined element of a product that is beyond the product definition. For example, it is possible to trade only in Neighborhood Solar Power so long as the product clears, that is sold in the same interval it is bought,

In CTS, Products with differing Warrants are different Products. For example, if an Actor wishes to buy energy with a “green Warrant” (however defined) then the Actor is responsible for defining its trading strategies to buy the un-warranted Product of the warranted Product is not available.

As a further application example, Actors that wish to buy or sell Neighborhood Solar Power are responsible for submitting Tenders that expire in time to make alternate arrangements, or in cancelling Tenders before fulfillment.

Market implementers should consider carefully whether they wish to support Warrants, as excessive segmentation will lead to markets that are “thinner” or “more congested”. Warrants add additional complexity of definition, i.e. such questions as “Is a Battery which stores power generated by Neighborhood Solar Power considered to be selling Neighborhood Solar Power when it discharges?” Alternately, if a market rule requires a Solar Panel to purchase a policy from other sources to insure its capability of Delivery, is that power considered Neighborhood Solar Power? This and similar questions would introduce the type of complexity that violates the design principles of CTS. Such complexity may also reduce interoperability of commodity Actors with specific Markets.

Warrants were defined in EMIX, and are permitted in CTS to support this complexity if desired.

3.2.3 Market-related Elements from EMIX

EMIX defines vocabulary used in market messages.

Deleted: the

Deleted: a Product "

Deleted: " and "without" a Warrant

Deleted: If

Deleted: ",

Deleted: ,

Deleted: The

Deleted: EMX

Deleted: wd07 → 21 June

3714 Table 3-4 Market-related elements from EMIX

Attribute	Meaning
PartyID	The market-based ID of an actor participating in a Market, particularly the actor originating a Tender, Quote, or Contract.
Counter PartyID	The market-based ID of an actor participating in a Market, particularly the actor taking the other side of a contract from the Party. <u>See Section 2.3.3.</u>
Side	An indication of what a Party <u>offers</u> in a tender or other message, i.e., “Buy” or “Sell”.
Expiration Date-Time	Expiration is used to limit the time a Tender is on the Market. There is an implicit expiration for every Tender equal to the Begin Date-Time of the instrument. Expiration Date-Time is needed only if the requested Expiration is prior to the Begin Date-Time of the Instrument.
Market Context	In EMIX, the Market Context is simply a URI to name a Marketplace, and need not be resolvable. <u>See Section 5 for the Market Information Facet.</u>
Standard Terms	Standard Terms are the machine-readable information about a marketplace, and the interactions it supports. In CTS, the Standard Terms include an enumeration of the Products tradable in this Marketplace.

3715 EMIX does not define how Standard Terms are discovered in a Marketplace. The TC welcomes
 3716 comments during public review as to how an Actor discovers the Standard Terms as it configures itself for
 3717 a particular marketplace.

3718 CTS Standard Terms are described in Section 5.

3719 Table 3-5 Standard Terms that define market interactions

Attribute	Meaning
Market Context Name	Text providing a descriptive name for a Marketplace. While the Name MAY be displayed in a user interface, but it is not meaningful to the Actors.
Currency	String indicating how value is denominated in a market. If fiat currency, should be selected from current codes maintained by UN CEFACT. May also be cryptocurrencies or local currency.
<u>Time Offset</u>	A Duration that some markets MAY use to <u>describe</u> trading off of hourly boundaries. A power distribution entity may experience disruption if there is a big price change on the hour. For example, a distribution system operator (DSO) that operates multiple CTS marketplaces could opt to set a different offset on each Marketplace operated out of a given substation. In this model, a Marketplace could use an offset duration of 3 minutes to indicate that all tenders are based on three minutes after the hour.
Time Zone	A Time Zone indicates how all Times and Dates are expressed. The Marketplace Time Zone is a Standard Term.

Deleted: Party Id

Deleted: Party ID

Deleted: intends to do

Formatted: Highlight

Deleted: transfer

Deleted: wd07 → 21 June

Attribute	Meaning
Terms	EMIX Terms are extrinsic to the product delivery but effect how each party interacts with others. Terms may be tied to basic operational needs, or state schedules of availability, or suggest limits on bids and prices acceptable.
Products	The Products traded in this Marketplace. Note that similar products with and without Warrants are different products, each traded in their own Market.

Deleted: An enumeration of the

3724
3725

Deleted: wd07→ 21 June

3727

4 Basic Interaction and Terminology

3728

4.1 Structure of Common Transactive Services and Operations

3729

The Common Transactive Services presented in this specification are only

3730

- Transactive Services—for implementing tenders and transactions
- Market Characteristics—to know what products and instruments can be traded

3731

3732

We include UML definitions for the standard payloads for service requests, rather than the service, communication, or other characteristics. In Section 11 we describe standard serialization for the CTS standard payloads; additional bindings may be used by conforming implementations.

3733

3734

3735

4.2 Naming of Services and Operations

3736

The naming of services and operations and service operation payloads follows the pattern defined in [EI].

3737

Services are named starting with the letters **Ei** following the Upper Camel Case convention. Operations in each service use one or more of the following patterns. The first listed is a fragment of the name of the initial service operation; the second is a fragment of the name of the response message which acknowledges receipt, describes errors, and may pass information back to the invoker of the first operation.

3738

3739

3740

3741

Create—Created An object is created and sent to the other Party

3742

Cancel—Canceled A previously created request is canceled

3743

3744

For example, to construct an operation name for the **Tender** facet, "Ei" is concatenated with the name fragment (verb) as listed. An operation to cancel an outstanding Tender is called *EiCancelTender*.⁶

3745

3746

Facets describe what would be called services in a full Service-Oriented Architecture implementation, as we do not define SOA services, but only imply and follow a service structure from [EI].

3747

3748

4.3 Payloads and Messages

3749

We define only the payloads; the particular networking technique and message structure is determined by the applications sending and receiving CTS payloads.

3750

3751

While the payloads are logically complete with respect to the SOA interactions in [EI], the payloads may be exchanged by any means; such exchanges are below the semantic level of this specification.

3752

3753

4.4 Description of the Facets and Payloads

3754

The sections below provide the following for each service:

3755

- Facet description
- Table of Payloads
- Interaction patterns for payload exchange in graphic form, using Energy Interoperation normative interactions and UML Sequence Diagrams [UML].
- Normative information model using [UML] for key artifacts used by the facet
- Normative operation payloads using [UML] for each interaction

3756

3757

3758

3759

3760

⁶ This pattern was developed and is used by JEC Technical Committee 57 (Power Systems).

Deleted: EiTender

Deleted: current work in the

Deleted: wd07→21 June

3762 **4.5 Responses**

3763 Responses may need to be tracked to determine whether an operation succeeds or not. This may be
3764 complicated by the fact that any given transaction may involve the transmission of one or more
3765 information objects.


3766 An EiResponse returns the success or failure of the entire operation, with possible detail included in
3767 responseTermsViolated (see Section 5).

3768 It is MANDATORY to return as appropriate both errors and success in responses.⁷

3769 The class diagram in Figure 4-1 shows the generic CTS response.

3770 The description of EiResponseType is from Energy Interoperation, changing only the cardinality of
3771 responseDescription (to zero, that is, not passed).

Deleted: in CTS 1.0



3772
3773 Figure 4-1: Example of generic error response for a service operation

3774 There is no exhaustive list of all possible Response Codes. [More detail on Response Codes is in Section](#)
3775 2.3.4.

Deleted: ¶

3776 The Response Codes are intended to enable even the smallest device to interpret Response. This
3777 specification uses a pattern consisting of a 3-digit code, with the most significant digit sufficient to
3778 interpret success or failure. This pattern is intended to support that smallest device, while still supporting
3779 more nuanced messages that may be developed.

3780 While the only value after the leading digit the Response Code defined in Energy Interoperation is 00,
3781 conforming specifications may extend these codes to define more fine-grained response codes. These

⁷ This contrasts with Energy Interoperation, where it is not mandatory to return any responses if the entire EiCancelTender service operation was completed successfully. The pattern in Energy Interoperation is to return those that have failed (required) and those that succeeded (optional).

Deleted: wd07→→ 21 June

3784
3785

should extend the pattern above; for example, a response code of 403 should always indicate Requester Error. Response codes not of the form x00 MAY be treated as the parallel x00 response.

Deleted: be within the realm of

Deleted: EML-CTS uses response code 200 for success. [Configuration and](#)

Deleted: wd07 → 21 June

3790

5 Market Characteristics Facet


3791 Each Event and Service in Energy Interoperation takes place within a Marketplace. All interactions in a
3792 Marketplace are subject to common rules of engagement which are termed a Market Context. The Market
3793 Context defines the behaviors that that each Party can expect from the other.
3794 This concept with some simplification is part of the Common Transactive Services.

3795 5.1 The Market Context

3796 Market Contexts are resolvable URIs and are used to express market information that rarely changes, so
3797 it is not necessary to communicate it with each message.
3798 Note that Market Context identifies a collection of values and behaviors; while an implementation MAY
3799 use operations such as POST to a Market Context URI, that behavior is not required.
3800 For any market context, there are standing terms and expectations about product offerings. If these
3801 standing terms and expectations are not known, many exchanges may need to occur before finding
3802 products that meet those expectations. If these expectations are only known through local knowledge,
3803 then national and international products need to be re-configured for each local market that they enter. If
3804 all market information were to be transmitted in every information exchange, messages based on EMIX
3805 would be overly repetitive.
3806 The Market Context for CTS is simplified from that in Energy Interoperation and extended for use of
3807 standard terms.

3808 5.2 Interaction Pattern for the Market ~~Characteristics~~ Facet

3809 The Market Context Facet enables a Party to request the details of a Marketplace by using its Market
3810 Context. Where the Market Characteristics Facet is supported, Parties MAY be able to request and
3811 compare Market Contexts to select which markets to participate in.



3812

3813 Figure 5-5-1: UML Sequence diagram for Market Context service

3814 The Market Context service can retrieve the full information associated with an EiMarketContext. There
3815 two operations with their responding operation.

- 3816 • EiRequestStandardTerms and EiReplyStandardTerms
- 3817 ◦ The reply payload includes all standard terms as name-value pairs per Table 5-1

Deleted: Context

Deleted: Such Interactions are out of scope for this specification...

Deleted: is one operation and a

Deleted: wd07→→ 21 June

- EiRequestAllTerms and EiReplyStandardTerms
 - The reply payload includes all standard terms and all extended terms that may be defined for a particular Market

Profiled and simplified market context information is described in the next section.

Deleted: planned for a future release

5.3 Information Model for the Market Characteristics Facet

Deleted: EiMarketContext

Simplified profile pending.

A payload referencing a market context can access standard terms as in Table 5-1 Standard Terms that define market interactions below.

EMIX Terms are extrinsic to the product delivery but effect how each party interacts with others. Terms may be tied to basic operational needs, or state schedules of availability, or suggest limits on bids and prices acceptable. The CTS Standard Terms MAY be extended to reflect additional capabilities and description.

Table 5-1 Standard Terms that define market interactions

<u>Attribute</u>	<u>Attribute Name</u>	<u>Meaning</u>
<u>Market Context Name</u>	<u>NAME</u>	<u>Text providing a descriptive name for a Marketplace. While the Name MAY be displayed in a user interface, but it is not meaningful to the Actors.</u>
<u>Currency</u>	<u>CURRENCY</u>	<u>String indicating how value is denominated in a market. If fiat currency, should be selected from current codes maintained by UN CEFAC. May also be cryptocurrencies or local currency.</u>
<u>Time Offset</u>	<u>T_OFFSET</u>	<u>A Duration that some markets MAY use to describe trading off of hourly boundaries. A power distribution entity may experience disruption if there is a big price change on the hour. For example, a distribution system operator (DSO) that operates multiple CTS marketplaces could opt to set a different offset on each Marketplace operated out of a given substation. In this model, a Marketplace could use an offset duration of 3 minutes to indicate that all tenders are based on three minutes after the hour.</u>
<u>Time Zone</u>	<u>TZ</u>	<u>A Time Zone indicates how all Times and Dates are expressed. The Marketplace Time Zone is a Standard Term.</u>
<u>Time Granularity</u>	<u>T_GRAIN</u>	<u>The interval duration in seconds for the specific market</u>
<u>Quantity Granularity</u>	<u>Q_GRAIN</u>	<u>The allowed quantity unit size, e.g. QuantityGranularity == 10 means that a tender for 9 units will be rejected.</u>

Deleted: wd07→→ 21 June

Attribute	Attribute Name	Meaning
Price Granularity	PRICE_GRAIN	The allowed price unit, e.g. PriceGranularity == 10 means that a price of 9 will be rejected.
Price Decimal Fraction Digits	PRICE_FRAC	Some market implementation use a market-wide indication of how many decimal fraction digits are used. ⁸
Market PartyID	MPARTYID	The PartyID to use in a market tender
Bilateral OK	BILATERALOK	Boolean. True—bilateral transactions with identified parties are permitted. False—bilateral transactions not permitted, only market tenders
Marketplace Products	PRODUCTS	The Products traded in this Marketplace. Note that similar products with and without Warrants are different products, each traded in their own Market.


5.4 Operation Payloads for the **Market Characteristics** Facet

Payloads including terms pending. [Description in Section 5.2.](#)

Deleted: EiMarketContext

⁸ Integer operations are much more efficient than fixed or floating point, so it may be much faster to apply decimal shift on input and output rather than for more frequent comparison operations in the matching engine implementation. Note that the interaction of Price Granularity and Price Decimal Fraction Digits needs to be defined. TBD

Deleted: wd07 → 21 June



3841
3842 *Figure 5-2: UML of Market Context Service payloads*

6 Tender Facet

Transactive Services in [\[E\]](#) define and support the lifecycle of transactions from initial Tender to final settlement. The phases described in [\[E\]](#) are

- Registration—to enable further phases. (Not part of CTS)
- Pre-Transaction —binding tenders for transactions. (Part of CTS)
- Transaction Services—execution and management of transactions. (Part of CTS)
- Post-Transaction—settlement, energy used or demanded, payment, position. (Not part of CTS)

For transactive services, the roles are **Parties** and **Counterparties**. [The specific actor is identified by its PartyID: see Section 2.3.3.](#)

The terminology of this section is that of business agreements: tenders and transaction. The Service descriptions and payloads are simplified and updated from those defined in Energy Interoperation.

6.1 Tenders as a Pre-Transaction Payloads

Pre-transaction interactions are those between parties that may prepare for a transaction. The pre-transaction facet in CTS is EiTender (and its close relative, EiDistributeTender) with payloads shown in Table 6-1.

Tenders and transactions are artifacts based on **[EMIX]** artifacts suitably flattened and simplified, and which contain schedules and prices in varying degrees of specificity or concreteness.

Table 6-1: Pre-Transaction Tender Services

Facet	Request Payload	Response Payload	Notes
EiTender	EiCreateTenderType	EiCreatedTenderType	Create and emit Request Payload
EiTender	EiCancelTenderType	EiCanceledTenderType	Cancel one or more Tenders
EiTender	EiDistributeTenderType	None	Distribute a list of Tenders to a transport or messaging system defined list of parties

6.2 Interaction [Patterns](#) for the Tender Facet

Figure 6-1 presents the [UML] sequence diagram for the EiTender Service. Note that EiDistributeTender is not part of CTS 1.0 at present, but is being considered for a future release.

Deleted: [E]

Deleted: send Tender

Formatted: Heading 2,H2,H2 Char

Deleted: Pattern

Deleted: wd07→ 21 June




Figure 6-1: UML Sequence Diagram for the EiTender Service

6.3 Information Model for the Tender Facet

The information model for the EiTender Service artifacts follows that of [EMIX], but flattened and with product definition implied by the implementation. Time interval, price, and quantity are key elements for a product; the other aspects of product definition (e.g. energy and units) are implicit as described in Section 3.2.




Figure 6-2: Class EiTenderType

The attributes of EiTender are shown in the following table.

Formatted: Heading 2,H2,H2 Char

Deleted: Error! Reference source not found..

Deleted: wd07→ 21 June

3879 Table 6-2: EiResponse Attributes

Attribute	Meaning	Notes
Expiration Time	The date and time after which this Tender is no longer valid.	
Integral Only	All of the Tender must be bought or sold at once; no partial sale or purchase	In CTS set to False. Partial sale or purchase is always allowed. The attribute is present for possible future evolution.
Interval	The time interval for the product being offered	
Price	The unit price for the product being offered	Total price is the product of price and quantity
Quantity	The quantity of the product being offered	Total price is the product of price and quantity
Side	Whether the tender is to buy or to sell the product	
Tender ID	An ID for this tender	
Transactive State	The transactive state of this payload (tender)	See below

3880
3881 Transactive State **JEMIX** describes the state of **a transactive artifact**. For CTS 1.0, only states *tender* and
3882 *transaction* are used.

- Deleted: is a concept from
- Deleted: ; it
- Deleted: an object
- Formatted: Font: Bold

Deleted: wd07→ 21 June




Figure 6-3-3 Enumeration TransactiveStateType

6.4 Payloads for the Tender Facet

The [UML] class diagram describes the payloads for the EiTender service operations.

Deleted: EiTender

Formatted: Heading 2,H2,H2 Char

Deleted: wd07→ 21 June

class EiTender Service Operation Payloads




Figure 6-4: UML Class Diagram for the Operation Payloads for the EiTender Service

The following table describes the attributes for EiCreateTenderType

3894

3895

Table 3 *EiCreateTenderType Attributes*

Attribute	Meaning	Notes
<u>Counter PartyID</u>	<u>The Actor ID for the CounterParty for which the tender is created.</u>	Each market in a MarketPlace has a standard term which is the Counter PartyID to use to indicate the expectation that the market will match and clear the tender if possible. In the alternative, for a bilateral tender/transaction, an Actor's PartyID may be used.
<u>Ei Tender</u>	<u>One or more EiTenders being created.</u>	In its original form, CTS allows one EiTender per EiCreateTender payload. A subsequent Working Draft will use a single-element stream and optionally allow a stream of EiTenders. See Section 12 Creation differs from instantiation in a programming language; in CTS an object describing a Tender is instantiated then sent; the latter is a consequence of processing an EiCreateTender payload.
<u>PartyID</u>	<u>The Actor ID for the Party on whose behalf this Tender is made.</u>	This is the Actor ID showing which Actor proposes the buy or sell side EiCreateTender.
<u>Request ID</u>	<u>A reference ID which identifies the artifact or message element to which this is a response. The Request ID uniquely identifies this request, and can serve as a messaging correlation ID⁹.</u>	

3896

⁹ As an example of the *Correlation Pattern* for messages

3897

7 Transaction Facet

3898

7.1 Transaction Services

3899 This section presents the Transaction Facet payloads, used by Actors in the role of creating and
3900 responding to Transactions.
3901 In the contributed specification, market context and product are implied
3902 This section makes them explicit, consistent with the definitions in Section 3.
3903 Canceling or modifying transactions is not permitted.¹⁰ Following the approach of distributed agreement
3904 protocols¹¹, compensating tenders and transactions SHOULD be created as needed to compensate for
3905 any effects.¹²

3906 Table 7-1: Transaction Management Service

Service	Request	Response	Notes
EiTransaction	EiCreateTransactionType	EiCreatedTransactionType	Create and acknowledge creation of a Transaction

3907

7.2 Interaction Pattern for the Transaction Facet

3908 This is the [UML] sequence diagram for the EiTransaction Service:

Deleted: in either CTS or Energy Interoperation.

Deleted: in

Formatted: Heading 2,H2,H2 Char

Deleted: EiTransaction Service

¹⁰ Canceling transaction is not permitted in either CTS or Energy Interoperation

¹¹ See, e.g., WS-Transaction and WS-BusinessActivity.

¹² This is consistent with the way that distributed agreement protocols such as [WS-BusinessActivity] manage compensation rather than cancelation.

Deleted: wd07→ 21 June




Figure 7-1: UML Sequence Diagram for the EiTransaction Service

7.3 Information Model for the Transaction Facet

Transactions are a CTS artifact evolved from EMIX, including a Stream with time, quantity, and price. Flattening similar to that in the Tender Facet is used.

Although an EiTransaction object includes the original EiTender, the EiTransaction carries its own Transactive State.




Figure 7-2: UML Class Diagram of EiTransaction

The attributes of EiTransaction are shown in the following table.

Table 7-2: EiTransaction Attributes

Attribute	Meaning	Notes
Tender	The tender (Fig. 4-2) that led to this Transaction.	The ID, quantity and price may differ from that originally tendered due to market actions.
Transaction ID	An ID for this Transaction	The contained Tender has its own TenderId
Transactive State	The transactive state of this payload is <i>transaction</i>	See Figure 6-3-3 Enumeration TransactiveStateType

Deleted: EiTransaction Service

Formatted: Heading 2,H2,H2 Char

Deleted: derived

Deleted: [

Formatted: Font: Not Bold


Deleted:] artifacts

Deleted: EiTender

Deleted: wd07→→ 21 June

3929 **7.4 Operation Payloads for the Transaction Facet**

3930 The [UML] class diagram describes the payloads for the EiTransaction service operations.



3931
3932 *Figure 7-3: UML Class Diagram of EiTransaction Service Operation Payloads*

3933 **7.5 Comparison of Transactive Payloads**


3934 In this section we show the payloads for the Tender and Transactive Facets

Deleted: EiTransaction

Formatted: Heading 2,H2,H2 Char

Deleted: Facet with those for the Tender Facet.

Deleted: wd07→ 21 June



3939

8 Position Facet

3940

Pending

3941

Follows the definition of the EiPosition Service in the Energy Mashup Lab open source implementation of

3942

CTS [EML-CTS](#).¹³

Deleted:

Deleted:

¹³ <https://github.com/EnergyMashupLab/eml-cts>

Deleted: wd07→21 June

3945

3946

3947

9 Measurement and Verification Facet

Pending. Following EiDelivery Payloads from [EI]

NOT PLANNED FOR CTS 1.0.

Deleted: wd07→ 21 June

3948

3949

3950

3951

3952

10 Market Information Facet—Quotes and Tickers

Pending.

Show the relationship between a non-actionable quote and market information such as that provided by market tickers.

NOT PLANNED FOR CTS 1.0.

Deleted: wd07→ 21 June

3953

11 Bindings

3954

Payloads and interaction patterns are described in **[UML]** in Section 5 above. This section contains bindings for the payloads in three encoding schemes:

3955

3956

• JSON **[JSON]**

3957

• XML Schema **[XSD]**

3958

• FIX Simple Binary Encoding **[SBE]**

3959

11.1 JSON

3960

TODO—JSON Schema available

3961

11.2 XML Schema

3962

TODO—XML Schema available

3963

11.2.1 XML Namespaces

3964

11.3 Simple Binary Encoding

3965

TODO—Work in progress

12 Conformance

(Note: The [OASIS TC Process](#) requires that a specification approved by the TC for public review, or for publication at the Committee Specification or OASIS Standard level must include a separate section, listing a set of numbered conformance clauses, to which any implementation of the specification must adhere in order to claim conformance to the specification (or any optional portion thereof). This is done by listing the conformance clauses here.

For the definition of "conformance clause," see [OASIS Defined Terms](#).

See "Guidelines to Writing Conformance Clauses":

<https://docs.oasis-open.org/templates/TCHandbook/ConformanceGuidelines.html>.

Remove this note before submitting for publication.)

Pending update to Facet terminology

By design, CTS is a simplified and restricted subset profile of TeMIX. CTS simplifies aspects of OASIS Energy Interoperation, and omits other aspects. This section informally describes how CTS relates to the TeMIX profile. CTS is a profile of the TeMIX Profile of Energy Interoperation 1.0, described in Section 14.2 of [EI] with the following changes:

1. Only the Payloads for Service Operation and the interaction patterns are defined.
2. The following Services from the TeMIX profile are omitted:
 - a. EiQuote
 - b. EiEnroll
 - c. EiDelivery
3. The following Services from the TeMIX profile are included and simplified as follows.
 - a. Attribute names have been made consistent with lowerCamelCase conventions.
 - b. The inheritance hierarchy for UIDs and identifier types have been simplified
 - i. Only selected identifier types are included
 - ii. The identifier types in this draft specification are opaque types rather than strings
 - c. The enumeration TransactiveStateType is identical to that in Energy Interoperation, but only the following Transactive States are used:
 - i. Tender
 - ii. Transaction
 - iii. Indication of Interest (pending work in progress)
 - d. Market Context and the EMIX Market Context are flattened and simplified as follows:
 - i. MarketContextType is a URI.
 - ii. Standard Terms are not profiled in this draft, but are planned to be a flattened and simplified subset of the EMIX Standard Terms.

Portions of CTS conform to and use updated and simplified versions of the specifications consumed by Energy Interoperation, specifically

- OASIS WS-Calendar [MIN]
- OASIS WS-Calendar Schedule Streams and signals [Streams]

This draft specification uses the WS-Calendar [MIN] interval directly (as IntervalType). An update in progress will instead use WS-Calendar Schedule Streams and Signals [Streams] with single interval streams. This will permit future implementations to use streams of values where appropriate..

12.1 Claiming Conformance to Common Transactive Services

This section will describe conformance clauses for implementations claiming conformance to Common Transactive Services.

Deleted: wd07→21 June

Appendix A. References

This appendix contains the normative and informative references that are used in this document. Normative references are specific (identified by date of publication and/or edition number or Version number) and Informative references may be either specific or non-specific.

While any hyperlinks included in this appendix were valid at the time of publication, OASIS cannot guarantee their long-term validity.

A.1 Normative References

The following documents are referenced in such a way that some or all of their content constitutes requirements of this document.

NOTE: INSERT AS FORMATTED REFERENCES. Consider [E]

- *Energy Interoperation Version 1.0*. Edited by Toby Considine, 11 June 2014. OASIS Standard. <http://docs.oasis-open.org/energyinterop/ei/v1.0/os/energyinterop-v1.0-os.html> Latest version: <http://docs.oasis-open.org/energyinterop/ei/v1.0/energyinterop-v1.0.html>. and its TeMIX Profile
- *OASIS Energy Market Information Exchange (EMIX) Version 1.0 Committee Specification 02* Edited by Toby Considine, 11 January 2012. <http://docs.oasis-open.org/emix/emix/v1.0/cs02/emix-v1.0-cs02.html> Latest version: <http://docs.oasis-open.org/emix/emix/v1.0/emix-v1.0.html>
- *OASIS WS-Calendar Platform-Independent Model version 1.0, Committee Specification 02* Edited by William T. Cox and Toby Considine, 21 August 2015. <http://docs.oasis-open.org/ws-calendar/ws-calendar-pim/v1.0/cs02/ws-calendar-pim-v1.0-cs02.html> Latest version: <http://docs.oasis-open.org/ws-calendar/ws-calendar-pim/v1.0/ws-calendar-pim-v1.0.html>
- *OASIS WS-Calendar Schedule Signals and Streams Version 1.0 Committee Specification 01*. Edited by Toby Considine and William T. Cox, 18 September 2016. <http://docs.oasis-open.org/ws-calendar/streams/v1.0/cs01/streams-v1.0-cs01.html> Latest version: <http://docs.oasis-open.org/ws-calendar/streams/v1.0/streams-v1.0.html>

[RFC8174]

Leiba, B., "Ambiguity of Uppercase vs Lowercase in RFC 2119 Key Words", BCP 14, RFC 8174, DOI 10.17487/RFC8174, May 2017, <<http://www.rfc-editor.org/info/rfc8174>>.

[JSON]

JavaScript Object Notation and JSON Schema. <https://cswr.github.io/JsonSchema/>

[MIN]

WS-Calendar Minimal PIM-Conformant Schema Version 1.0. Edited by William Cox and Toby Considine. 26 August 2016. OASIS Committee Specification. <http://docs.oasis-open.org/ws-calendar/ws-calendar-min/v1.0/ws-calendar-min-v1.0.html>

[RFC2119]

Bradner, S., "Key words for use in RFCs to Indicate Requirement Levels", BCP 14, RFC 2119, DOI 10.17487/RFC2119, March 1997, <<http://www.rfc-editor.org/info/rfc2119>>.

[RFC2246]

T. Dierks, C. Allen *Transport Layer Security (TLS) Protocol Version 1.0*, <http://www.ietf.org/rfc/rfc2246.txt>, IETF RFC 2246, January 1999.

[SBE]

Simple Binary Encoding Technical Specification 1.0. FIX Trading Community, June 16, 2016. <https://www.fixtrading.org/standards/sbe/>

[Streams]

Schedule Signals and Streams Version 1.0. Edited by Toby Considine and William T. Cox. 18 September 2016. OASIS Committee Specification. <http://docs.oasis-open.org/ws-calendar/streams/v1.0/streams-v1.0.html>.

[WS-Calendar-PIM]

WS-Calendar Platform Independent Model (PIM) Version 1.0. Edited by William Cox and Toby Considine. 21 August 2015. OASIS Committee Specification. **Error! Hyperlink reference not valid.** <http://docs.oasis-open.org/ws-calendar/ws-calendar-pim/v1.0/ws-calendar-pim-v1.0.html>.

[XSD]

W3C XML Schema Definition Language (XSD) 1.1. Part 1: Structures, S Gao, C. M. Sperberg-McQueen, H Thompson, N Mendelsohn, D Beech, M Maloney <http://www.w3.org/TR/xmlschema11-1/>, April 2012, Part 2: Datatypes, D Peterson, S Gao, A Malhotra, C. M. Sperberg-McQueen, H Thompson, P Biron, <http://www.w3.org/TR/xmlschema11-2/> April 2012

Formatted: Font color: Text 1, Highlight

Formatted: Font color: Text 1, Highlight

Formatted: Font color: Text 1, Highlight

Formatted: Font color: Text 1

A.2 Informative References

The following referenced documents are not required for the application of this document but may assist the reader with regard to a particular subject area.

[Actor Model]

C. Hewitt, "Actor Model of Computation: Scalable Robust Information Systems," arxiv.org, 2010.

[Framework]

National Institute of Standards and Technology, *NIST Framework and Roadmap for Smart Grid Interoperability Standards, Release 1.0*, January 2010, http://nist.gov/public_affairs/releases/upload/smartgrid_interoperability_final.pdf

[CTS2016]

W.T. Cox, E. Cazalet, E., A Krstulovic, W Miller, & W.Wijbrandi *Common Transactive Services*. TESC 2016. Available at <http://coxsoftwarearchitects.com/Resources/TransactiveSystemsConf2016/Common%20Transactive%20Services%20Paper%2020160516.pdf>

[EML-CTS]

Energy Mashup Lab Common Transactive Services (open-source software) <https://github.com/EnergyMashupLab/eml-cts>

[FSGIM]

Facility smart grid information model. ISO 17800. <https://www.iso.org/standard/71547.html> 2017

[iCalendar]

B. Desruisseaux, *Internet Calendaring and Scheduling Core Object Specification (iCalendar)*, <https://tools.ietf.org/html/rfc5545>. 2009,

See also

C. Daboo & M. Douglas. *Calendar Availability*, <https://tools.ietf.org/html/rfc7953>, 2016

[GridFaultResilience]

W.T. Cox & T. Considine. *Grid Fault Recovery and Resilience: Applying Structured Energy and Microgrids*. IEEE Innovative Smart Grid Technologies 2014. Available at http://coxsoftwarearchitects.com/Resources/ISGT_2014/ISGT2014_GridFaultRecoveryResilienceStructuredMicrogrids_Paper.pdf

[Micromarkets]

W.T. Cox & T. Considine, *Energy, Micromarkets, and Microgrids*. GridInterop 2011, https://www.gridwiseac.org/pdfs/forum_papers11/cox_considine_paper_gi11.pdf

[RFC3552]

E Rescorla & B. Korver, "Guidelines for Writing RFC Text on Security Considerations", BCP 72, RFC 3552, DOI 10.17487/RFC3552, July 2003, <<https://www.rfc-editor.org/info/rfc3552>>.

[SmartGridBusiness]

T. Considine & W.T. Cox, *Smart Loads and Smart Grids—Creating the Smart Grid Business Case*. Grid-Interop 2009. Available at <http://coxsoftwarearchitects.com/Resources/Grid-Interop2009/Smart%20Loads%20and%20Smart%20Grids.pdf>

[StructuredEnergy]

Structured Energy: Microgrids and Autonomous Transactive Operation, http://coxsoftwarearchitects.com/Resources/ISGT_2013/ISGT-Cox_StructuredEnergyPaper518.pdf. Innovative Smart Grid Technologies 2013 (IEEE).

Deleted: wd07→21 June

[TRM] (Transactive Resource Management)

B. Huberman and S. H. Clearwater, *Thermal markets for controlling building environments*, Energy Engineering, vol. 91, no. 3, pp. 26- 56, January 1994.

[UML]

Object Management Group, *Unified Modeling Language (UML)*, V2.4.1, August 2011.
<http://www.omg.org/spec/UML/2.4.1/>

Appendix B. Security and Privacy Considerations

Note: OASIS strongly recommends that Technical Committees consider issues that might affect safety, security, privacy, and/or data protection in implementations of their work products and document these for implementers and adopters. For some purposes, you may find it required, e.g. if you apply for IANA registration.

While it may not be immediately obvious how your work product might make systems vulnerable to attack, most work products, because they involve communications between systems, message formats, or system settings, open potential channels for exploit. For example, IETF [RFC3552] lists "eavesdropping, replay, message insertion, deletion, modification, and man-in-the-middle" as well as potential denial of service attacks as threats that must be considered and, if appropriate, addressed in IETF RFCs.

In addition to considering and describing foreseeable risks, this section should include guidance on how implementers and adopters can protect against these risks.

We encourage editors and TC members concerned with this subject to read Guidelines for Writing RFC Text on Security Considerations, IETF [RFC3552], for more information.

Appendix C. Glossary of Terms and Abbreviations Used in this document

Throughout this document, abbreviations are used to improve clarity and brevity, especially to reference specifications with long titles.

Table C-1 Abbreviations and Terms used throughout this document for which this document is not normative.

Attribute	Meaning
CTS	Common Transactive Services
EI	Energy Interoperation, an OASIS specification as per the normative references, CTS is a conforming profile of EI. TBD Point to normative reference
EMIX	Energy Market Information Exchange, an OASIS specification used to describe products and markets for resources, particularly those traded in power grids. TBD Point to normative reference

Deleted: the

Deleted: wd07 → 21 June

Appendix D. Acknowledgments

This work is derived from the specification EML-CTS, contributed by The Energy Mashup Lab, written by William T. Cox and Toby Considine.

D.1 Special Thanks

Note: This is an optional subsection to call out contributions from TC members. If a TC wants to thank non-TC members then they should avoid using the term "contribution" and instead thank them for their "expertise" or "assistance".

Substantial contributions to this document from the following individuals are gratefully acknowledged:

[Participant Name, Affiliation | Individual Member]

D.2 Participants

The following individuals were members of this Technical Committee during the creation of this document and their contributions are gratefully acknowledged:

Rolf Bienert, OpenADR Alliance
Toby Considine, University of North Carolina at Chapel Hill
William T. Cox, Individual Member
Pim van der Eijk, Sonnenglanz Consulting
David Holmberg, National Institute for Standards & Technology (NIST)
Elysa Jones, Individual
Chuck Thomas, Electric Power Research Institute (EPRI)

Appendix E. Revision History

Revision	Date	Editor	Changes Made
WD01	2/15/2021	Toby Considine	Initial reformatting and conversion of the specification contributed by The Energy Mashup Lab to create a document for committee work.
WD02	3/3/2021	Toby Considine	Added prose definitions of Resource, Product, and Instrument
WD03	4/5/2021	Toby Considine	Simplified introductory material, raised message type to earlier in document. Removed some repetitive material. Revised UML required.
WD04	5/7/2021	Toby Considine David Holmberg William T Cox	Reordered intro material to reduce repetition, Reference Actor Model more consistently, Revise and re-factor Resource/Product/Instrument Add Section 3 to elevate common semantic elements
WD05	5/25/2021	Toby Considine David Holmberg William T Cox	Continues clean-up and condensation of sections 1, 2
WD06	6/7/2021	Toby Considine	Refines Item language into Resource and Products. Explains Message Groups as a conforming descendant of EI Services.
WD07	6/21/2021	Toby Considine William T Cox	Clarified terminology and relationship to implied Service-Oriented Architecture. Structured CTS facets for clearer explanation
WD08	8/5/2021	Toby Considine William T. Cox David Holmberg	Clarify and simplify actor facets descriptions, including Tender, Transaction, and Configuration. Reduce redundant and less relevant content.

Notices

Copyright © OASIS Open 2021. All Rights Reserved.

All capitalized terms in the following text have the meanings assigned to them in the OASIS Intellectual Property Rights Policy (the "OASIS IPR Policy"). The full Policy may be found at the OASIS website: [\[https://www.oasis-open.org/policies-guidelines/ipr\]](https://www.oasis-open.org/policies-guidelines/ipr).

This document and translations of it may be copied and furnished to others, and derivative works that comment on or otherwise explain it or assist in its implementation may be prepared, copied, published, and distributed, in whole or in part, without restriction of any kind, provided that the above copyright notice and this section are included on all such copies and derivative works. However, this document itself may not be modified in any way, including by removing the copyright notice or references to OASIS, except as needed for the purpose of developing any document or deliverable produced by an OASIS Technical Committee (in which case the rules applicable to copyrights, as set forth in the OASIS IPR Policy, must be followed) or as required to translate it into languages other than English.

The limited permissions granted above are perpetual and will not be revoked by OASIS or its successors or assigns.

This document and the information contained herein is provided on an "AS IS" basis and OASIS DISCLAIMS ALL WARRANTIES, EXPRESS OR IMPLIED, INCLUDING BUT NOT LIMITED TO ANY WARRANTY THAT THE USE OF THE INFORMATION HEREIN WILL NOT INFRINGE ANY OWNERSHIP RIGHTS OR ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. OASIS AND ITS MEMBERS WILL NOT BE LIABLE FOR ANY DIRECT, INDIRECT, SPECIAL OR CONSEQUENTIAL DAMAGES ARISING OUT OF ANY USE OF THIS DOCUMENT OR ANY PART THEREOF.

As stated in the OASIS IPR Policy, the following three paragraphs in brackets apply to OASIS Standards Final Deliverable documents (Committee Specifications, OASIS Standards, or Approved Errata).

[OASIS requests that any OASIS Party or any other party that believes it has patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable, to notify OASIS TC Administrator and provide an indication of its willingness to grant patent licenses to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this deliverable.]

[OASIS invites any party to contact the OASIS TC Administrator if it is aware of a claim of ownership of any patent claims that would necessarily be infringed by implementations of this OASIS Standards Final Deliverable by a patent holder that is not willing to provide a license to such patent claims in a manner consistent with the IPR Mode of the OASIS Technical Committee that produced this OASIS Standards Final Deliverable. OASIS may include such claims on its website, but disclaims any obligation to do so.]

[OASIS takes no position regarding the validity or scope of any intellectual property or other rights that might be claimed to pertain to the implementation or use of the technology described in this OASIS Standards Final Deliverable or the extent to which any license under such rights might or might not be available; neither does it represent that it has made any effort to identify any such rights. Information on OASIS' procedures with respect to rights in any document or deliverable produced by an OASIS Technical Committee can be found on the OASIS website. Copies of claims of rights made available for publication and any assurances of licenses to be made available, or the result of an attempt made to obtain a general license or permission for the use of such proprietary rights by implementers or users of this OASIS Standards Final Deliverable, can be obtained from the OASIS TC Administrator. OASIS makes no representation that any information or list of intellectual property rights will at any time be complete, or that any claims in such list are, in fact, Essential Claims.]

The name "OASIS" is a trademark of [OASIS](#), the owner and developer of this document, and should be used only to refer to the organization and its official outputs. OASIS welcomes reference to, and implementation and use of, documents, while reserving the right to enforce its marks against misleading uses. Please see <https://www.oasis-open.org/policies-guidelines/trademark> for above guidance.

Deleted: wd07→ 21 June

▼	Page 4: [1] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 4: [1] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 4: [1] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 4: [1] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 4: [1] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 4: [1] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [2] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [3] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [4] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [5] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [6] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [7] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [8] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [9] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [10] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [11] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [12] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [13] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [14] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [15] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [16] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [17] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [18] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [19] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [20] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [21] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [22] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [23] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [24] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [25] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [26] Deleted	William Cox	8/6/21 6:17:00 PM
▼	Page 6: [27] Deleted	William Cox	8/6/21 6:17:00 PM