


16. TRANSFER ITEM - REVISION 003

16.0 Overview

This chapter describes the Business Service Request named TRANSFER ITEM, the Verb being TRANSFER and the Noun being ITEM. The environment for this BSR can be within the enterprise or outside the enterprise.

The purpose of the TRANSFER ITEM Business Service Request is to give the organization the ability to do a quantity movement of materials from one organizational unit to another organizational unit.

The picture below visualizes a possible use of this BSR.




This BSR does not address the accounting implications that are potentially involved with TRANSFER ITEM. This is with the assumption that the destination application has a method of obtaining the costs of the item in question outside of this transaction.

If transferring or obtaining cost information is required, a Purchase Order or Sales Order can be used as an internal or external way of performing that type of Item Transfer.

16.1 Transfer ITEM

The TRANSFER ITEM Business Object Document consists of the following components:



Processing Note:

For each ITEMLINESO Data Type, there must exist an ITEMLINEDS Data Type.

The Business Service Request TRANSFER ITEM uses the following Data Types:

1. **ITEMHEADER** - Information that applies to the entire group of items contained in the transfer. This Data Type is required.
2. **ITEMLINESO** - Information that describes the item as it is at the source site. At least one occurrence of this Data Type is required for each occurrence of the ITEMHEADER Data Type.
3. **ITEMLINEDS** - Information that describes the item as it needs to be at the destination site. At least one occurrence of this Data Type is required for each occurrence of the ITEMHEADER Data Type.

16.2 ITEMHEADER

The Data Type, “**ITEMHEADER**”, is the first Data Type the Business Service Request “**TRANSFER ITEM**” uses.

Listed are all the Field Identifiers and Segments that are valid for use within the ITEMHEADER Data Type. The first table represents required data.

REQUIRED ITEMHEADER DATA	
NAME	APPENDIX
DATETIME(DOCUMENT)	D
DOCUMENTID	C

The second table describes data that is optional.

OPTIONAL ITEMHEADER DATA	
NAME	APPENDIX
DOCTYPE	C
USERAREA	C

Note: The DOCTYPE for this use of this Data Type has a value that represents Item Transfer Document.

16.3 ITEMLINESO

The Data Type, “**ITEMLINESO**”, is the second Data Type the Business Service Request “**TRANSFER ITEM**” uses. This Data Type is used to represent the data which defines the attributes of the Item in the source business application.

Listed are all the Field Identifiers and Segments that are valid for use within the ITEMLINESO Data Type.

The first table represents required data.

REQUIRED ITEMLINESO DATA	
NAME	APPENDIX
ITEM	C
QUANTITY(ITEM)	D
SITELEVEL1 - SITELEVEL2	C

Note: Either the ITEM or the QUANTITY(ITEM) is required, but both are not required.

The second table describes data that is optional.

OPTIONAL ITEMLINESO DATA	
NAME	APPENDIX
DATETIME(EXPIRATION)	D
DATETIME(NEEDEDELV)	D
DESCRIPTN	C
DISPOSITN	C
ITEMRV	C
LOTLEVEL1 - LOTLEVEL2	C
NOTES	C
REASONCODE	C
SERIALNUM	C
SITELEVEL3 - SITELEVEL9	C
TRNSFRTYPE	C
USERAREA	C

16.4 ITEMLINEDS

The Data Type, “**ITEMLINEDS**”, is the third Data Type the Business Service Request “**TRANSFER ITEM**” uses. This Data Type is used to represent the data which defines the attributes of the Item in the destination business application.

Listed are all the Field Identifiers and Segments that are valid for use within the ITEMLINEDS Data Type.

The first table represents required data.

REQUIRED ITEMLINEDS DATA	
NAME	APPENDIX
SITELEVEL1 - SITELEVEL2	C

The second table describes data that is optional.

OPTIONAL ITEMLINEDS DATA	
NAME	APPENDIX
DATETIME(EXPIRATION)	D
DATETIME(NEEDEDELV)	D
DESCRIPTN	C
DISPOSITN	C
ITEM	C
ITEMRV	C
LOTLEVEL1 - LOTLEVEL2	C
NOTES	C
QUANTITY(ITEM)	D
REASONCODE	C
SERIALNUM	C
SITELEVEL3 - SITELEVEL9	C
TRNSFRTYPE	C
USERAREA	C